

FLORIDA

2016 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36828	16,517,305	28446	80.5	79.5-81.5	8382	19.5	18.5-20.5
Male	15553	7,983,026	12199	81.4	80.0-82.8	3354	18.6	17.2-20.0
Female	21272	8,532,536	16244	79.7	78.5-80.9	5028	20.3	19.1-21.5
White/Non-Hisp	26503	9,275,115	20757	82.3	81.3-83.3	5746	17.7	16.7-18.7
Black or Afr. Am./Non-Hisp	3736	2,313,296	2829	81.2	78.5-83.9	907	18.8	16.1-21.5
Oth. Race/Non-Hisp.	1044	596,928	824	86.9	82.0-91.8	220	13.1	8.2-18.0
MultiRacial/Non-Hisp.	455	152,311	311	76.7	68.9-84.5	144	23.3	15.5-31.1
Hispanic	4414	3,829,315	3205	74.7	72.3-77.1	1209	25.3	22.9-27.7
18-24	1874	1,811,393	1693	90.5	88.5-92.5	181	9.5	7.5-11.5
25-34	3492	2,608,499	3024	86.5	84.3-88.7	468	13.5	11.3-15.7
35-44	3693	2,381,467	3036	82.3	79.6-85.0	657	17.7	15.0-20.4
45-54	5281	2,598,486	4019	79.1	76.9-81.3	1262	20.9	18.7-23.1
55-64	7272	2,694,630	5263	74.5	72.1-76.9	2009	25.5	23.1-27.9
65+	14635	4,087,830	10923	75.7	73.9-77.5	3712	24.3	22.5-26.1
Less Than H.S.	3869	2,246,648	2084	57.3	53.8-60.8	1785	42.7	39.2-46.2
H.S. or G.E.D.	11040	4,868,827	8113	78.9	77.3-80.5	2927	21.1	19.5-22.7
Some Post-H.S.	10653	5,182,740	8369	83.2	81.8-84.6	2284	16.8	15.4-18.2
College Graduate	11045	4,092,002	9713	91.9	91.1-92.7	1332	8.1	7.3- 8.9
Less than \$15,000	3359	1,298,059	1680	53.2	49.3-57.1	1679	46.8	42.9-50.7
\$15,000- 24,999	6691	2,846,284	4489	71.0	68.6-73.4	2202	29.0	26.6-31.4
\$25,000- 34,999	3777	1,549,445	2953	80.3	77.2-83.4	824	19.7	16.6-22.8
\$35,000- 49,999	4418	1,921,355	3650	85.6	83.4-87.8	768	14.4	12.2-16.6
\$50,000- 74,999	4088	1,804,732	3564	88.2	86.0-90.4	524	11.8	9.6-14.0
\$75,000+	6947	3,495,432	6341	93.4	92.2-94.6	606	6.6	5.4- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15553	7,983,026	12199	81.4	80.0-82.8	3354	18.6	17.2-20.0
White/Non-Hisp	10984	4,492,477	8667	82.4	81.0-83.8	2317	17.6	16.2-19.0
Black or Afr. Am./Non-Hisp	1497	1,087,220	1169	81.9	77.8-86.0	328	18.1	14.0-22.2
Oth. Race/Non-Hisp.	533	278,473	428	83.4	74.6-92.2	105	16.6	7.8-25.4
MultiRacial/Non-Hisp.	222	69,227	157	87.0	79.2-94.8	65	13.0	5.2-20.8
Hispanic	1957	1,856,106	1493	77.9	74.6-81.2	464	22.1	18.8-25.4
18-24	960	932,481	866	91.1	88.6-93.6	94	8.9	6.4-11.4
25-34	1619	1,320,475	1414	86.4	83.1-89.7	205	13.6	10.3-16.9
35-44	1626	1,178,096	1362	83.0	78.9-87.1	264	17.0	12.9-21.1
45-54	2307	1,282,228	1813	81.4	78.5-84.3	494	18.6	15.7-21.5
55-64	3090	1,277,209	2253	74.9	71.4-78.4	837	25.1	21.6-28.6
65+	5721	1,851,095	4298	76.0	73.5-78.5	1423	24.0	21.5-26.5
Less Than H.S.	1702	1,156,512	990	60.2	55.1-65.3	712	39.8	34.7-44.9
H.S. or G.E.D.	4628	2,432,501	3445	80.5	78.3-82.7	1183	19.5	17.3-21.7
Some Post-H.S.	4142	2,332,185	3294	83.8	81.4-86.2	848	16.2	13.8-18.6
College Graduate	4996	2,013,949	4406	91.9	90.7-93.1	590	8.1	6.9- 9.3
Less than \$15,000	1190	563,512	589	49.4	43.3-55.5	601	50.6	44.5-56.7
\$15,000- 24,999	2555	1,288,271	1706	70.9	67.2-74.6	849	29.1	25.4-32.8
\$25,000- 34,999	1553	733,177	1219	79.0	73.9-84.1	334	21.0	15.9-26.1
\$35,000- 49,999	2020	956,647	1631	84.5	81.8-87.2	389	15.5	12.8-18.2
\$50,000- 74,999	1914	927,713	1641	88.2	85.3-91.1	273	11.8	8.9-14.7
\$75,000+	3558	1,958,183	3259	93.2	91.4-95.0	299	6.8	5.0- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21272	8,532,536	16244	79.7	78.5-80.9	5028	20.3	19.1-21.5
White/Non-Hisp	15517	4,781,492	12088	82.1	80.9-83.3	3429	17.9	16.7-19.1
Black or Afr. Am./Non-Hisp	2238	1,225,479	1659	80.6	76.7-84.5	579	19.4	15.5-23.3
Oth. Race/Non-Hisp.	511	318,455	396	90.0	85.1-94.9	115	10.0	5.1-14.9
MultiRacial/Non-Hisp.	233	83,084	154	68.1	55.6-80.6	79	31.9	19.4-44.4
Hispanic	2457	1,973,210	1712	71.6	68.3-74.9	745	28.4	25.1-31.7
18-24	914	878,911	827	89.9	86.8-93.0	87	10.1	7.0-13.2
25-34	1871	1,286,533	1608	86.6	83.9-89.3	263	13.4	10.7-16.1
35-44	2067	1,203,372	1674	81.6	78.1-85.1	393	18.4	14.9-21.9
45-54	2974	1,316,259	2206	76.8	73.5-80.1	768	23.2	19.9-26.5
55-64	4182	1,417,421	3010	74.1	70.8-77.4	1172	25.9	22.6-29.2
65+	8913	2,236,483	6624	75.4	73.2-77.6	2289	24.6	22.4-26.8
Less Than H.S.	2166	1,089,539	1093	54.3	49.2-59.4	1073	45.7	40.6-50.8
H.S. or G.E.D.	6412	2,436,326	4668	77.3	74.9-79.7	1744	22.7	20.3-25.1
Some Post-H.S.	6511	2,850,555	5075	82.8	81.0-84.6	1436	17.2	15.4-19.0
College Graduate	6047	2,076,907	5305	91.8	90.6-93.0	742	8.2	7.0- 9.4
Less than \$15,000	2169	734,547	1091	56.1	51.2-61.0	1078	43.9	39.0-48.8
\$15,000- 24,999	4136	1,558,013	2783	71.1	68.0-74.2	1353	28.9	25.8-32.0
\$25,000- 34,999	2223	815,374	1733	81.3	77.6-85.0	490	18.7	15.0-22.4
\$35,000- 49,999	2398	964,708	2019	86.6	83.5-89.7	379	13.4	10.3-16.5
\$50,000- 74,999	2174	877,019	1923	88.2	84.9-91.5	251	11.8	8.5-15.1
\$75,000+	3388	1,536,997	3081	93.7	92.3-95.1	307	6.3	4.9- 7.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 2: HEALTHY DAYS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36003	16,170,018	23138	67.8	66.8-68.8	7000	19.3	18.5-20.1	5865	12.9	12.1-13.7
Male	15247	7,817,369	10277	70.0	68.6-71.4	2718	18.4	17.2-19.6	2252	11.6	10.6-12.6
Female	20753	8,350,907	12858	65.8	64.4-67.2	4282	20.1	18.9-21.3	3613	14.1	13.1-15.1
White/Non-Hisp	25923	9,110,452	16402	65.5	64.3-66.7	5163	20.4	19.4-21.4	4358	14.1	13.3-14.9
Black or Afr. Am./Non-Hisp	3626	2,226,377	2339	67.3	64.0-70.6	745	21.6	18.7-24.5	542	11.1	8.9-13.3
Oth. Race/Non-Hisp.	1021	585,135	669	75.1	69.2-81.0	187	19.3	13.6-25.0	165	5.5	3.0- 8.0
MultiRacial/Non-Hisp.	443	148,674	233	59.6	50.0-69.2	100	20.6	13.9-27.3	110	19.8	11.8-27.8
Hispanic	4329	3,753,010	3068	72.8	70.4-75.2	674	15.3	13.3-17.3	587	11.9	10.1-13.7
18-24	1838	1,765,613	1309	71.9	68.8-75.0	430	22.1	19.2-25.0	99	6.0	4.2- 7.8
25-34	3438	2,562,528	2445	69.5	66.8-72.2	744	23.4	20.9-25.9	249	7.1	5.5- 8.7
35-44	3635	2,347,532	2482	71.1	68.4-73.8	738	18.8	16.3-21.3	415	10.0	8.2-11.8
45-54	5205	2,552,089	3214	65.0	62.5-67.5	1029	19.5	17.3-21.7	962	15.4	13.4-17.4
55-64	7134	2,646,717	4234	63.7	61.2-66.2	1369	17.2	15.2-19.2	1531	19.1	17.1-21.1
65+	14185	3,963,777	9036	66.6	64.8-68.4	2592	17.2	15.8-18.6	2557	16.1	14.7-17.5
Less Than H.S.	3728	2,170,431	2075	61.8	58.3-65.3	652	18.3	15.4-21.2	1001	19.8	17.1-22.5
H.S. or G.E.D.	10754	4,740,614	6754	67.7	65.7-69.7	2046	18.8	17.2-20.4	1954	13.5	12.3-14.7
Some Post-H.S.	10418	5,079,349	6543	66.2	64.4-68.0	2092	19.6	18.0-21.2	1783	14.2	12.8-15.6
College Graduate	10890	4,051,381	7618	73.0	71.4-74.6	2178	20.3	18.9-21.7	1094	6.6	5.8- 7.4
Less than \$15,000	3265	1,247,771	1451	47.1	43.2-51.0	666	23.3	19.8-26.8	1148	29.6	26.1-33.1
\$15,000- 24,999	6561	2,801,959	3778	61.7	59.2-64.2	1308	19.2	17.2-21.2	1475	19.1	16.9-21.3
\$25,000- 34,999	3697	1,496,903	2327	68.3	65.2-71.4	784	20.0	17.1-22.9	586	11.7	9.7-13.7
\$35,000- 49,999	4330	1,881,796	2919	69.6	66.9-72.3	860	19.7	17.2-22.2	551	10.7	8.9-12.5
\$50,000- 74,999	4044	1,793,897	2817	71.6	68.9-74.3	826	19.2	16.8-21.6	401	9.1	7.1-11.1
\$75,000+	6864	3,464,727	5037	73.3	71.1-75.5	1317	21.1	19.1-23.1	510	5.6	4.6- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15247	7,817,369	10277	70.0	68.6-71.4	2718	18.4	17.2-19.6	2252	11.6	10.6-12.6
White/Non-Hisp	10784	4,420,415	7157	67.6	65.8-69.4	1957	19.0	17.6-20.4	1670	13.3	11.9-14.7
Black or Afr. Am./Non-Hisp	1446	1,032,401	994	70.2	65.3-75.1	253	19.9	15.6-24.2	199	9.9	7.0-12.8
Oth. Race/Non-Hisp.	525	274,672	362	77.0	68.4-85.6	91	17.2	9.0-25.4	72	5.9	2.0- 9.8
MultiRacial/Non-Hisp.	217	66,749	117	69.8	59.0-80.6	46	21.1	11.5-30.7	54	9.1	3.6-14.6
Hispanic	1922	1,826,905	1411	73.7	70.4-77.0	302	16.7	13.8-19.6	209	9.5	7.3-11.7
18-24	937	905,364	682	73.7	69.4-78.0	206	20.4	16.5-24.3	49	5.9	3.7- 8.1
25-34	1595	1,303,146	1181	71.2	67.3-75.1	315	22.7	19.0-26.4	99	6.1	4.1- 8.1
35-44	1594	1,156,744	1137	71.9	67.8-76.0	277	17.7	14.2-21.2	180	10.4	7.5-13.3
45-54	2281	1,263,384	1521	68.5	65.0-72.0	407	18.4	15.5-21.3	353	13.1	10.6-15.6
55-64	3033	1,248,964	1883	65.7	62.0-69.4	523	17.2	14.1-20.3	627	17.1	14.4-19.8
65+	5584	1,799,331	3711	68.8	66.3-71.3	949	16.1	13.9-18.3	924	15.1	13.1-17.1
Less Than H.S.	1645	1,116,836	979	63.9	59.0-68.8	277	17.5	13.4-21.6	389	18.7	15.0-22.4
H.S. or G.E.D.	4529	2,370,958	2974	69.8	67.3-72.3	786	18.4	16.0-20.8	769	11.8	10.2-13.4
Some Post-H.S.	4055	2,282,756	2703	68.6	65.9-71.3	741	18.5	16.1-20.9	611	12.9	10.7-15.1
College Graduate	4934	1,994,472	3560	74.7	72.5-76.9	905	19.2	17.0-21.4	469	6.2	5.2- 7.2
Less than \$15,000	1156	543,009	521	46.4	40.3-52.5	235	26.4	20.3-32.5	400	27.2	22.1-32.3
\$15,000- 24,999	2516	1,276,048	1509	64.5	60.8-68.2	458	17.9	14.8-21.0	549	17.6	14.7-20.5
\$25,000- 34,999	1518	702,119	1020	69.5	64.4-74.6	271	18.0	13.5-22.5	227	12.5	9.2-15.8
\$35,000- 49,999	1974	932,344	1372	71.4	67.7-75.1	348	16.7	13.6-19.8	254	11.9	9.2-14.6
\$50,000- 74,999	1896	919,763	1342	72.8	69.1-76.5	367	19.3	16.0-22.6	187	7.9	5.7-10.1
\$75,000+	3514	1,938,254	2670	74.7	72.0-77.4	603	20.2	17.5-22.9	241	5.2	3.8- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20753	8,350,907	12858	65.8	64.4-67.2	4282	20.1	18.9-21.3	3613	14.1	13.1-15.1
White/Non-Hisp	15137	4,688,892	9243	63.4	61.8-65.0	3206	21.8	20.4-23.2	2688	14.8	13.6-16.0
Black or Afr. Am./Non-Hisp	2179	1,193,379	1344	64.7	60.0-69.4	492	23.1	18.8-27.4	343	12.2	8.9-15.5
Oth. Race/Non-Hisp.	496	310,463	307	73.5	65.3-81.7	96	21.3	13.5-29.1	93	5.3	2.2- 8.4
MultiRacial/Non-Hisp.	226	81,925	116	51.3	36.6-66.0	54	20.2	10.8-29.6	56	28.6	15.5-41.7
Hispanic	2407	1,926,105	1657	72.0	68.7-75.3	372	13.9	11.5-16.3	378	14.2	11.7-16.7
18-24	901	860,249	627	69.9	65.2-74.6	224	23.9	19.6-28.2	50	6.2	3.5- 8.9
25-34	1841	1,257,892	1262	67.6	63.7-71.5	429	24.1	20.6-27.6	150	8.3	5.9-10.7
35-44	2041	1,190,788	1345	70.4	66.7-74.1	461	19.9	16.4-23.4	235	9.7	7.5-11.9
45-54	2924	1,288,705	1693	61.6	57.9-65.3	622	20.6	17.5-23.7	609	17.8	14.9-20.7
55-64	4101	1,397,754	2351	61.9	58.4-65.4	846	17.2	14.8-19.6	904	20.9	18.0-23.8
65+	8600	2,164,193	5324	64.8	62.4-67.2	1643	18.2	16.2-20.2	1633	17.0	15.0-19.0
Less Than H.S.	2082	1,052,997	1095	59.7	54.6-64.8	375	19.3	15.0-23.6	612	21.1	17.0-25.2
H.S. or G.E.D.	6225	2,369,656	3780	65.6	62.9-68.3	1260	19.2	16.8-21.6	1185	15.2	13.2-17.2
Some Post-H.S.	6363	2,796,592	3840	64.2	61.8-66.6	1351	20.5	18.5-22.5	1172	15.3	13.5-17.1
College Graduate	5954	2,055,763	4056	71.4	69.2-73.6	1273	21.5	19.3-23.7	625	7.1	5.9- 8.3
Less than \$15,000	2109	704,762	930	47.5	42.4-52.6	431	21.0	16.9-25.1	748	31.5	26.8-36.2
\$15,000- 24,999	4045	1,525,911	2269	59.3	55.8-62.8	850	20.2	17.5-22.9	926	20.4	17.5-23.3
\$25,000- 34,999	2178	793,891	1306	67.1	63.0-71.2	513	21.8	18.1-25.5	359	11.1	8.7-13.5
\$35,000- 49,999	2356	949,452	1547	67.8	63.7-71.9	512	22.6	18.9-26.3	297	9.6	7.2-12.0
\$50,000- 74,999	2148	874,134	1475	70.4	66.3-74.5	459	19.2	16.1-22.3	214	10.3	7.2-13.4
\$75,000+	3349	1,526,221	2366	71.6	68.7-74.5	714	22.3	19.4-25.2	269	6.1	4.7- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36165	16,210,340	26139	70.6	69.6-71.6	5838	18.0	17.2-18.8	4188	11.4	10.6-12.2
Male	15278	7,838,586	11671	74.2	72.8-75.6	2122	16.3	15.1-17.5	1485	9.5	8.5-10.5
Female	20884	8,370,010	14467	67.3	65.9-68.7	3715	19.5	18.3-20.7	2702	13.2	12.2-14.2
White/Non-Hisp	26027	9,115,534	18856	69.0	67.8-70.2	4183	18.9	17.9-19.9	2988	12.1	11.3-12.9
Black or Afr. Am./Non-Hisp	3678	2,258,366	2626	71.2	67.9-74.5	640	17.9	15.2-20.6	412	10.9	8.5-13.3
Oth. Race/Non-Hisp.	1020	581,917	720	74.2	68.5-79.9	168	19.0	13.7-24.3	132	6.8	4.1- 9.5
MultiRacial/Non-Hisp.	442	146,436	276	53.9	43.5-64.3	74	20.3	12.5-28.1	92	25.8	15.4-36.2
Hispanic	4336	3,757,940	3166	73.8	71.4-76.2	679	16.3	14.3-18.3	491	10.0	8.4-11.6
18-24	1849	1,782,623	1068	58.9	55.4-62.4	545	29.1	26.0-32.2	236	12.0	9.8-14.2
25-34	3441	2,564,005	2147	61.6	58.7-64.5	810	24.8	22.3-27.3	484	13.6	11.4-15.8
35-44	3637	2,341,993	2448	69.7	66.8-72.6	718	18.2	15.8-20.6	471	12.1	9.9-14.3
45-54	5195	2,561,965	3417	68.1	65.6-70.6	934	18.0	15.8-20.2	844	13.9	12.1-15.7
55-64	7141	2,640,000	4984	71.7	69.3-74.1	1143	15.8	13.8-17.8	1014	12.6	11.0-14.2
65+	14336	3,990,414	11609	81.8	80.4-83.2	1638	10.8	9.6-12.0	1089	7.4	6.4- 8.4
Less Than H.S.	3751	2,176,829	2526	67.4	63.9-70.9	550	17.3	14.4-20.2	675	15.3	12.8-17.8
H.S. or G.E.D.	10831	4,780,414	7780	70.1	68.3-71.9	1676	17.7	16.1-19.3	1375	12.1	10.9-13.3
Some Post-H.S.	10462	5,089,653	7398	69.5	67.7-71.3	1760	18.0	16.6-19.4	1304	12.5	11.1-13.9
College Graduate	10906	4,041,277	8255	73.8	72.2-75.4	1841	19.1	17.7-20.5	810	7.1	6.1- 8.1
Less than \$15,000	3283	1,273,948	1851	54.4	50.5-58.3	584	21.3	17.8-24.8	848	24.3	21.2-27.4
\$15,000- 24,999	6559	2,775,291	4454	67.6	65.1-70.1	1067	17.5	15.3-19.7	1038	14.8	13.0-16.6
\$25,000- 34,999	3705	1,520,474	2648	71.3	68.2-74.4	641	17.5	15.0-20.0	416	11.2	9.0-13.4
\$35,000- 49,999	4365	1,899,309	3180	68.8	65.9-71.7	753	18.7	16.3-21.1	432	12.5	10.3-14.7
\$50,000- 74,999	4046	1,786,749	3078	72.5	69.6-75.4	674	19.5	17.0-22.0	294	8.0	6.2- 9.8
\$75,000+	6880	3,472,029	5350	74.0	72.0-76.0	1134	18.6	16.8-20.4	396	7.4	6.0- 8.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15278	7,838,586	11671	74.2	72.8-75.6	2122	16.3	15.1-17.5	1485	9.5	8.5-10.5
White/Non-Hisp	10797	4,422,408	8327	73.6	72.0-75.2	1458	16.3	14.9-17.7	1012	10.1	8.9-11.3
Black or Afr. Am./Non-Hisp	1467	1,051,790	1102	75.0	70.5-79.5	220	15.6	11.7-19.5	145	9.5	6.6-12.4
Oth. Race/Non-Hisp.	523	272,799	380	71.9	62.9-80.9	73	19.8	11.0-28.6	70	8.3	3.8-12.8
MultiRacial/Non-Hisp.	219	68,223	145	65.4	53.2-77.6	31	19.0	9.4-28.6	43	15.6	6.6-24.6
Hispanic	1923	1,824,248	1443	75.2	71.9-78.5	295	17.0	14.1-19.9	185	7.8	5.8- 9.8
18-24	944	914,909	575	61.6	56.7-66.5	263	28.5	24.2-32.8	106	9.9	7.2-12.6
25-34	1591	1,290,394	1056	66.2	62.3-70.1	352	22.4	18.9-25.9	183	11.3	8.8-13.8
35-44	1595	1,157,580	1169	72.8	68.5-77.1	262	17.2	13.7-20.7	164	9.9	6.8-13.0
45-54	2277	1,269,796	1662	73.5	70.2-76.8	327	15.6	12.9-18.3	288	10.9	8.7-13.1
55-64	3026	1,254,414	2276	74.8	71.3-78.3	387	14.0	11.1-16.9	363	11.2	8.8-13.6
65+	5622	1,812,116	4741	85.7	83.9-87.5	515	8.3	6.7- 9.9	366	6.0	4.8- 7.2
Less Than H.S.	1650	1,126,389	1168	70.9	66.2-75.6	229	16.2	12.1-20.3	253	12.9	10.0-15.8
H.S. or G.E.D.	4541	2,380,213	3355	71.9	69.4-74.4	659	17.8	15.4-20.2	527	10.4	8.8-12.0
Some Post-H.S.	4069	2,290,591	3071	74.0	71.5-76.5	576	15.7	13.7-17.7	422	10.2	8.2-12.2
College Graduate	4933	1,989,591	4003	78.4	76.2-80.6	657	15.8	13.8-17.8	273	5.8	4.6- 7.0
Less than \$15,000	1168	549,442	695	54.6	48.5-60.7	204	25.2	19.1-31.3	269	20.2	15.9-24.5
\$15,000- 24,999	2499	1,264,221	1779	70.7	67.0-74.4	363	15.9	12.8-19.0	357	13.4	10.9-15.9
\$25,000- 34,999	1520	718,816	1141	77.0	73.1-80.9	234	13.7	11.0-16.4	145	9.3	6.4-12.2
\$35,000- 49,999	1994	943,172	1544	73.4	69.7-77.1	285	16.9	13.6-20.2	165	9.7	7.3-12.1
\$50,000- 74,999	1893	914,637	1534	78.7	75.2-82.2	241	14.8	11.7-17.9	118	6.6	4.4- 8.8
\$75,000+	3520	1,942,505	2882	77.4	74.7-80.1	460	16.2	13.8-18.6	178	6.5	4.9- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20884	8,370,010	14467	67.3	65.9-68.7	3715	19.5	18.3-20.7	2702	13.2	12.2-14.2
White/Non-Hisp	15228	4,691,981	10528	64.7	63.1-66.3	2724	21.4	20.0-22.8	1976	13.9	12.7-15.1
Black or Afr. Am./Non-Hisp	2210	1,205,979	1524	67.9	63.2-72.6	420	20.0	15.9-24.1	266	12.1	8.8-15.4
Oth. Race/Non-Hisp.	497	309,119	340	76.2	69.1-83.3	95	18.4	11.9-24.9	62	5.5	2.0- 9.0
MultiRacial/Non-Hisp.	223	78,213	131	43.9	29.6-58.2	43	21.4	9.4-33.4	49	34.8	18.5-51.1
Hispanic	2413	1,933,691	1723	72.5	69.2-75.8	384	15.5	13.0-18.0	306	12.0	9.6-14.4
18-24	905	867,713	493	56.1	51.0-61.2	282	29.8	25.1-34.5	130	14.1	10.6-17.6
25-34	1848	1,272,120	1091	56.9	52.8-61.0	457	27.2	23.5-30.9	300	15.9	12.6-19.2
35-44	2042	1,184,413	1279	66.5	62.4-70.6	456	19.1	15.8-22.4	307	14.3	11.2-17.4
45-54	2918	1,292,169	1755	62.8	59.1-66.5	607	20.4	17.3-23.5	556	16.9	14.0-19.8
55-64	4115	1,385,586	2708	68.8	65.7-71.9	756	17.4	14.9-19.9	651	13.8	11.6-16.0
65+	8713	2,178,046	6867	78.6	76.4-80.8	1123	12.9	11.3-14.5	723	8.5	6.9-10.1
Less Than H.S.	2100	1,049,842	1358	63.7	58.6-68.8	321	18.4	14.1-22.7	421	17.9	14.0-21.8
H.S. or G.E.D.	6290	2,400,201	4425	68.4	65.7-71.1	1017	17.7	15.5-19.9	848	13.9	11.9-15.9
Some Post-H.S.	6393	2,799,062	4327	65.7	63.3-68.1	1184	19.9	17.9-21.9	882	14.4	12.6-16.2
College Graduate	5971	2,050,540	4251	69.4	67.0-71.8	1183	22.2	20.0-24.4	537	8.4	7.0- 9.8
Less than \$15,000	2115	724,505	1156	54.3	49.4-59.2	380	18.4	14.7-22.1	579	27.3	22.8-31.8
\$15,000- 24,999	4060	1,511,069	2675	65.0	61.7-68.3	704	18.9	16.2-21.6	681	16.0	13.5-18.5
\$25,000- 34,999	2184	800,765	1507	66.3	61.8-70.8	406	20.9	17.0-24.8	271	12.8	9.7-15.9
\$35,000- 49,999	2371	956,137	1636	64.3	60.0-68.6	468	20.5	17.0-24.0	267	15.2	11.7-18.7
\$50,000- 74,999	2153	872,112	1544	66.0	61.5-70.5	433	24.5	20.2-28.8	176	9.6	6.9-12.3
\$75,000+	3359	1,529,271	2467	69.7	66.6-72.8	674	21.7	19.0-24.4	218	8.7	6.5-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	21554	12,041,841	17325	78.6	77.4-79.8	4229	21.4	20.2-22.6
Male	9547	5,937,924	7452	77.0	75.4-78.6	2095	23.0	21.4-24.6
Female	12005	6,102,426	9872	80.2	78.6-81.8	2133	19.8	18.2-21.4
White/Non-Hisp	13912	6,119,106	11820	85.2	84.0-86.4	2092	14.8	13.6-16.0
Black or Afr. Am./Non-Hisp	2622	1,908,299	2113	78.0	74.7-81.3	509	22.0	18.7-25.3
Oth. Race/Non-Hisp.	745	482,368	599	81.7	76.2-87.2	146	18.3	12.8-23.8
MultiRacial/Non-Hisp.	301	134,334	239	72.7	62.1-83.3	62	27.3	16.7-37.9
Hispanic	3646	3,187,437	2289	65.9	63.2-68.6	1357	34.1	31.4-36.8
18-24	1818	1,758,339	1359	77.4	74.5-80.3	459	22.6	19.7-25.5
25-34	3483	2,604,287	2550	70.7	68.0-73.4	933	29.3	26.6-32.0
35-44	3693	2,383,802	2803	75.9	73.2-78.6	890	24.1	21.4-26.8
45-54	5273	2,588,404	4307	81.5	79.3-83.7	966	18.5	16.3-20.7
55-64	7287	2,707,009	6306	86.5	84.7-88.3	981	13.5	11.7-15.3
Less Than H.S.	2407	1,656,546	1328	53.6	49.3-57.9	1079	46.4	42.1-50.7
H.S. or G.E.D.	6408	3,557,341	4898	74.6	72.4-76.8	1510	25.4	23.2-27.6
Some Post-H.S.	6322	3,815,669	5288	83.1	81.3-84.9	1034	16.9	15.1-18.7
College Graduate	6331	2,955,008	5754	91.7	90.5-92.9	577	8.3	7.1-9.5
Less than \$15,000	2122	969,187	1322	61.7	57.4-66.0	800	38.3	34.0-42.6
\$15,000- 24,999	3857	2,111,776	2636	62.7	59.6-65.8	1221	37.3	34.2-40.4
\$25,000- 34,999	2113	1,119,918	1629	72.4	68.5-76.3	484	27.6	23.7-31.5
\$35,000- 49,999	2538	1,382,145	2164	83.7	81.0-86.4	374	16.3	13.6-19.0
\$50,000- 74,999	2492	1,336,242	2268	89.2	86.7-91.7	224	10.8	8.3-13.3
\$75,000+	4779	2,820,222	4541	95.1	93.9-96.3	238	4.9	3.7-6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	9547	5,937,924	7452	77.0	75.4-78.6	2095	23.0	21.4-24.6
White/Non-Hisp	6048	3,048,812	5028	84.0	82.4-85.6	1020	16.0	14.4-17.6
Black or Afr. Am./Non-Hisp	1114	911,254	848	74.5	69.8-79.2	266	25.5	20.8-30.2
Oth. Race/Non-Hisp.	390	223,599	309	80.8	73.5-88.1	81	19.2	11.9-26.5
MultiRacial/Non-Hisp.	154	60,911	122	73.8	58.1-89.5	32	26.2	10.5-41.9
Hispanic	1669	1,578,460	1009	64.4	60.5-68.3	660	35.6	31.7-39.5
18-24	915	890,565	668	77.7	73.6-81.8	247	22.3	18.2-26.4
25-34	1611	1,314,531	1127	69.5	65.6-73.4	484	30.5	26.6-34.4
35-44	1626	1,179,528	1191	71.6	67.3-75.9	435	28.4	24.1-32.7
45-54	2301	1,274,394	1824	80.5	77.6-83.4	477	19.5	16.6-22.4
55-64	3094	1,278,906	2642	85.5	83.0-88.0	452	14.5	12.0-17.0
Less Than H.S.	1175	897,095	609	51.2	45.5-56.9	566	48.8	43.1-54.5
H.S. or G.E.D.	3058	1,881,692	2268	74.1	71.2-77.0	790	25.9	23.0-28.8
Some Post-H.S.	2572	1,753,310	2101	81.9	79.4-84.4	471	18.1	15.6-20.6
College Graduate	2704	1,380,466	2455	91.7	89.9-93.5	249	8.3	6.5-10.1
Less than \$15,000	825	440,750	475	58.5	51.8-65.2	350	41.5	34.8-48.2
\$15,000- 24,999	1588	987,398	993	56.5	51.8-61.2	595	43.5	38.8-48.2
\$25,000- 34,999	914	548,256	674	70.0	64.1-75.9	240	30.0	24.1-35.9
\$35,000- 49,999	1174	688,474	963	80.9	76.8-85.0	211	19.1	15.0-23.2
\$50,000- 74,999	1104	660,189	979	87.5	84.2-90.8	125	12.5	9.2-15.8
\$75,000+	2367	1,529,601	2225	94.6	93.0-96.2	142	5.4	3.8- 7.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	12005	6,102,426	9872	80.2	78.6-81.8	2133	19.8	18.2-21.4
White/Non-Hisp	7863	3,069,401	6791	86.4	84.8-88.0	1072	13.6	12.0-15.2
Black or Afr. Am./Non-Hisp	1507	996,448	1265	81.2	76.9-85.5	242	18.8	14.5-23.1
Oth. Race/Non-Hisp.	355	258,769	290	82.5	74.5-90.5	65	17.5	9.5-25.5
MultiRacial/Non-Hisp.	147	73,422	117	71.9	57.6-86.2	30	28.1	13.8-42.4
Hispanic	1977	1,608,977	1280	67.4	63.5-71.3	697	32.6	28.7-36.5
18-24	903	867,774	691	77.0	72.5-81.5	212	23.0	18.5-27.5
25-34	1870	1,288,265	1422	71.9	67.8-76.0	448	28.1	24.0-32.2
35-44	2067	1,204,274	1612	80.2	76.9-83.5	455	19.8	16.5-23.1
45-54	2972	1,314,009	2483	82.6	79.5-85.7	489	17.4	14.3-20.5
55-64	4193	1,428,103	3664	87.4	85.0-89.8	529	12.6	10.2-15.0
Less Than H.S.	1231	758,854	719	56.5	50.2-62.8	512	43.5	37.2-49.8
H.S. or G.E.D.	3350	1,675,649	2630	75.1	71.8-78.4	720	24.9	21.6-28.2
Some Post-H.S.	3750	2,062,358	3187	84.2	82.0-86.4	563	15.8	13.6-18.0
College Graduate	3626	1,573,648	3298	91.8	90.2-93.4	328	8.2	6.6- 9.8
Less than \$15,000	1297	528,437	847	64.3	58.6-70.0	450	35.7	30.0-41.4
\$15,000- 24,999	2269	1,124,378	1643	68.1	64.0-72.2	626	31.9	27.8-36.0
\$25,000- 34,999	1198	570,769	954	74.7	69.4-80.0	244	25.3	20.0-30.6
\$35,000- 49,999	1364	693,670	1201	86.6	82.9-90.3	163	13.4	9.7-17.1
\$50,000- 74,999	1388	676,053	1289	90.9	87.0-94.8	99	9.1	5.2-13.0
\$75,000+	2412	1,290,622	2316	95.6	93.8-97.4	96	4.4	2.6- 6.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36868	16,548,910	24620	70.2	69.2-71.2	12248	29.8	28.8-30.8
Male	15560	7,994,737	10903	72.9	71.5-74.3	4657	27.1	25.7-28.5
Female	21305	8,552,430	13714	67.7	66.3-69.1	7591	32.3	30.9-33.7
White/Non-Hisp	26516	9,288,821	18086	74.0	73.0-75.0	8430	26.0	25.0-27.0
Black or Afr. Am./Non-Hisp	3748	2,313,353	2372	68.1	64.8-71.4	1376	31.9	28.6-35.2
Oth. Race/Non-Hisp.	1046	599,132	698	72.3	66.6-78.0	348	27.7	22.0-33.4
MultiRacial/Non-Hisp.	450	151,054	315	73.6	64.8-82.4	135	26.4	17.6-35.2
Hispanic	4425	3,839,320	2670	61.4	58.9-63.9	1755	38.6	36.1-41.1
18-24	1874	1,811,622	1472	81.3	78.6-84.0	402	18.7	16.0-21.4
25-34	3490	2,606,666	2627	76.7	74.2-79.2	863	23.3	20.8-25.8
35-44	3702	2,391,448	2638	71.2	68.3-74.1	1064	28.8	25.9-31.7
45-54	5285	2,603,770	3510	68.3	65.8-70.8	1775	31.7	29.2-34.2
55-64	7292	2,707,972	4739	65.4	62.9-67.9	2553	34.6	32.1-37.1
65+	14645	4,096,854	9206	64.3	62.5-66.1	5439	35.7	33.9-37.5
Less Than H.S.	3885	2,256,623	1751	50.5	47.0-54.0	2134	49.5	46.0-53.0
H.S. or G.E.D.	11047	4,871,805	6558	63.6	61.6-65.6	4489	36.4	34.4-38.4
Some Post-H.S.	10660	5,193,333	7372	73.9	72.3-75.5	3288	26.1	24.5-27.7
College Graduate	11054	4,095,562	8807	84.2	83.0-85.4	2247	15.8	14.6-17.0
Less than \$15,000	3369	1,302,687	1629	52.4	48.5-56.3	1740	47.6	43.7-51.5
\$15,000- 24,999	6708	2,854,226	3787	59.6	57.1-62.1	2921	40.4	37.9-42.9
\$25,000- 34,999	3778	1,548,528	2391	63.3	59.8-66.8	1387	36.7	33.2-40.2
\$35,000- 49,999	4419	1,920,475	3129	72.7	70.0-75.4	1290	27.3	24.6-30.0
\$50,000- 74,999	4091	1,808,043	3178	80.6	78.2-83.0	913	19.4	17.0-21.8
\$75,000+	6946	3,499,760	5728	85.2	83.6-86.8	1218	14.8	13.2-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15560	7,994,737	10903	72.9	71.5-74.3	4657	27.1	25.7-28.5
White/Non-Hisp	10982	4,497,794	7829	75.7	74.1-77.3	3153	24.3	22.7-25.9
Black or Afr. Am./Non-Hisp	1501	1,087,171	1023	72.6	67.9-77.3	478	27.4	22.7-32.1
Oth. Race/Non-Hisp.	533	278,660	367	71.2	63.8-78.6	166	28.8	21.4-36.2
MultiRacial/Non-Hisp.	219	68,024	156	70.7	56.6-84.8	63	29.3	15.2-43.4
Hispanic	1963	1,862,924	1260	66.2	62.5-69.9	703	33.8	30.1-37.5
18-24	957	931,289	783	84.3	81.0-87.6	174	15.7	12.4-19.0
25-34	1620	1,319,399	1250	77.9	74.4-81.4	370	22.1	18.6-25.6
35-44	1630	1,182,166	1188	72.5	68.2-76.8	442	27.5	23.2-31.8
45-54	2310	1,286,194	1600	71.5	68.2-74.8	710	28.5	25.2-31.8
55-64	3097	1,278,633	2056	67.2	63.7-70.7	1041	32.8	29.3-36.3
65+	5717	1,855,666	3850	68.3	65.6-71.0	1867	31.7	29.0-34.4
Less Than H.S.	1712	1,163,024	839	55.9	51.0-60.8	873	44.1	39.2-49.0
H.S. or G.E.D.	4625	2,431,314	2923	67.2	64.5-69.9	1702	32.8	30.1-35.5
Some Post-H.S.	4140	2,332,406	2982	76.7	74.3-79.1	1158	23.3	20.9-25.7
College Graduate	4996	2,015,316	4102	85.2	83.4-87.0	894	14.8	13.0-16.6
Less than \$15,000	1190	563,885	599	54.5	48.4-60.6	591	45.5	39.4-51.6
\$15,000- 24,999	2564	1,296,532	1484	64.0	60.3-67.7	1080	36.0	32.3-39.7
\$25,000- 34,999	1554	732,851	1014	63.0	57.5-68.5	540	37.0	31.5-42.5
\$35,000- 49,999	2019	955,496	1466	73.2	69.1-77.3	553	26.8	22.7-30.9
\$50,000- 74,999	1913	928,918	1497	80.5	77.2-83.8	416	19.5	16.2-22.8
\$75,000+	3557	1,957,581	2979	85.6	83.6-87.6	578	14.4	12.4-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21305	8,552,430	13714	67.7	66.3-69.1	7591	32.3	30.9-33.7
White/Non-Hisp	15532	4,789,881	10255	72.4	71.0-73.8	5277	27.6	26.2-29.0
Black or Afr. Am./Non-Hisp	2246	1,225,585	1348	64.1	59.6-68.6	898	35.9	31.4-40.4
Oth. Race/Non-Hisp.	513	320,472	331	73.3	65.1-81.5	182	26.7	18.5-34.9
MultiRacial/Non-Hisp.	231	83,029	159	76.0	65.4-86.6	72	24.0	13.4-34.6
Hispanic	2462	1,976,396	1410	56.9	53.2-60.6	1052	43.1	39.4-46.8
18-24	917	880,333	689	78.2	73.9-82.5	228	21.8	17.5-26.1
25-34	1868	1,285,777	1375	75.4	71.9-78.9	493	24.6	21.1-28.1
35-44	2072	1,209,281	1450	70.0	66.3-73.7	622	30.0	26.3-33.7
45-54	2975	1,317,576	1910	65.3	61.4-69.2	1065	34.7	30.8-38.6
55-64	4195	1,429,339	2683	63.9	60.4-67.4	1512	36.1	32.6-39.6
65+	8927	2,240,936	5355	60.9	58.5-63.3	3572	39.1	36.7-41.5
Less Than H.S.	2172	1,093,002	911	44.8	39.7-49.9	1261	55.2	50.1-60.3
H.S. or G.E.D.	6422	2,440,491	3635	60.0	57.3-62.7	2787	40.0	37.3-42.7
Some Post-H.S.	6520	2,860,927	4390	71.5	69.3-73.7	2130	28.5	26.3-30.7
College Graduate	6056	2,079,100	4703	83.2	81.4-85.0	1353	16.8	15.0-18.6
Less than \$15,000	2179	738,802	1030	50.7	45.8-55.6	1149	49.3	44.4-54.2
\$15,000- 24,999	4144	1,557,694	2303	56.0	52.5-59.5	1841	44.0	40.5-47.5
\$25,000- 34,999	2223	814,783	1376	63.6	59.1-68.1	847	36.4	31.9-40.9
\$35,000- 49,999	2400	964,979	1663	72.1	68.2-76.0	737	27.9	24.0-31.8
\$50,000- 74,999	2178	879,125	1681	80.7	77.4-84.0	497	19.3	16.0-22.6
\$75,000+	3388	1,541,926	2748	84.6	82.2-87.0	640	15.4	13.0-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36631	16,428,891	4069	7.6	7.0- 8.2	32562	92.4	91.8-93.0
Male	15467	7,941,970	2150	9.6	8.8-10.4	13317	90.4	89.6-91.2
Female	21161	8,485,178	1919	5.8	5.2- 6.4	19242	94.2	93.6-94.8
White/Non-Hisp	26367	9,243,906	3249	9.0	8.4- 9.6	23118	91.0	90.4-91.6
Black or Afr. Am./Non-Hisp	3714	2,289,048	307	6.3	4.5- 8.1	3407	93.7	91.9-95.5
Oth. Race/Non-Hisp.	1037	591,455	103	6.0	1.5-10.5	934	94.0	89.5-98.5
MultiRacial/Non-Hisp.	450	152,232	61	6.8	1.5-12.1	389	93.2	87.9-98.5
Hispanic	4401	3,806,333	261	4.9	3.9- 5.9	4140	95.1	94.1-96.1
18-24	1873	1,808,201	15	1.1	0.3- 1.9	1858	98.9	98.1-99.7
25-34	3483	2,600,072	51	1.4	0.6- 2.2	3432	98.6	97.8-99.4
35-44	3692	2,377,181	113	3.0	2.0- 4.0	3579	97.0	96.0-98.0
45-54	5247	2,583,683	366	6.0	4.6- 7.4	4881	94.0	92.6-95.4
55-64	7253	2,686,611	781	9.0	7.4-10.6	6472	91.0	89.4-92.6
65+	14515	4,056,881	2700	17.6	16.2-19.0	11815	82.4	81.0-83.8
Less Than H.S.	3832	2,226,018	616	12.0	9.6-14.4	3216	88.0	85.6-90.4
H.S. or G.E.D.	10980	4,852,753	1238	6.7	5.9- 7.5	9742	93.3	92.5-94.1
Some Post-H.S.	10606	5,164,973	1218	8.1	7.1- 9.1	9388	91.9	90.9-92.9
College Graduate	11004	4,075,232	968	5.8	5.0- 6.6	10036	94.2	93.4-95.0
Less than \$15,000	3336	1,287,152	601	15.5	12.4-18.6	2735	84.5	81.4-87.6
\$15,000- 24,999	6656	2,842,071	906	9.2	7.8-10.6	5750	90.8	89.4-92.2
\$25,000- 34,999	3761	1,547,094	465	7.9	6.5- 9.3	3296	92.1	90.7-93.5
\$35,000- 49,999	4408	1,915,945	459	7.7	6.1- 9.3	3949	92.3	90.7-93.9
\$50,000- 74,999	4068	1,798,064	349	5.3	4.3- 6.3	3719	94.7	93.7-95.7
\$75,000+	6926	3,490,393	465	4.7	3.7- 5.7	6461	95.3	94.3-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15467	7,941,970	2150	9.6	8.8-10.4	13317	90.4	89.6-91.2
White/Non-Hisp	10928	4,479,492	1750	11.9	10.9-12.9	9178	88.1	87.1-89.1
Black or Afr. Am./Non-Hisp	1480	1,070,775	121	7.2	4.5- 9.9	1359	92.8	90.1-95.5
Oth. Race/Non-Hisp.	530	275,345	55	9.7	0.9-18.5	475	90.3	81.5-99.1
MultiRacial/Non-Hisp.	220	69,251	33	4.6	1.7- 7.5	187	95.4	92.5-98.3
Hispanic	1954	1,853,907	135	5.7	4.1- 7.3	1819	94.3	92.7-95.9
18-24	958	929,919	12	1.9	0.3- 3.5	946	98.1	96.5-99.7
25-34	1614	1,310,951	26	1.4	0.2- 2.6	1588	98.6	97.4-99.8
35-44	1623	1,172,201	62	3.7	2.3- 5.1	1561	96.3	94.9-97.7
45-54	2298	1,277,162	160	6.3	4.5- 8.1	2138	93.7	91.9-95.5
55-64	3086	1,275,673	440	12.0	9.3-14.7	2646	88.0	85.3-90.7
65+	5663	1,841,534	1431	24.1	21.7-26.5	4232	75.9	73.5-78.3
Less Than H.S.	1690	1,160,545	287	13.2	9.7-16.7	1403	86.8	83.3-90.3
H.S. or G.E.D.	4604	2,420,425	629	8.6	7.2-10.0	3975	91.4	90.0-92.8
Some Post-H.S.	4121	2,316,660	597	9.8	8.2-11.4	3524	90.2	88.6-91.8
College Graduate	4969	2,002,569	628	8.6	7.4- 9.8	4341	91.4	90.2-92.6
Less than \$15,000	1179	559,363	244	18.8	13.5-24.1	935	81.2	75.9-86.5
\$15,000- 24,999	2549	1,292,005	421	11.3	8.9-13.7	2128	88.7	86.3-91.1
\$25,000- 34,999	1546	731,306	256	10.7	8.3-13.1	1290	89.3	86.9-91.7
\$35,000- 49,999	2014	952,587	296	10.3	7.9-12.7	1718	89.7	87.3-92.1
\$50,000- 74,999	1901	922,391	250	7.5	5.9- 9.1	1651	92.5	90.9-94.1
\$75,000+	3543	1,951,577	337	6.9	5.3- 8.5	3206	93.1	91.5-94.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21161	8,485,178	1919	5.8	5.2- 6.4	19242	94.2	93.6-94.8
White/Non-Hisp	15437	4,763,269	1499	6.3	5.5- 7.1	13938	93.7	92.9-94.5
Black or Afr. Am./Non-Hisp	2233	1,217,675	186	5.4	3.0- 7.8	2047	94.6	92.2-97.0
Oth. Race/Non-Hisp.	507	316,110	48	2.7	0.2- 5.2	459	97.3	94.8-99.8
MultiRacial/Non-Hisp.	230	82,981	28	8.6	0.0-18.0	202	91.4	82.0- 100
Hispanic	2447	1,952,426	126	4.2	2.8- 5.6	2321	95.8	94.4-97.2
18-24	915	878,282	3	0.2	0.0- 0.6	912	99.8	99.4- 100
25-34	1867	1,287,631	25	1.4	0.6- 2.2	1842	98.6	97.8-99.4
35-44	2069	1,204,979	51	2.3	0.9- 3.7	2018	97.7	96.3-99.1
45-54	2949	1,306,520	206	5.7	3.9- 7.5	2743	94.3	92.5-96.1
55-64	4167	1,410,938	341	6.2	4.4- 8.0	3826	93.8	92.0-95.6
65+	8851	2,215,095	1269	12.2	10.4-14.0	7582	87.8	86.0-89.6
Less Than H.S.	2141	1,064,876	329	10.8	7.5-14.1	1812	89.2	85.9-92.5
H.S. or G.E.D.	6376	2,432,327	609	4.9	3.9- 5.9	5767	95.1	94.1-96.1
Some Post-H.S.	6485	2,848,313	621	6.7	5.5- 7.9	5864	93.3	92.1-94.5
College Graduate	6033	2,071,517	340	3.0	2.4- 3.6	5693	97.0	96.4-97.6
Less than \$15,000	2157	727,789	357	12.9	9.0-16.8	1800	87.1	83.2-91.0
\$15,000- 24,999	4107	1,550,066	485	7.4	5.6- 9.2	3622	92.6	90.8-94.4
\$25,000- 34,999	2214	814,894	209	5.4	3.8- 7.0	2005	94.6	93.0-96.2
\$35,000- 49,999	2394	963,358	163	5.1	3.1- 7.1	2231	94.9	92.9-96.9
\$50,000- 74,999	2167	875,673	99	2.9	1.7- 4.1	2068	97.1	95.9-98.3
\$75,000+	3382	1,538,565	128	2.0	1.4- 2.6	3254	98.0	97.4-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36846	16,518,509	32511	89.0	88.4-89.6	4335	11.0	10.4-11.6
Male	15560	7,982,514	14153	90.2	89.2-91.2	1407	9.8	8.8-10.8
Female	21283	8,534,252	18356	87.8	86.8-88.8	2927	12.2	11.2-13.2
White/Non-Hisp	26509	9,274,187	23415	89.3	88.5-90.1	3094	10.7	9.9-11.5
Black or Afr. Am./Non-Hisp	3747	2,315,518	3268	88.2	86.0-90.4	479	11.8	9.6-14.0
Oth. Race/Non-Hisp.	1045	595,841	904	92.0	87.7-96.3	141	8.0	3.7-12.3
MultiRacial/Non-Hisp.	456	152,440	373	81.8	73.6-90.0	83	18.2	10.0-26.4
Hispanic	4414	3,830,912	3943	88.1	86.3-89.9	471	11.9	10.1-13.7
18-24	1871	1,811,493	1594	85.9	83.5-88.3	277	14.1	11.7-16.5
25-34	3488	2,606,425	3053	87.6	85.6-89.6	435	12.4	10.4-14.4
35-44	3699	2,386,782	3275	89.1	87.1-91.1	424	10.9	8.9-12.9
45-54	5283	2,603,384	4641	90.0	88.6-91.4	642	10.0	8.6-11.4
55-64	7286	2,699,728	6342	88.0	86.2-89.8	944	12.0	10.2-13.8
65+	14647	4,083,968	13100	91.0	90.0-92.0	1547	9.0	8.0-10.0
Less Than H.S.	3880	2,244,500	3292	85.8	83.3-88.3	588	14.2	11.7-16.7
H.S. or G.E.D.	11053	4,875,039	9814	89.6	88.4-90.8	1239	10.4	9.2-11.6
Some Post-H.S.	10657	5,187,843	9303	88.6	87.4-89.8	1354	11.4	10.2-12.6
College Graduate	11038	4,086,056	9903	90.5	89.5-91.5	1135	9.5	8.5-10.5
Less than \$15,000	3372	1,300,469	2740	82.3	79.2-85.4	632	17.7	14.6-20.8
\$15,000- 24,999	6701	2,850,293	5800	88.3	86.7-89.9	901	11.7	10.1-13.3
\$25,000- 34,999	3781	1,551,342	3369	87.5	84.8-90.2	412	12.5	9.8-15.2
\$35,000- 49,999	4414	1,917,779	3972	90.6	88.8-92.4	442	9.4	7.6-11.2
\$50,000- 74,999	4086	1,807,297	3664	89.1	87.3-90.9	422	10.9	9.1-12.7
\$75,000+	6944	3,497,389	6282	90.0	88.6-91.4	662	10.0	8.6-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15560	7,982,514	14153	90.2	89.2-91.2	1407	9.8	8.8-10.8
White/Non-Hisp	10984	4,492,705	10006	90.8	89.8-91.8	978	9.2	8.2-10.2
Black or Afr. Am./Non-Hisp	1501	1,086,838	1356	89.7	86.4-93.0	145	10.3	7.0-13.6
Oth. Race/Non-Hisp.	533	277,170	480	92.5	84.7- 100	53	7.5	0.0-15.3
MultiRacial/Non-Hisp.	223	69,356	191	78.2	64.1-92.3	32	21.8	7.7-35.9
Hispanic	1960	1,862,047	1788	88.7	86.2-91.2	172	11.3	8.8-13.8
18-24	962	934,549	816	85.3	81.6-89.0	146	14.7	11.0-18.4
25-34	1617	1,318,938	1432	88.1	85.4-90.8	185	11.9	9.2-14.6
35-44	1627	1,178,011	1472	89.2	86.1-92.3	155	10.8	7.7-13.9
45-54	2311	1,286,891	2117	92.5	90.5-94.5	194	7.5	5.5- 9.5
55-64	3096	1,275,756	2816	90.8	88.1-93.5	280	9.2	6.5-11.9
65+	5722	1,854,095	5297	92.8	91.4-94.2	425	7.2	5.8- 8.6
Less Than H.S.	1713	1,163,717	1502	85.9	81.8-90.0	211	14.1	10.0-18.2
H.S. or G.E.D.	4630	2,432,247	4203	90.6	89.0-92.2	427	9.4	7.8-11.0
Some Post-H.S.	4142	2,329,444	3765	90.2	88.4-92.0	377	9.8	8.0-11.6
College Graduate	4988	2,009,764	4600	92.3	90.9-93.7	388	7.7	6.3- 9.1
Less than \$15,000	1193	561,066	1023	84.4	78.7-90.1	170	15.6	9.9-21.3
\$15,000- 24,999	2561	1,294,210	2296	90.3	88.1-92.5	265	9.7	7.5-11.9
\$25,000- 34,999	1556	735,392	1431	88.3	84.0-92.6	125	11.7	7.4-16.0
\$35,000- 49,999	2016	953,447	1845	91.3	88.8-93.8	171	8.7	6.2-11.2
\$50,000- 74,999	1912	928,601	1764	90.9	88.5-93.3	148	9.1	6.7-11.5
\$75,000+	3557	1,956,786	3268	89.7	87.5-91.9	289	10.3	8.1-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21283	8,534,252	18356	87.8	86.8-88.8	2927	12.2	11.2-13.2
White/Non-Hisp	15523	4,780,336	13407	87.9	86.9-88.9	2116	12.1	11.1-13.1
Black or Afr. Am./Non-Hisp	2245	1,228,082	1912	87.0	84.3-89.7	333	13.0	10.3-15.7
Oth. Race/Non-Hisp.	512	318,671	424	91.6	87.5-95.7	88	8.4	4.3-12.5
MultiRacial/Non-Hisp.	233	83,084	182	84.8	76.4-93.2	51	15.2	6.8-23.6
Hispanic	2454	1,968,865	2155	87.6	85.2-90.0	299	12.4	10.0-14.8
18-24	909	876,943	778	86.6	83.5-89.7	131	13.4	10.3-16.5
25-34	1869	1,285,996	1620	87.1	84.4-89.8	249	12.9	10.2-15.6
35-44	2072	1,208,771	1803	88.9	86.7-91.1	269	11.1	8.9-13.3
45-54	2972	1,316,493	2524	87.5	85.3-89.7	448	12.5	10.3-14.7
55-64	4190	1,423,972	3526	85.6	83.2-88.0	664	14.4	12.0-16.8
65+	8924	2,229,621	7802	89.5	87.9-91.1	1122	10.5	8.9-12.1
Less Than H.S.	2166	1,080,186	1790	85.7	82.6-88.8	376	14.3	11.2-17.4
H.S. or G.E.D.	6423	2,442,792	5611	88.6	87.0-90.2	812	11.4	9.8-13.0
Some Post-H.S.	6515	2,858,399	5538	87.3	85.7-88.9	977	12.7	11.1-14.3
College Graduate	6048	2,075,146	5301	88.8	87.2-90.4	747	11.2	9.6-12.8
Less than \$15,000	2179	739,403	1717	80.7	77.0-84.4	462	19.3	15.6-23.0
\$15,000- 24,999	4140	1,556,083	3504	86.7	84.5-88.9	636	13.3	11.1-15.5
\$25,000- 34,999	2224	815,056	1937	86.8	83.5-90.1	287	13.2	9.9-16.5
\$35,000- 49,999	2398	964,332	2127	90.0	87.6-92.4	271	10.0	7.6-12.4
\$50,000- 74,999	2174	878,697	1900	87.2	84.3-90.1	274	12.8	9.9-15.7
\$75,000+	3386	1,540,352	3013	90.3	88.5-92.1	373	9.7	7.9-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36742	16,484,168	33832	93.3	92.7-93.9	2910	6.7	6.1- 7.3
Male	15516	7,964,573	14724	94.8	94.0-95.6	792	5.2	4.4- 6.0
Female	21223	8,517,852	19105	91.8	91.0-92.6	2118	8.2	7.4- 9.0
White/Non-Hisp	26434	9,256,770	24311	93.1	92.5-93.7	2123	6.9	6.3- 7.5
Black or Afr. Am./Non-Hisp	3737	2,308,281	3393	92.3	90.7-93.9	344	7.7	6.1- 9.3
Oth. Race/Non-Hisp.	1039	595,079	946	94.6	90.5-98.7	93	5.4	1.3- 9.5
MultiRacial/Non-Hisp.	456	152,440	398	89.0	81.9-96.1	58	11.0	3.9-18.1
Hispanic	4403	3,822,605	4152	94.1	92.9-95.3	251	5.9	4.7- 7.1
18-24	1867	1,806,530	1732	93.0	91.2-94.8	135	7.0	5.2- 8.8
25-34	3475	2,600,675	3236	93.1	91.7-94.5	239	6.9	5.5- 8.3
35-44	3689	2,382,045	3427	93.9	92.5-95.3	262	6.1	4.7- 7.5
45-54	5267	2,596,731	4806	93.1	91.9-94.3	461	6.9	5.7- 8.1
55-64	7270	2,698,866	6584	91.9	90.3-93.5	686	8.1	6.5- 9.7
65+	14603	4,073,130	13520	94.2	93.4-95.0	1083	5.8	5.0- 6.6
Less Than H.S.	3862	2,234,553	3432	91.1	89.1-93.1	430	8.9	6.9-10.9
H.S. or G.E.D.	11021	4,866,667	10179	93.3	92.3-94.3	842	6.7	5.7- 7.7
Some Post-H.S.	10625	5,177,869	9731	93.4	92.6-94.2	894	6.6	5.8- 7.4
College Graduate	11016	4,080,008	10282	94.1	93.3-94.9	734	5.9	5.1- 6.7
Less than \$15,000	3352	1,294,086	2868	87.8	85.1-90.5	484	12.2	9.5-14.9
\$15,000- 24,999	6682	2,846,789	6038	92.3	91.1-93.5	644	7.7	6.5- 8.9
\$25,000- 34,999	3772	1,549,044	3507	93.6	91.8-95.4	265	6.4	4.6- 8.2
\$35,000- 49,999	4403	1,914,078	4130	94.7	93.3-96.1	273	5.3	3.9- 6.7
\$50,000- 74,999	4077	1,802,358	3817	94.3	93.1-95.5	260	5.7	4.5- 6.9
\$75,000+	6931	3,490,363	6521	93.9	92.7-95.1	410	6.1	4.9- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15516	7,964,573	14724	94.8	94.0-95.6	792	5.2	4.4- 6.0
White/Non-Hisp	10957	4,482,695	10380	94.7	93.9-95.5	577	5.3	4.5- 6.1
Black or Afr. Am./Non-Hisp	1497	1,085,578	1411	93.9	91.4-96.4	86	6.1	3.6- 8.6
Oth. Race/Non-Hisp.	529	276,720	496	94.4	86.6- 100	33	5.6	0.0-13.4
MultiRacial/Non-Hisp.	223	69,356	205	87.3	73.8- 100	18	12.7	0.0-26.2
Hispanic	1953	1,856,446	1885	95.6	94.0-97.2	68	4.4	2.8- 6.0
18-24	959	931,734	901	93.9	91.5-96.3	58	6.1	3.7- 8.5
25-34	1610	1,315,106	1525	94.2	92.2-96.2	85	5.8	3.8- 7.8
35-44	1623	1,176,295	1552	95.4	93.4-97.4	71	4.6	2.6- 6.6
45-54	2302	1,280,981	2185	95.1	93.5-96.7	117	4.9	3.3- 6.5
55-64	3090	1,275,503	2907	93.9	91.5-96.3	183	6.1	3.7- 8.5
65+	5708	1,851,218	5441	95.7	94.7-96.7	267	4.3	3.3- 5.3
Less Than H.S.	1702	1,159,179	1568	92.2	89.1-95.3	134	7.8	4.7-10.9
H.S. or G.E.D.	4613	2,425,460	4365	94.7	93.5-95.9	248	5.3	4.1- 6.5
Some Post-H.S.	4132	2,324,607	3928	94.9	93.5-96.3	204	5.1	3.7- 6.5
College Graduate	4982	2,007,985	4777	96.2	95.2-97.2	205	3.8	2.8- 4.8
Less than \$15,000	1187	560,460	1068	89.9	85.2-94.6	119	10.1	5.4-14.8
\$15,000- 24,999	2554	1,292,889	2389	94.4	92.8-96.0	165	5.6	4.0- 7.2
\$25,000- 34,999	1552	733,990	1489	95.1	92.9-97.3	63	4.9	2.7- 7.1
\$35,000- 49,999	2010	951,746	1923	95.9	94.3-97.5	87	4.1	2.5- 5.7
\$50,000- 74,999	1907	924,432	1830	95.7	94.1-97.3	77	4.3	2.7- 5.9
\$75,000+	3550	1,952,589	3397	94.5	92.9-96.1	153	5.5	3.9- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21223	8,517,852	19105	91.8	91.0-92.6	2118	8.2	7.4- 9.0
White/Non-Hisp	15475	4,772,930	13929	91.6	90.8-92.4	1546	8.4	7.6- 9.2
Black or Afr. Am./Non-Hisp	2239	1,222,106	1981	90.9	88.7-93.1	258	9.1	6.9-11.3
Oth. Race/Non-Hisp.	510	318,359	450	94.7	91.2-98.2	60	5.3	1.8- 8.8
MultiRacial/Non-Hisp.	233	83,084	193	90.5	84.2-96.8	40	9.5	3.2-15.8
Hispanic	2450	1,966,159	2267	92.6	90.8-94.4	183	7.4	5.6- 9.2
18-24	908	874,796	831	92.1	89.7-94.5	77	7.9	5.5-10.3
25-34	1863	1,284,078	1709	92.0	90.0-94.0	154	8.0	6.0-10.0
35-44	2066	1,205,750	1875	92.5	90.7-94.3	191	7.5	5.7- 9.3
45-54	2965	1,315,750	2621	91.1	89.3-92.9	344	8.9	7.1-10.7
55-64	4180	1,423,362	3677	90.1	88.3-91.9	503	9.9	8.1-11.7
65+	8894	2,221,660	8078	92.9	91.7-94.1	816	7.1	5.9- 8.3
Less Than H.S.	2159	1,074,777	1863	90.0	87.5-92.5	296	10.0	7.5-12.5
H.S. or G.E.D.	6408	2,441,206	5814	91.8	90.4-93.2	594	8.2	6.8- 9.6
Some Post-H.S.	6493	2,853,262	5803	92.3	91.1-93.5	690	7.7	6.5- 8.9
College Graduate	6032	2,070,878	5503	92.1	90.7-93.5	529	7.9	6.5- 9.3
Less than \$15,000	2165	733,627	1800	86.3	83.2-89.4	365	13.7	10.6-16.8
\$15,000- 24,999	4128	1,553,900	3649	90.6	88.8-92.4	479	9.4	7.6-11.2
\$25,000- 34,999	2219	814,161	2017	92.2	89.7-94.7	202	7.8	5.3-10.3
\$35,000- 49,999	2393	962,332	2207	93.5	91.5-95.5	186	6.5	4.5- 8.5
\$50,000- 74,999	2170	877,927	1987	92.8	91.0-94.6	183	7.2	5.4- 9.0
\$75,000+	3380	1,537,521	3123	93.1	91.5-94.7	257	6.9	5.3- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 10: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36742	16,484,168	2910	6.7	6.1- 7.3	1321	4.1	3.7- 4.5	32511	89.1	88.5-89.7
Male	15516	7,964,573	792	5.2	4.4- 6.0	571	4.4	3.6- 5.2	14153	90.4	89.4-91.4
Female	21223	8,517,852	2118	8.2	7.4- 9.0	749	3.9	3.3- 4.5	18356	88.0	87.0-89.0
White/Non-Hisp	26434	9,256,770	2123	6.9	6.3- 7.5	896	3.6	3.2- 4.0	23415	89.5	88.7-90.3
Black or Afr. Am./Non-Hisp	3737	2,308,281	344	7.7	6.1- 9.3	125	3.8	2.4- 5.2	3268	88.5	86.3-90.7
Oth. Race/Non-Hisp.	1039	595,079	93	5.4	1.3- 9.5	42	2.5	1.1- 3.9	904	92.1	87.8-96.4
MultiRacial/Non-Hisp.	456	152,440	58	11.0	3.9-18.1	25	7.2	2.5-11.9	373	81.8	73.6-90.0
Hispanic	4403	3,822,605	251	5.9	4.7- 7.1	209	5.8	4.4- 7.2	3943	88.3	86.5-90.1
18-24	1867	1,806,530	135	7.0	5.2- 8.8	138	6.8	4.8- 8.8	1594	86.2	83.8-88.6
25-34	3475	2,600,675	239	6.9	5.5- 8.3	183	5.4	4.0- 6.8	3053	87.8	85.8-89.8
35-44	3689	2,382,045	262	6.1	4.7- 7.5	152	4.7	3.1- 6.3	3275	89.2	87.2-91.2
45-54	5267	2,596,731	461	6.9	5.7- 8.1	165	2.8	2.0- 3.6	4641	90.2	88.8-91.6
55-64	7270	2,698,866	686	8.1	6.5- 9.7	242	3.8	2.6- 5.0	6342	88.1	86.3-89.9
65+	14603	4,073,130	1083	5.8	5.0- 6.6	420	2.9	2.3- 3.5	13100	91.2	90.2-92.2
Less Than H.S.	3862	2,234,553	430	8.9	6.9-10.9	140	4.9	3.1- 6.7	3292	86.2	83.7-88.7
H.S. or G.E.D.	11021	4,866,667	842	6.7	5.7- 7.7	365	3.5	2.7- 4.3	9814	89.7	88.5-90.9
Some Post-H.S.	10625	5,177,869	894	6.6	5.8- 7.4	428	4.7	3.9- 5.5	9303	88.8	87.6-90.0
College Graduate	11016	4,080,008	734	5.9	5.1- 6.7	379	3.5	2.9- 4.1	9903	90.7	89.7-91.7
Less than \$15,000	3352	1,294,086	484	12.2	9.5-14.9	128	5.1	3.1- 7.1	2740	82.7	79.6-85.8
\$15,000- 24,999	6682	2,846,789	644	7.7	6.5- 8.9	238	3.9	2.9- 4.9	5800	88.4	86.8-90.0
\$25,000- 34,999	3772	1,549,044	265	6.4	4.6- 8.2	138	5.9	3.5- 8.3	3369	87.7	85.0-90.4
\$35,000- 49,999	4403	1,914,078	273	5.3	3.9- 6.7	158	3.9	2.7- 5.1	3972	90.8	89.0-92.6
\$50,000- 74,999	4077	1,802,358	260	5.7	4.5- 6.9	153	5.0	3.4- 6.6	3664	89.3	87.5-91.1
\$75,000+	6931	3,490,363	410	6.1	4.9- 7.3	239	3.7	2.7- 4.7	6282	90.1	88.7-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 11: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15516	7,964,573	792	5.2	4.4- 6.0	571	4.4	3.6- 5.2	14153	90.4	89.4-91.4
White/Non-Hisp	10957	4,482,695	577	5.3	4.5- 6.1	374	3.6	2.8- 4.4	10006	91.0	90.0-92.0
Black or Afr. Am./Non-Hisp	1497	1,085,578	86	6.1	3.6- 8.6	55	4.1	1.7- 6.5	1356	89.8	86.5-93.1
Oth. Race/Non-Hisp.	529	276,720	33	5.6	0.0-13.4	16	1.8	0.4- 3.2	480	92.6	84.8- 100
MultiRacial/Non-Hisp.	223	69,356	18	12.7	0.0-26.2	14	9.1	1.5-16.7	191	78.2	64.1-92.3
Hispanic	1953	1,856,446	68	4.4	2.8- 6.0	97	6.6	4.4- 8.8	1788	89.0	86.5-91.5
18-24	959	931,734	58	6.1	3.7- 8.5	85	8.3	5.4-11.2	816	85.6	81.9-89.3
25-34	1610	1,315,106	85	5.8	3.8- 7.8	93	5.9	3.9- 7.9	1432	88.3	85.6-91.0
35-44	1623	1,176,295	71	4.6	2.6- 6.6	80	6.0	3.3- 8.7	1472	89.3	86.2-92.4
45-54	2302	1,280,981	117	4.9	3.3- 6.5	68	2.1	0.9- 3.3	2117	93.0	91.2-94.8
55-64	3090	1,275,503	183	6.1	3.7- 8.5	91	3.0	1.6- 4.4	2816	90.8	88.1-93.5
65+	5708	1,851,218	267	4.3	3.3- 5.3	144	2.7	1.7- 3.7	5297	93.0	91.6-94.4
Less Than H.S.	1702	1,159,179	134	7.8	4.7-10.9	66	5.9	3.0- 8.8	1502	86.3	82.2-90.4
H.S. or G.E.D.	4613	2,425,460	248	5.3	4.1- 6.5	162	3.9	2.7- 5.1	4203	90.9	89.3-92.5
Some Post-H.S.	4132	2,324,607	204	5.1	3.7- 6.5	163	4.5	3.3- 5.7	3765	90.4	88.6-92.2
College Graduate	4982	2,007,985	205	3.8	2.8- 4.8	177	3.8	2.8- 4.8	4600	92.4	91.0-93.8
Less than \$15,000	1187	560,460	119	10.1	5.4-14.8	45	5.4	1.7- 9.1	1023	84.5	78.8-90.2
\$15,000- 24,999	2554	1,292,889	165	5.6	4.0- 7.2	93	4.1	2.7- 5.5	2296	90.4	88.4-92.4
\$25,000- 34,999	1552	733,990	63	4.9	2.7- 7.1	58	6.6	2.7-10.5	1431	88.5	84.2-92.8
\$35,000- 49,999	2010	951,746	87	4.1	2.5- 5.7	78	4.5	2.5- 6.5	1845	91.4	89.0-93.8
\$50,000- 74,999	1907	924,432	77	4.3	2.7- 5.9	66	4.5	2.7- 6.3	1764	91.3	88.9-93.7
\$75,000+	3550	1,952,589	153	5.5	3.9- 7.1	129	4.6	3.2- 6.0	3268	89.9	87.7-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 12: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21223	8,517,852	2118	8.2	7.4- 9.0	749	3.9	3.3- 4.5	18356	88.0	87.0-89.0
White/Non-Hisp	15475	4,772,930	1546	8.4	7.6- 9.2	522	3.5	2.9- 4.1	13407	88.1	87.1-89.1
Black or Afr. Am./Non-Hisp	2239	1,222,106	258	9.1	6.9-11.3	69	3.5	1.7- 5.3	1912	87.4	84.7-90.1
Oth. Race/Non-Hisp.	510	318,359	60	5.3	1.8- 8.8	26	3.0	0.6- 5.4	424	91.7	87.6-95.8
MultiRacial/Non-Hisp.	233	83,084	40	9.5	3.2-15.8	11	5.7	0.0-11.6	182	84.8	76.4-93.2
Hispanic	2450	1,966,159	183	7.4	5.6- 9.2	112	4.9	3.3- 6.5	2155	87.7	85.3-90.1
18-24	908	874,796	77	7.9	5.5-10.3	53	5.3	3.1- 7.5	778	86.8	83.7-89.9
25-34	1863	1,284,078	154	8.0	6.0-10.0	89	4.8	3.0- 6.6	1620	87.3	84.6-90.0
35-44	2066	1,205,750	191	7.5	5.7- 9.3	72	3.4	2.0- 4.8	1803	89.2	87.0-91.4
45-54	2965	1,315,750	344	8.9	7.1-10.7	97	3.6	2.4- 4.8	2524	87.6	85.4-89.8
55-64	4180	1,423,362	503	9.9	8.1-11.7	151	4.5	2.9- 6.1	3526	85.6	83.2-88.0
65+	8894	2,221,660	816	7.1	5.9- 8.3	276	3.1	2.1- 4.1	7802	89.8	88.2-91.4
Less Than H.S.	2159	1,074,777	296	10.0	7.5-12.5	73	3.8	1.8- 5.8	1790	86.2	83.1-89.3
H.S. or G.E.D.	6408	2,441,206	594	8.2	6.8- 9.6	203	3.2	2.2- 4.2	5611	88.6	87.0-90.2
Some Post-H.S.	6493	2,853,262	690	7.7	6.5- 8.9	265	4.8	3.6- 6.0	5538	87.5	85.9-89.1
College Graduate	6032	2,070,878	529	7.9	6.5- 9.3	202	3.1	2.3- 3.9	5301	89.0	87.4-90.6
Less than \$15,000	2165	733,627	365	13.7	10.6-16.8	83	4.9	2.7- 7.1	1717	81.4	77.7-85.1
\$15,000- 24,999	4128	1,553,900	479	9.4	7.6-11.2	145	3.8	2.4- 5.2	3504	86.9	84.7-89.1
\$25,000- 34,999	2219	814,161	202	7.8	5.3-10.3	80	5.3	2.9- 7.7	1937	86.9	83.6-90.2
\$35,000- 49,999	2393	962,332	186	6.5	4.5- 8.5	80	3.3	1.9- 4.7	2127	90.2	87.8-92.6
\$50,000- 74,999	2170	877,927	183	7.2	5.4- 9.0	87	5.5	3.1- 7.9	1900	87.3	84.4-90.2
\$75,000+	3380	1,537,521	257	6.9	5.3- 8.5	110	2.6	1.6- 3.6	3013	90.5	88.7-92.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36771	16,470,977	13073	24.8	24.0-25.6	23698	75.2	74.4-76.0
Male	15507	7,946,921	4591	20.2	19.0-21.4	10916	79.8	78.6-81.0
Female	21261	8,522,314	8482	29.0	27.8-30.2	12779	71.0	69.8-72.2
White/Non-Hisp	26479	9,258,712	10394	31.0	30.0-32.0	16085	69.0	68.0-70.0
Black or Afr. Am./Non-Hisp	3724	2,296,791	1129	18.6	16.1-21.1	2595	81.4	78.9-83.9
Oth. Race/Non-Hisp.	1037	597,422	287	10.6	7.3-13.9	750	89.4	86.1-92.7
MultiRacial/Non-Hisp.	453	150,761	189	25.8	17.6-34.0	264	74.2	66.0-82.4
Hispanic	4411	3,820,077	868	15.9	14.1-17.7	3543	84.1	82.3-85.9
18-24	1870	1,799,590	72	3.3	2.1- 4.5	1798	96.7	95.5-97.9
25-34	3482	2,601,244	272	6.3	4.9- 7.7	3210	93.7	92.3-95.1
35-44	3689	2,382,607	569	10.9	9.3-12.5	3120	89.1	87.5-90.7
45-54	5267	2,592,776	1463	22.9	20.7-25.1	3804	77.1	74.9-79.3
55-64	7273	2,697,292	2977	36.3	33.9-38.7	4296	63.7	61.3-66.1
65+	14620	4,070,598	7563	48.3	46.5-50.1	7057	51.7	49.9-53.5
Less Than H.S.	3861	2,244,614	1595	28.6	25.5-31.7	2266	71.4	68.3-74.5
H.S. or G.E.D.	11026	4,855,069	4181	25.9	24.3-27.5	6845	74.1	72.5-75.7
Some Post-H.S.	10638	5,166,045	3947	25.7	24.1-27.3	6691	74.3	72.7-75.9
College Graduate	11030	4,080,675	3288	20.5	19.1-21.9	7742	79.5	78.1-80.9
Less than \$15,000	3360	1,301,073	1658	35.7	32.2-39.2	1702	64.3	60.8-67.8
\$15,000- 24,999	6694	2,845,252	2707	27.1	24.9-29.3	3987	72.9	70.7-75.1
\$25,000- 34,999	3763	1,541,706	1446	29.1	26.0-32.2	2317	70.9	67.8-74.0
\$35,000- 49,999	4406	1,908,403	1470	24.8	22.3-27.3	2936	75.2	72.7-77.7
\$50,000- 74,999	4083	1,799,252	1279	24.1	21.6-26.6	2804	75.9	73.4-78.4
\$75,000+	6940	3,491,784	1823	18.1	16.5-19.7	5117	81.9	80.3-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15507	7,946,921	4591	20.2	19.0-21.4	10916	79.8	78.6-81.0
White/Non-Hisp	10967	4,484,819	3654	26.1	24.5-27.7	7313	73.9	72.3-75.5
Black or Afr. Am./Non-Hisp	1482	1,074,190	368	16.0	12.5-19.5	1114	84.0	80.5-87.5
Oth. Race/Non-Hisp.	528	278,077	119	6.7	3.8- 9.6	409	93.3	90.4-96.2
MultiRacial/Non-Hisp.	222	69,321	86	19.1	10.5-27.7	136	80.9	72.3-89.5
Hispanic	1955	1,848,030	271	10.6	8.4-12.8	1684	89.4	87.2-91.6
18-24	957	930,412	26	3.0	1.4- 4.6	931	97.0	95.4-98.6
25-34	1617	1,317,957	100	4.0	2.8- 5.2	1517	96.0	94.8-97.2
35-44	1621	1,174,448	201	9.1	7.1-11.1	1420	90.9	88.9-92.9
45-54	2300	1,280,700	528	18.0	15.5-20.5	1772	82.0	79.5-84.5
55-64	3089	1,270,998	1131	31.5	28.0-35.0	1958	68.5	65.0-72.0
65+	5698	1,837,514	2552	41.6	38.9-44.3	3146	58.4	55.7-61.1
Less Than H.S.	1700	1,159,780	531	22.2	18.3-26.1	1169	77.8	73.9-81.7
H.S. or G.E.D.	4608	2,410,854	1435	20.7	18.5-22.9	3173	79.3	77.1-81.5
Some Post-H.S.	4131	2,320,708	1284	20.6	18.6-22.6	2847	79.4	77.4-81.4
College Graduate	4981	2,008,238	1322	18.4	16.6-20.2	3659	81.6	79.8-83.4
Less than \$15,000	1188	563,599	484	29.2	24.1-34.3	704	70.8	65.7-75.9
\$15,000- 24,999	2555	1,292,968	854	21.2	18.5-23.9	1701	78.8	76.1-81.5
\$25,000- 34,999	1542	727,074	501	22.9	19.0-26.8	1041	77.1	73.2-81.0
\$35,000- 49,999	2012	945,791	583	22.4	18.7-26.1	1429	77.6	73.9-81.3
\$50,000- 74,999	1910	925,132	541	20.6	17.5-23.7	1369	79.4	76.3-82.5
\$75,000+	3552	1,949,605	878	17.5	15.3-19.7	2674	82.5	80.3-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21261	8,522,314	8482	29.0	27.8-30.2	12779	71.0	69.8-72.2
White/Non-Hisp	15510	4,772,747	6740	35.6	34.0-37.2	8770	64.4	62.8-66.0
Black or Afr. Am./Non-Hisp	2241	1,222,004	761	20.8	17.3-24.3	1480	79.2	75.7-82.7
Oth. Race/Non-Hisp.	509	319,345	168	14.0	8.3-19.7	341	86.0	80.3-91.7
MultiRacial/Non-Hisp.	231	81,440	103	31.6	18.3-44.9	128	68.4	55.1-81.7
Hispanic	2456	1,972,048	597	21.0	18.1-23.9	1859	79.0	76.1-81.9
18-24	913	869,178	46	3.7	2.3- 5.1	867	96.3	94.9-97.7
25-34	1863	1,281,797	172	8.7	6.3-11.1	1691	91.3	88.9-93.7
35-44	2068	1,208,160	368	12.6	10.2-15.0	1700	87.4	85.0-89.8
45-54	2967	1,312,076	935	27.7	24.2-31.2	2032	72.3	68.8-75.8
55-64	4184	1,426,295	1846	40.5	37.2-43.8	2338	59.5	56.2-62.8
65+	8921	2,232,831	5011	53.7	51.3-56.1	3910	46.3	43.9-48.7
Less Than H.S.	2160	1,084,237	1064	35.5	30.8-40.2	1096	64.5	59.8-69.2
H.S. or G.E.D.	6418	2,444,215	2746	30.9	28.5-33.3	3672	69.1	66.7-71.5
Some Post-H.S.	6507	2,845,337	2663	29.9	27.7-32.1	3844	70.1	67.9-72.3
College Graduate	6047	2,071,291	1966	22.5	20.5-24.5	4081	77.5	75.5-79.5
Less than \$15,000	2172	737,475	1174	40.6	35.7-45.5	998	59.4	54.5-64.3
\$15,000- 24,999	4139	1,552,283	1853	32.1	29.2-35.0	2286	67.9	65.0-70.8
\$25,000- 34,999	2220	813,738	945	34.8	30.3-39.3	1275	65.2	60.7-69.7
\$35,000- 49,999	2394	962,612	887	27.3	23.8-30.8	1507	72.7	69.2-76.2
\$50,000- 74,999	2173	874,120	738	28.0	24.1-31.9	1435	72.0	68.1-75.9
\$75,000+	3387	1,541,927	945	19.0	16.8-21.2	2442	81.0	78.8-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 7: ORAL HEALTH CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	41
5	MALES ONLY	42
6	FEMALES ONLY	43
	ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7	MALES AND FEMALES	44
8	MALES ONLY	45
9	FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35735	16,130,134	15768	52.7	51.5-53.9	19967	47.3	46.1-48.5
Male	15148	7,833,167	6802	52.9	51.3-54.5	8346	47.1	45.5-48.7
Female	20585	8,295,821	8965	52.5	50.9-54.1	11620	47.5	45.9-49.1
White/Non-Hisp	25685	9,082,438	11060	51.5	50.3-52.7	14625	48.5	47.3-49.7
Black or Afr. Am./Non-Hisp	3633	2,254,420	1397	49.4	45.9-52.9	2236	50.6	47.1-54.1
Oth. Race/Non-Hisp.	1014	578,207	492	64.4	58.1-70.7	522	35.6	29.3-41.9
MultiRacial/Non-Hisp.	440	149,659	195	58.9	48.9-68.9	245	41.1	31.1-51.1
Hispanic	4331	3,732,375	2313	55.2	52.5-57.9	2018	44.8	42.1-47.5
18-24	1864	1,805,637	1610	87.2	84.8-89.6	254	12.8	10.4-15.2
25-34	3475	2,594,232	2467	72.3	69.8-74.8	1008	27.7	25.2-30.2
35-44	3659	2,367,292	2157	60.6	57.7-63.5	1502	39.4	36.5-42.3
45-54	5198	2,537,574	2495	51.5	48.8-54.2	2703	48.5	45.8-51.2
55-64	7085	2,622,229	2664	38.3	35.8-40.8	4421	61.7	59.2-64.2
65+	13943	3,917,140	4124	29.6	27.8-31.4	9819	70.4	68.6-72.2
Less Than H.S.	3750	2,171,061	1078	36.1	32.6-39.6	2672	63.9	60.4-67.4
H.S. or G.E.D.	10623	4,735,889	3827	47.9	45.7-50.1	6796	52.1	49.9-54.3
Some Post-H.S.	10360	5,085,081	4580	55.0	53.0-57.0	5780	45.0	43.0-47.0
College Graduate	10812	4,031,175	6190	64.6	62.8-66.4	4622	35.4	33.6-37.2
Less than \$15,000	3259	1,252,943	885	34.5	30.8-38.2	2374	65.5	61.8-69.2
\$15,000- 24,999	6514	2,773,488	2230	43.3	40.8-45.8	4284	56.7	54.2-59.2
\$25,000- 34,999	3676	1,522,332	1416	49.5	46.0-53.0	2260	50.5	47.0-54.0
\$35,000- 49,999	4310	1,890,843	1856	50.4	47.3-53.5	2454	49.6	46.5-52.7
\$50,000- 74,999	4012	1,778,617	1987	57.2	54.1-60.3	2025	42.8	39.7-45.9
\$75,000+	6859	3,469,142	4186	67.0	64.8-69.2	2673	33.0	30.8-35.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15148	7,833,167	6802	52.9	51.3-54.5	8346	47.1	45.5-48.7
White/Non-Hisp	10699	4,417,207	4556	50.5	48.7-52.3	6143	49.5	47.7-51.3
Black or Afr. Am./Non-Hisp	1454	1,068,166	602	51.3	46.2-56.4	852	48.7	43.6-53.8
Oth. Race/Non-Hisp.	521	270,265	272	59.4	50.0-68.8	249	40.6	31.2-50.0
MultiRacial/Non-Hisp.	214	68,665	104	65.0	51.3-78.7	110	35.0	21.3-48.7
Hispanic	1926	1,824,270	1087	57.0	53.1-60.9	839	43.0	39.1-46.9
18-24	956	930,237	828	86.7	83.4-90.0	128	13.3	10.0-16.6
25-34	1608	1,307,894	1202	75.5	71.8-79.2	406	24.5	20.8-28.2
35-44	1609	1,171,337	950	59.5	55.0-64.0	659	40.5	36.0-45.0
45-54	2280	1,274,405	1075	48.4	44.7-52.1	1205	51.6	47.9-55.3
55-64	3010	1,248,960	1107	36.8	33.3-40.3	1903	63.2	59.7-66.7
65+	5480	1,777,202	1529	28.4	25.9-30.9	3951	71.6	69.1-74.1
Less Than H.S.	1664	1,141,929	533	35.8	30.9-40.7	1131	64.2	59.3-69.1
H.S. or G.E.D.	4477	2,382,949	1702	50.3	47.4-53.2	2775	49.7	46.8-52.6
Some Post-H.S.	4042	2,286,994	1802	55.6	52.7-58.5	2240	44.4	41.5-47.3
College Graduate	4890	1,980,664	2725	62.2	59.7-64.7	2165	37.8	35.3-40.3
Less than \$15,000	1155	544,635	343	36.3	30.2-42.4	812	63.7	57.6-69.8
\$15,000- 24,999	2492	1,268,100	883	44.9	41.0-48.8	1609	55.1	51.2-59.0
\$25,000- 34,999	1511	723,874	588	49.6	44.3-54.9	923	50.4	45.1-55.7
\$35,000- 49,999	1973	939,918	813	47.3	43.0-51.6	1160	52.7	48.4-57.0
\$50,000- 74,999	1873	912,826	870	55.8	51.5-60.1	1003	44.2	39.9-48.5
\$75,000+	3509	1,942,446	2031	62.8	59.9-65.7	1478	37.2	34.3-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20585	8,295,821	8965	52.5	50.9-54.1	11620	47.5	45.9-49.1
White/Non-Hisp	14984	4,664,086	6503	52.5	50.9-54.1	8481	47.5	45.9-49.1
Black or Afr. Am./Non-Hisp	2179	1,186,254	795	47.6	42.9-52.3	1384	52.4	47.7-57.1
Oth. Race/Non-Hisp.	493	307,942	220	68.8	60.6-77.0	273	31.2	23.0-39.4
MultiRacial/Non-Hisp.	226	80,993	91	53.7	39.0-68.4	135	46.3	31.6-61.0
Hispanic	2405	1,908,105	1226	53.5	49.8-57.2	1179	46.5	42.8-50.2
18-24	908	875,399	782	87.8	84.5-91.1	126	12.2	8.9-15.5
25-34	1866	1,285,444	1264	69.0	65.3-72.7	602	31.0	27.3-34.7
35-44	2050	1,195,955	1207	61.7	57.8-65.6	843	38.3	34.4-42.2
45-54	2918	1,263,169	1420	54.5	50.6-58.4	1498	45.5	41.6-49.4
55-64	4075	1,373,269	1557	39.8	36.3-43.3	2518	60.2	56.7-63.7
65+	8462	2,139,685	2595	30.6	28.4-32.8	5867	69.4	67.2-71.6
Less Than H.S.	2086	1,029,132	545	36.5	31.2-41.8	1541	63.5	58.2-68.8
H.S. or G.E.D.	6146	2,352,940	2125	45.4	42.5-48.3	4021	54.6	51.7-57.5
Some Post-H.S.	6318	2,798,087	2778	54.4	51.9-56.9	3540	45.6	43.1-48.1
College Graduate	5920	2,049,366	3464	66.9	64.5-69.3	2456	33.1	30.7-35.5
Less than \$15,000	2104	708,308	542	33.0	28.3-37.7	1562	67.0	62.3-71.7
\$15,000- 24,999	4022	1,505,388	1347	42.0	38.7-45.3	2675	58.0	54.7-61.3
\$25,000- 34,999	2164	797,564	827	49.4	44.7-54.1	1337	50.6	45.9-55.3
\$35,000- 49,999	2337	950,925	1043	53.5	49.2-57.8	1294	46.5	42.2-50.8
\$50,000- 74,999	2139	865,791	1117	58.7	54.2-63.2	1022	41.3	36.8-45.8
\$75,000+	3349	1,526,444	2155	72.4	69.5-75.3	1194	27.6	24.7-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13943	3,917,140	11763	85.8	84.4-87.2	2180	14.2	12.8-15.6
Male	5480	1,777,202	4652	86.6	84.6-88.6	828	13.4	11.4-15.4
Female	8462	2,139,685	7110	85.1	83.1-87.1	1352	14.9	12.9-16.9
White/Non-Hisp	11625	2,855,824	9893	86.7	85.3-88.1	1732	13.3	11.9-14.7
Black or Afr. Am./Non-Hisp	998	328,132	764	81.1	74.2-88.0	234	18.9	12.0-25.8
Oth. Race/Non-Hisp.	260	84,418	204	88.7	81.1-96.3	56	11.3	3.7-18.9
MultiRacial/Non-Hisp.	141	13,411	111	73.1	53.5-92.7	30	26.9	7.3-46.5
Hispanic	696	566,644	603	83.3	77.8-88.8	93	16.7	11.2-22.2
65+	13943	3,917,140	11763	85.8	84.4-87.2	2180	14.2	12.8-15.6
Less Than H.S.	1370	549,970	888	70.7	64.6-76.8	482	29.3	23.2-35.4
H.S. or G.E.D.	4188	1,135,916	3312	81.6	79.1-84.1	876	18.4	15.9-20.9
Some Post-H.S.	3970	1,211,360	3399	88.8	86.6-91.0	571	11.2	9.0-13.4
College Graduate	4338	988,257	4099	95.5	94.3-96.7	239	4.5	3.3- 5.7
Less than \$15,000	1164	310,135	805	72.4	65.9-78.9	359	27.6	21.1-34.1
\$15,000- 24,999	2675	685,148	2064	80.3	76.4-84.2	611	19.7	15.8-23.6
\$25,000- 34,999	1568	397,007	1309	83.2	78.7-87.7	259	16.8	12.3-21.3
\$35,000- 49,999	1764	501,759	1551	88.7	85.6-91.8	213	11.3	8.2-14.4
\$50,000- 74,999	1503	432,079	1376	92.9	90.5-95.3	127	7.1	4.7- 9.5
\$75,000+	2037	608,535	1951	96.7	95.3-98.1	86	3.3	1.9- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5480	1,777,202	4652	86.6	84.6-88.6	828	13.4	11.4-15.4
White/Non-Hisp	4577	1,309,125	3914	86.3	84.1-88.5	663	13.7	11.5-15.9
Black or Afr. Am./Non-Hisp	345	148,253	270	83.1	73.1-93.1	75	16.9	6.9-26.9
Oth. Race/Non-Hisp.	123	38,817	99	85.9	73.7-98.1	24	14.1	1.9-26.3
MultiRacial/Non-Hisp.	62	5,740	50	85.8	72.3-99.3	12	14.2	0.7-27.7
Hispanic	255	238,242	222	89.9	83.8-96.0	33	10.1	4.0-16.2
65+	5480	1,777,202	4652	86.6	84.6-88.6	828	13.4	11.4-15.4
Less Than H.S.	502	248,907	346	78.6	70.6-86.6	156	21.4	13.4-29.4
H.S. or G.E.D.	1384	451,197	1062	79.0	74.5-83.5	322	21.0	16.5-25.5
Some Post-H.S.	1440	517,580	1220	88.0	84.7-91.3	220	12.0	8.7-15.3
College Graduate	2127	552,800	2001	94.9	93.1-96.7	126	5.1	3.3- 6.9
Less than \$15,000	342	114,042	241	74.3	63.9-84.7	101	25.7	15.3-36.1
\$15,000- 24,999	919	284,772	679	79.3	73.2-85.4	240	20.7	14.6-26.8
\$25,000- 34,999	599	173,518	487	79.8	71.6-88.0	112	20.2	12.0-28.4
\$35,000- 49,999	790	250,534	679	85.2	79.7-90.7	111	14.8	9.3-20.3
\$50,000- 74,999	761	244,640	687	93.3	90.8-95.8	74	6.7	4.2- 9.2
\$75,000+	1121	382,838	1073	96.5	94.7-98.3	48	3.5	1.7- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8462	2,139,685	7110	85.1	83.1-87.1	1352	14.9	12.9-16.9
White/Non-Hisp	7047	1,546,446	5978	87.1	85.5-88.7	1069	12.9	11.3-14.5
Black or Afr. Am./Non-Hisp	653	179,879	494	79.4	70.0-88.8	159	20.6	11.2-30.0
Oth. Race/Non-Hisp.	137	45,602	105	91.1	81.5- 100	32	8.9	0.0-18.5
MultiRacial/Non-Hisp.	79	7,671	61	63.7	34.3-93.1	18	36.3	6.9-65.7
Hispanic	441	328,401	381	78.5	70.7-86.3	60	21.5	13.7-29.3
65+	8462	2,139,685	7110	85.1	83.1-87.1	1352	14.9	12.9-16.9
Less Than H.S.	868	301,063	542	64.2	55.8-72.6	326	35.8	27.4-44.2
H.S. or G.E.D.	2804	684,720	2250	83.4	80.3-86.5	554	16.6	13.5-19.7
Some Post-H.S.	2530	693,780	2179	89.3	86.6-92.0	351	10.7	8.0-13.4
College Graduate	2210	435,205	2097	96.3	94.9-97.7	113	3.7	2.3- 5.1
Less than \$15,000	822	196,093	564	71.3	63.1-79.5	258	28.7	20.5-36.9
\$15,000- 24,999	1756	400,376	1385	80.9	75.8-86.0	371	19.1	14.0-24.2
\$25,000- 34,999	969	223,489	822	85.8	81.1-90.5	147	14.2	9.5-18.9
\$35,000- 49,999	974	251,225	872	92.2	89.3-95.1	102	7.8	4.9-10.7
\$50,000- 74,999	742	187,439	689	92.4	87.9-96.9	53	7.6	3.1-12.1
\$75,000+	915	225,444	877	96.9	95.1-98.7	38	3.1	1.3- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36295	16,296,887	22711	63.0	62.0-64.0	13584	37.0	36.0-38.0
Male	15300	7,852,133	9137	60.4	58.8-62.0	6163	39.6	38.0-41.2
Female	20993	8,443,609	13573	65.5	64.1-66.9	7420	34.5	33.1-35.9
White/Non-Hisp	26189	9,189,929	17008	66.1	64.9-67.3	9181	33.9	32.7-35.1
Black or Afr. Am./Non-Hisp	3631	2,264,497	2065	57.2	53.7-60.7	1566	42.8	39.3-46.3
Oth. Race/Non-Hisp.	1020	585,071	585	67.6	61.5-73.7	435	32.4	26.3-38.5
MultiRacial/Non-Hisp.	448	150,260	227	53.0	43.0-63.0	221	47.0	37.0-57.0
Hispanic	4345	3,759,851	2394	58.6	56.1-61.1	1951	41.4	38.9-43.9
18-24	1838	1,781,910	1126	64.8	61.3-68.3	712	35.2	31.7-38.7
25-34	3437	2,563,446	1913	55.2	52.3-58.1	1524	44.8	41.9-47.7
35-44	3662	2,360,820	2173	60.9	58.0-63.8	1489	39.1	36.2-42.0
45-54	5218	2,573,258	3109	60.6	58.1-63.1	2109	39.4	36.9-41.9
55-64	7200	2,675,074	4452	64.0	61.5-66.5	2748	36.0	33.5-38.5
65+	14385	4,025,058	9536	68.5	66.7-70.3	4849	31.5	29.7-33.3
Less Than H.S.	3746	2,159,837	1398	45.2	41.5-48.9	2348	54.8	51.1-58.5
H.S. or G.E.D.	10841	4,808,564	5843	55.5	53.5-57.5	4998	44.5	42.5-46.5
Some Post-H.S.	10524	5,130,726	6704	65.7	63.9-67.5	3820	34.3	32.5-36.1
College Graduate	10986	4,076,431	8642	77.7	76.1-79.3	2344	22.3	20.7-23.9
Less than \$15,000	3283	1,266,815	1209	42.6	38.7-46.5	2074	57.4	53.5-61.3
\$15,000- 24,999	6577	2,807,098	3069	49.3	46.8-51.8	3508	50.7	48.2-53.2
\$25,000- 34,999	3721	1,517,714	2137	55.6	52.1-59.1	1584	44.4	40.9-47.9
\$35,000- 49,999	4374	1,894,408	2837	64.8	61.9-67.7	1537	35.2	32.3-38.1
\$50,000- 74,999	4069	1,800,663	2978	68.6	65.7-71.5	1091	31.4	28.5-34.3
\$75,000+	6926	3,495,909	5763	80.1	78.1-82.1	1163	19.9	17.9-21.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15300	7,852,133	9137	60.4	58.8-62.0	6163	39.6	38.0-41.2
White/Non-Hisp	10838	4,448,590	6773	63.9	62.1-65.7	4065	36.1	34.3-37.9
Black or Afr. Am./Non-Hisp	1449	1,061,328	766	54.3	49.0-59.6	683	45.7	40.4-51.0
Oth. Race/Non-Hisp.	521	269,590	284	64.4	56.2-72.6	237	35.6	27.4-43.8
MultiRacial/Non-Hisp.	220	68,747	108	48.8	35.7-61.9	112	51.2	38.1-64.3
Hispanic	1921	1,809,907	985	55.0	51.3-58.7	936	45.0	41.3-48.7
18-24	938	910,110	566	64.6	59.5-69.7	372	35.4	30.3-40.5
25-34	1587	1,287,575	820	53.5	49.4-57.6	767	46.5	42.4-50.6
35-44	1609	1,161,800	858	55.8	51.5-60.1	751	44.2	39.9-48.5
45-54	2280	1,273,224	1274	57.3	53.6-61.0	1006	42.7	39.0-46.4
55-64	3047	1,263,831	1792	61.3	57.6-65.0	1255	38.7	35.0-42.4
65+	5622	1,823,354	3677	66.9	64.2-69.6	1945	33.1	30.4-35.8
Less Than H.S.	1646	1,104,028	586	44.7	39.6-49.8	1060	55.3	50.2-60.4
H.S. or G.E.D.	4531	2,391,033	2255	53.1	50.2-56.0	2276	46.9	44.0-49.8
Some Post-H.S.	4088	2,305,014	2469	62.2	59.3-65.1	1619	37.8	34.9-40.7
College Graduate	4954	2,002,310	3782	75.5	73.3-77.7	1172	24.5	22.3-26.7
Less than \$15,000	1157	545,680	369	39.4	33.1-45.7	788	60.6	54.3-66.9
\$15,000- 24,999	2501	1,271,588	1025	45.2	41.1-49.3	1476	54.8	50.7-58.9
\$25,000- 34,999	1518	708,923	812	51.5	46.4-56.6	706	48.5	43.4-53.6
\$35,000- 49,999	1994	936,996	1173	58.5	54.2-62.8	821	41.5	37.2-45.8
\$50,000- 74,999	1904	924,117	1303	66.2	62.1-70.3	601	33.8	29.7-37.9
\$75,000+	3539	1,953,607	2824	76.8	74.1-79.5	715	23.2	20.5-25.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20993	8,443,609	13573	65.5	64.1-66.9	7420	34.5	33.1-35.9
White/Non-Hisp	15349	4,740,194	10234	68.1	66.5-69.7	5115	31.9	30.3-33.5
Black or Afr. Am./Non-Hisp	2182	1,203,169	1299	59.8	55.1-64.5	883	40.2	35.5-44.9
Oth. Race/Non-Hisp.	499	315,481	301	70.3	61.7-78.9	198	29.7	21.1-38.3
MultiRacial/Non-Hisp.	228	81,513	119	56.5	42.4-70.6	109	43.5	29.4-57.6
Hispanic	2424	1,949,944	1409	61.9	58.4-65.4	1015	38.1	34.6-41.6
18-24	900	871,799	560	65.1	60.4-69.8	340	34.9	30.2-39.6
25-34	1849	1,274,978	1093	57.1	53.0-61.2	756	42.9	38.8-47.0
35-44	2053	1,199,020	1315	65.8	61.7-69.9	738	34.2	30.1-38.3
45-54	2938	1,300,034	1835	63.9	60.2-67.6	1103	36.1	32.4-39.8
55-64	4153	1,411,243	2660	66.4	63.1-69.7	1493	33.6	30.3-36.9
65+	8762	2,201,452	5858	69.8	67.4-72.2	2904	30.2	27.8-32.6
Less Than H.S.	2100	1,055,809	812	45.8	40.5-51.1	1288	54.2	48.9-59.5
H.S. or G.E.D.	6310	2,417,531	3588	57.9	55.2-60.6	2722	42.1	39.4-44.8
Some Post-H.S.	6436	2,825,712	4235	68.6	66.2-71.0	2201	31.4	29.0-33.8
College Graduate	6030	2,072,976	4859	79.9	77.7-82.1	1171	20.1	17.9-22.3
Less than \$15,000	2126	721,134	840	45.0	40.1-49.9	1286	55.0	50.1-59.9
\$15,000- 24,999	4076	1,535,510	2044	52.7	49.2-56.2	2032	47.3	43.8-50.8
\$25,000- 34,999	2202	807,897	1325	59.1	54.4-63.8	877	40.9	36.2-45.6
\$35,000- 49,999	2380	957,412	1664	70.8	67.1-74.5	716	29.2	25.5-32.9
\$50,000- 74,999	2165	876,546	1675	71.2	66.7-75.7	490	28.8	24.3-33.3
\$75,000+	3386	1,542,050	2938	84.4	81.9-86.9	448	15.6	13.1-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	89
41	MALES ONLY	90
42	FEMALES ONLY	91
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	92
44	MALES ONLY	93
45	FEMALES ONLY	94
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	95
47	MALES ONLY	96
48	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE1).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35875	15,876,488	29393	73.3	72.3-74.3	4048	16.3	15.3-17.3	575	0.7	0.5- 0.9	413	3.0	2.6- 3.4	86	0.4	0.2- 0.6	1360	6.4	5.8- 7.0
Male	15089	7,657,106	12201	73.1	71.5-74.7	1640	16.1	14.7-17.5	296	0.8	0.6- 1.0	219	3.0	2.4- 3.6	50	0.4	0.2- 0.6	683	6.6	5.8- 7.4
Female	20783	8,217,639	17190	73.5	71.9-75.1	2407	16.4	15.0-17.8	279	0.5	0.3- 0.7	194	3.1	2.5- 3.7	36	0.3	0.1- 0.5	677	6.1	5.3- 6.9
18-24	1798	1,729,117	1230	63.2	59.5-66.9	340	23.9	20.4-27.4	30	1.0	0.2- 1.8	64	4.9	3.3- 6.5	14	0.6	0.2- 1.0	120	6.3	4.5- 8.1
25-34	3333	2,488,236	2338	63.9	61.0-66.8	557	21.4	18.7-24.1	47	0.9	0.3- 1.5	88	3.3	2.3- 4.3	15	0.4	0.2- 0.6	288	10.1	8.1-12.1
35-44	3556	2,267,623	2578	65.5	62.4-68.6	557	20.3	17.6-23.0	64	0.7	0.3- 1.1	71	4.0	2.6- 5.4	11	0.4	0.0- 0.8	275	9.2	7.2-11.2
45-54	5126	2,515,900	4039	72.3	69.6-75.0	674	16.7	14.3-19.1	100	0.6	0.4- 0.8	73	3.3	2.1- 4.5	12	0.2	0.0- 0.4	228	6.8	5.2- 8.4
55-64	7146	2,610,863	5987	79.3	76.8-81.8	755	12.5	10.5-14.5	152	0.8	0.4- 1.2	46	2.2	1.0- 3.4	11	0.4	0.0- 0.8	195	4.9	3.5- 6.3
65+	14434	3,994,192	12840	85.0	83.4-86.6	1100	9.5	8.1-10.9	176	0.4	0.2- 0.6	61	1.8	1.0- 2.6	18	0.2	0.0- 0.4	239	3.2	2.4- 4.0
Less Than H.S.	3625	2,078,603	2462	59.1	55.4-62.8	591	21.9	18.4-25.4	105	1.1	0.5- 1.7	16	1.6	0.2- 3.0	15	0.7	0.1- 1.3	436	15.5	12.8-18.2
H.S. or G.E.D.	10818	4,690,924	8742	71.5	69.5-73.5	1446	18.4	16.6-20.2	172	0.7	0.3- 1.1	70	2.1	1.3- 2.9	28	0.3	0.1- 0.5	360	6.9	5.7- 8.1
Some Post-H.S.	10437	5,023,435	8790	76.9	75.1-78.7	1085	15.6	14.0-17.2	176	0.6	0.4- 0.8	85	2.1	1.5- 2.7	16	0.2	0.0- 0.4	285	4.6	3.8- 5.4
College Graduate	10835	3,997,611	9293	78.7	76.9-80.5	895	11.6	10.2-13.0	115	0.4	0.2- 0.6	238	5.8	4.6- 7.0	27	0.4	0.2- 0.6	267	3.1	2.5- 3.7
Less than \$15,000	3265	1,241,891	2379	65.0	60.9-69.1	582	21.3	18.0-24.6	95	0.7	0.1- 1.3	30	4.3	1.8- 6.8	7	0.1	0.0- 0.3	172	8.5	6.1-10.9
\$15,000- 24,999	6504	2,735,304	4983	66.0	63.3-68.7	901	19.3	16.9-21.7	138	1.4	0.8- 2.0	63	2.9	1.7- 4.1	23	0.5	0.3- 0.7	396	9.9	8.1-11.7
\$25,000- 34,999	3706	1,504,854	2984	67.4	63.9-70.9	471	20.4	17.1-23.7	57	0.5	0.1- 0.9	26	2.4	1.2- 3.6	13	0.9	0.1- 1.7	155	8.4	6.0-10.8
\$35,000- 49,999	4349	1,873,775	3673	76.7	73.8-79.6	443	15.4	12.7-18.1	57	0.6	0.2- 1.0	42	1.9	0.9- 2.9	16	0.4	0.2- 0.6	118	5.0	3.4- 6.6
\$50,000- 74,999	4037	1,755,225	3508	80.1	77.2-83.0	351	12.9	10.5-15.3	48	0.6	0.2- 1.0	38	2.2	1.0- 3.4	4	0.2	0.0- 0.4	88	4.1	2.5- 5.7
\$75,000+	6850	3,426,658	6107	84.4	82.4-86.4	445	9.2	7.6-10.8	75	0.4	0.2- 0.6	107	3.8	2.6- 5.0	7	0.1	0.0- 0.3	109	2.0	1.4- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE1).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15089	7,657,106	12201	73.1	71.5-74.7	1640	16.1	14.7-17.5	296	0.8	0.6- 1.0	219	3.0	2.4- 3.6	50	0.4	0.2- 0.6	683	6.6	5.8- 7.4
18-24	918	895,142	637	63.0	57.7-68.3	160	25.5	20.2-30.8	18	1.3	0.1- 2.5	34	3.7	1.9- 5.5	8	0.7	0.0- 1.5	61	5.9	3.4- 8.4
25-34	1545	1,265,824	1048	63.5	59.2-67.8	240	22.0	17.9-26.1	32	1.0	0.2- 1.8	53	3.2	2.0- 4.4	12	0.7	0.3- 1.1	160	9.7	7.2-12.2
35-44	1562	1,111,360	1107	66.9	62.6-71.2	241	16.3	13.0-19.6	31	1.0	0.0- 2.0	40	4.5	2.5- 6.5	6	0.5	0.1- 0.9	137	10.7	7.6-13.8
45-54	2238	1,240,544	1738	73.6	70.1-77.1	286	15.3	12.4-18.2	50	0.5	0.3- 0.7	35	2.4	1.2- 3.6	7	0.2	0.0- 0.4	122	8.0	5.6-10.4
55-64	3033	1,234,414	2511	77.5	73.8-81.2	316	14.2	11.1-17.3	81	0.9	0.5- 1.3	18	2.7	0.5- 4.9	5	0.4	0.0- 1.0	102	4.3	2.9- 5.7
65+	5618	1,810,771	5016	85.1	82.6-87.6	385	9.4	7.2-11.6	82	0.5	0.1- 0.9	32	1.8	0.6- 3.0	9	0.1	0.0- 0.3	94	3.0	1.6- 4.4
Less Than H.S.	1601	1,081,734	1020	54.4	49.1-59.7	268	24.0	19.1-28.9	60	1.6	0.6- 2.6	12	2.8	0.3- 5.3	14	1.2	0.2- 2.2	227	15.9	12.0-19.8
H.S. or G.E.D.	4514	2,329,524	3543	70.0	67.1-72.9	631	19.7	17.0-22.4	96	0.8	0.2- 1.4	36	1.7	0.9- 2.5	18	0.4	0.2- 0.6	190	7.4	5.6- 9.2
Some Post-H.S.	4049	2,261,874	3371	77.7	75.2-80.2	414	14.8	12.4-17.2	83	0.7	0.3- 1.1	46	2.4	1.4- 3.4	9	0.2	0.0- 0.4	126	4.3	3.1- 5.5
College Graduate	4869	1,961,372	4233	82.2	80.0-84.4	315	8.8	7.0-10.6	55	0.5	0.1- 0.9	124	5.2	3.8- 6.6	9	0.2	0.0- 0.4	133	3.1	2.1- 4.1
Less than \$15,000	1154	530,292	812	62.7	56.2-69.2	216	23.8	18.1-29.5	40	0.5	0.1- 0.9	15	6.0	0.9-11.1	3	0.0	0.0- 0.0	68	7.0	3.9-10.1
\$15,000- 24,999	2458	1,227,671	1841	65.6	61.5-69.7	319	18.2	14.7-21.7	71	2.1	0.7- 3.5	30	3.0	1.4- 4.6	13	0.6	0.2- 1.0	184	10.5	7.8-13.2
\$25,000- 34,999	1518	703,972	1171	64.4	58.9-69.9	207	21.8	16.7-26.9	27	0.3	0.1- 0.5	18	2.6	0.8- 4.4	6	1.1	0.0- 2.3	89	9.7	6.4-13.0
\$35,000- 49,999	1986	940,024	1641	73.7	69.4-78.0	195	15.9	12.0-19.8	36	0.9	0.1- 1.7	24	1.8	0.6- 3.0	11	0.6	0.2- 1.0	79	7.1	4.6- 9.6
\$50,000- 74,999	1885	899,555	1619	80.1	76.2-84.0	151	11.0	8.1-13.9	33	0.8	0.2- 1.4	22	2.0	0.6- 3.4	3	0.3	0.0- 0.7	57	5.8	3.3- 8.3
\$75,000+	3497	1,910,275	3109	85.9	83.5-88.3	225	8.5	6.7-10.3	39	0.3	0.1- 0.5	54	3.0	1.8- 4.2	4	0.1	0.1- 0.1	66	2.2	1.2- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE1).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20783	8,217,639	17190	73.5	71.9-75.1	2407	16.4	15.0-17.8	279	0.5	0.3- 0.7	194	3.1	2.5- 3.7	36	0.3	0.1- 0.5	677	6.1	5.3- 6.9
18-24	880	833,975	593	63.5	58.4-68.6	180	22.3	17.8-26.8	12	0.8	0.0- 1.6	30	6.1	3.4- 8.8	6	0.5	0.0- 1.1	59	6.8	4.1- 9.5
25-34	1786	1,220,921	1289	64.4	60.3-68.5	316	20.8	17.1-24.5	15	0.7	0.1- 1.3	35	3.5	1.9- 5.1	3	0.1	0.0- 0.3	128	10.5	7.6-13.4
35-44	1994	1,156,263	1471	64.1	59.6-68.6	316	24.1	19.8-28.4	33	0.3	0.1- 0.5	31	3.4	1.6- 5.2	5	0.4	0.0- 0.8	138	7.7	5.5- 9.9
45-54	2888	1,275,356	2301	71.1	67.0-75.2	388	18.2	14.7-21.7	50	0.6	0.0- 1.2	38	4.2	2.0- 6.4	5	0.2	0.0- 0.4	106	5.7	3.7- 7.7
55-64	4113	1,376,449	3476	81.0	77.9-84.1	439	10.9	8.4-13.4	71	0.7	0.3- 1.1	28	1.8	0.4- 3.2	6	0.3	0.0- 0.7	93	5.3	3.1- 7.5
65+	8815	2,183,169	7823	84.8	82.6-87.0	715	9.5	7.7-11.3	94	0.3	0.1- 0.5	29	1.7	0.7- 2.7	9	0.2	0.0- 0.4	145	3.4	2.2- 4.6
Less Than H.S.	2023	996,271	1442	64.3	58.8-69.8	322	19.7	14.6-24.8	45	0.4	0.2- 0.6	4	0.3	0.0- 0.7	1	0.2	0.0- 0.6	209	15.1	11.4-18.8
H.S. or G.E.D.	6304	2,361,400	5199	72.9	70.2-75.6	815	17.2	14.8-19.6	76	0.6	0.2- 1.0	34	2.6	1.4- 3.8	10	0.3	0.1- 0.5	170	6.4	4.6- 8.2
Some Post-H.S.	6388	2,761,561	5419	76.3	73.9-78.7	671	16.3	14.1-18.5	93	0.6	0.2- 1.0	39	1.9	1.1- 2.7	7	0.1	0.0- 0.3	159	4.8	3.6- 6.0
College Graduate	5964	2,035,093	5058	75.4	72.9-77.9	580	14.3	12.1-16.5	60	0.4	0.0- 0.8	114	6.3	4.5- 8.1	18	0.6	0.2- 1.0	134	3.1	2.1- 4.1
Less than \$15,000	2111	711,599	1567	66.8	61.7-71.9	366	19.4	15.5-23.3	55	0.8	0.0- 1.6	15	3.1	0.7- 5.5	4	0.2	0.0- 0.4	104	9.6	6.1-13.1
\$15,000- 24,999	4046	1,507,633	3142	66.3	62.8-69.8	582	20.2	17.1-23.3	67	0.7	0.3- 1.1	33	2.8	1.2- 4.4	10	0.5	0.1- 0.9	212	9.5	7.3-11.7
\$25,000- 34,999	2187	799,989	1812	69.9	65.2-74.6	264	19.1	15.0-23.2	30	0.7	0.0- 1.5	8	2.2	0.4- 4.0	7	0.8	0.0- 1.6	66	7.2	4.1-10.3
\$35,000- 49,999	2363	933,751	2032	79.7	75.6-83.8	248	14.8	11.1-18.5	21	0.3	0.1- 0.5	18	2.0	0.6- 3.4	5	0.2	0.0- 0.4	39	3.0	1.2- 4.8
\$50,000- 74,999	2152	855,670	1889	80.0	75.5-84.5	200	14.9	11.0-18.8	15	0.4	0.0- 0.8	16	2.4	0.6- 4.2	1	0.1	0.0- 0.3	31	2.2	0.2- 4.2
\$75,000+	3352	1,516,131	2997	82.5	79.4-85.6	220	10.2	7.7-12.7	36	0.4	0.2- 0.6	53	4.9	2.7- 7.1	3	0.2	0.0- 0.4	43	1.8	0.8- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35875	15,876,488	29140	72.9	71.9-73.9	3986	16.0	15.0-17.0	535	0.6	0.4- 0.8	409	3.0	2.6- 3.4	86	0.4	0.2- 0.6	1719	7.1	6.5- 7.7
Male	15089	7,657,106	12088	72.8	71.2-74.4	1606	15.8	14.4-17.2	274	0.8	0.6- 1.0	217	3.0	2.4- 3.6	50	0.4	0.2- 0.6	854	7.3	6.3- 8.3
Female	20783	8,217,639	17050	73.1	71.5-74.7	2379	16.3	14.9-17.7	261	0.4	0.2- 0.6	192	3.0	2.4- 3.6	36	0.3	0.1- 0.5	865	6.9	6.1- 7.7
18-24	1798	1,729,117	1216	62.8	59.1-66.5	331	23.5	20.0-27.0	25	0.8	0.2- 1.4	64	4.9	3.3- 6.5	14	0.6	0.2- 1.0	148	7.4	5.4- 9.4
25-34	3333	2,488,236	2302	62.9	60.0-65.8	542	21.1	18.4-23.8	45	0.8	0.2- 1.4	87	3.3	2.3- 4.3	15	0.4	0.2- 0.6	342	11.5	9.5-13.5
35-44	3556	2,267,623	2559	65.1	62.0-68.2	545	19.8	17.1-22.5	57	0.6	0.2- 1.0	70	3.9	2.5- 5.3	11	0.4	0.0- 0.8	314	10.1	8.1-12.1
45-54	5126	2,515,900	4014	72.2	69.5-74.9	669	16.5	14.1-18.9	94	0.5	0.3- 0.7	71	3.1	1.9- 4.3	12	0.2	0.0- 0.4	266	7.4	5.8- 9.0
55-64	7146	2,610,863	5933	79.0	76.5-81.5	744	12.4	10.4-14.4	143	0.7	0.3- 1.1	46	2.2	1.0- 3.4	11	0.4	0.0- 0.8	269	5.3	3.9- 6.7
65+	14434	3,994,192	12737	84.7	83.1-86.3	1092	9.4	8.0-10.8	165	0.4	0.2- 0.6	61	1.8	1.0- 2.6	18	0.2	0.0- 0.4	361	3.6	2.6- 4.6
Less Than H.S.	3625	2,078,603	2432	58.9	55.2-62.6	581	21.6	18.1-25.1	93	1.0	0.4- 1.6	16	1.6	0.2- 3.0	15	0.7	0.1- 1.3	488	16.1	13.4-18.8
H.S. or G.E.D.	10818	4,690,924	8675	71.2	69.2-73.2	1429	18.2	16.4-20.0	164	0.7	0.3- 1.1	68	2.1	1.3- 2.9	28	0.3	0.1- 0.5	454	7.5	6.3- 8.7
Some Post-H.S.	10437	5,023,435	8698	76.3	74.5-78.1	1062	15.3	13.7-16.9	163	0.5	0.3- 0.7	85	2.1	1.5- 2.7	16	0.2	0.0- 0.4	413	5.6	4.6- 6.6
College Graduate	10835	3,997,611	9231	78.4	76.6-80.2	883	11.5	10.1-12.9	108	0.4	0.2- 0.6	236	5.7	4.5- 6.9	27	0.4	0.2- 0.6	350	3.6	3.0- 4.2
Less than \$15,000	3265	1,241,891	2348	64.6	60.5-68.7	571	20.8	17.5-24.1	81	0.5	0.3- 0.7	30	4.3	1.8- 6.8	7	0.1	0.0- 0.3	228	9.7	7.2-12.2
\$15,000- 24,999	6504	2,735,304	4930	65.7	63.0-68.4	892	19.0	16.6-21.4	132	1.3	0.7- 1.9	63	2.9	1.7- 4.1	23	0.5	0.3- 0.7	464	10.6	8.8-12.4
\$25,000- 34,999	3706	1,504,854	2958	66.8	63.3-70.3	466	20.2	16.9-23.5	54	0.5	0.1- 0.9	26	2.4	1.2- 3.6	13	0.9	0.1- 1.7	189	9.2	6.8-11.6
\$35,000- 49,999	4349	1,873,775	3635	75.9	73.0-78.8	437	15.1	12.4-17.8	56	0.6	0.2- 1.0	41	1.9	0.9- 2.9	16	0.4	0.2- 0.6	164	6.2	4.4- 8.0
\$50,000- 74,999	4037	1,755,225	3480	79.5	76.6-82.4	341	12.7	10.3-15.1	45	0.6	0.2- 1.0	38	2.2	1.0- 3.4	4	0.2	0.0- 0.4	129	4.8	3.0- 6.6
\$75,000+	6850	3,426,658	6075	84.2	82.2-86.2	437	9.1	7.5-10.7	69	0.3	0.1- 0.5	106	3.8	2.6- 5.0	7	0.1	0.0- 0.3	156	2.4	1.6- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15089	7,657,106	12088	72.8	71.2-74.4	1606	15.8	14.4-17.2	274	0.8	0.6- 1.0	217	3.0	2.4- 3.6	50	0.4	0.2- 0.6	854	7.3	6.3- 8.3
18-24	918	895,142	630	62.7	57.4-68.0	153	24.7	19.4-30.0	16	1.2	0.0- 2.4	34	3.7	1.9- 5.5	8	0.7	0.0- 1.5	77	7.0	4.5- 9.5
25-34	1545	1,265,824	1028	62.7	58.4-67.0	232	21.6	17.5-25.7	31	0.9	0.1- 1.7	52	3.2	2.0- 4.4	12	0.7	0.3- 1.1	190	11.0	8.5-13.5
35-44	1562	1,111,360	1097	66.5	62.2-70.8	236	15.8	12.5-19.1	29	1.0	0.0- 2.0	40	4.5	2.5- 6.5	6	0.5	0.1- 0.9	154	11.6	8.5-14.7
45-54	2238	1,240,544	1721	73.4	69.9-76.9	283	14.9	12.0-17.8	47	0.4	0.2- 0.6	34	2.3	1.1- 3.5	7	0.2	0.0- 0.4	146	8.7	6.3-11.1
55-64	3033	1,234,414	2493	77.3	73.6-81.0	310	14.2	11.1-17.3	73	0.8	0.4- 1.2	18	2.7	0.5- 4.9	5	0.4	0.0- 1.0	134	4.5	2.9- 6.1
65+	5618	1,810,771	4975	84.9	82.4-87.4	382	9.4	7.2-11.6	76	0.5	0.1- 0.9	32	1.8	0.6- 3.0	9	0.1	0.0- 0.3	144	3.3	1.9- 4.7
Less Than H.S.	1601	1,081,734	1008	54.2	48.9-59.5	264	23.7	18.8-28.6	53	1.6	0.6- 2.6	12	2.8	0.3- 5.3	14	1.2	0.2- 2.2	250	16.4	12.5-20.3
H.S. or G.E.D.	4514	2,329,524	3509	69.6	66.7-72.5	622	19.4	16.9-21.9	90	0.8	0.2- 1.4	35	1.7	0.9- 2.5	18	0.4	0.2- 0.6	240	8.2	6.4-10.0
Some Post-H.S.	4049	2,261,874	3331	77.3	74.8-79.8	401	14.2	11.8-16.6	77	0.6	0.2- 1.0	46	2.4	1.4- 3.4	9	0.2	0.0- 0.4	185	5.2	4.0- 6.4
College Graduate	4869	1,961,372	4206	81.9	79.7-84.1	307	8.6	6.8-10.4	52	0.4	0.2- 0.6	123	5.2	3.8- 6.6	9	0.2	0.0- 0.4	172	3.6	2.6- 4.6
Less than \$15,000	1154	530,292	801	62.6	56.1-69.1	213	23.3	17.6-29.0	31	0.5	0.1- 0.9	15	6.0	0.9-11.1	3	0.0	0.0- 0.0	91	7.6	4.5-10.7
\$15,000- 24,999	2458	1,227,671	1816	65.1	61.0-69.2	312	17.5	14.0-21.0	69	2.1	0.7- 3.5	30	3.0	1.4- 4.6	13	0.6	0.2- 1.0	218	11.6	8.9-14.3
\$25,000- 34,999	1518	703,972	1157	63.9	58.4-69.4	205	21.6	16.5-26.7	26	0.3	0.1- 0.5	18	2.6	0.8- 4.4	6	1.1	0.0- 2.3	106	10.5	7.2-13.8
\$35,000- 49,999	1986	940,024	1625	73.2	68.9-77.5	191	15.4	11.5-19.3	35	0.8	0.0- 1.6	23	1.8	0.6- 3.0	11	0.6	0.2- 1.0	101	8.2	5.5-10.9
\$50,000- 74,999	1885	899,555	1607	79.5	75.6-83.4	143	10.7	7.8-13.6	32	0.8	0.2- 1.4	22	2.0	0.6- 3.4	3	0.3	0.0- 0.7	78	6.7	4.0- 9.4
\$75,000+	3497	1,910,275	3094	85.8	83.4-88.2	221	8.4	6.6-10.2	36	0.2	0.0- 0.4	54	3.0	1.8- 4.2	4	0.1	0.1- 0.1	88	2.4	1.4- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20783	8,217,639	17050	73.1	71.5-74.7	2379	16.3	14.9-17.7	261	0.4	0.2- 0.6	192	3.0	2.4- 3.6	36	0.3	0.1- 0.5	865	6.9	6.1- 7.7
18-24	880	833,975	586	62.9	57.8-68.0	178	22.2	17.7-26.7	9	0.4	0.0- 0.8	30	6.1	3.4- 8.8	6	0.5	0.0- 1.1	71	7.8	5.1-10.5
25-34	1786	1,220,921	1273	63.1	58.8-67.4	309	20.5	16.8-24.2	14	0.6	0.0- 1.2	35	3.5	1.9- 5.1	3	0.1	0.0- 0.3	152	12.1	9.0-15.2
35-44	1994	1,156,263	1462	63.8	59.3-68.3	309	23.6	19.3-27.9	28	0.3	0.1- 0.5	30	3.3	1.5- 5.1	5	0.4	0.0- 0.8	160	8.6	6.4-10.8
45-54	2888	1,275,356	2293	71.0	66.9-75.1	386	18.0	14.5-21.5	47	0.6	0.0- 1.2	37	3.9	1.7- 6.1	5	0.2	0.0- 0.4	120	6.2	4.0- 8.4
55-64	4113	1,376,449	3440	80.4	77.3-83.5	434	10.9	8.4-13.4	70	0.6	0.2- 1.0	28	1.8	0.4- 3.2	6	0.3	0.0- 0.7	135	6.0	3.8- 8.2
65+	8815	2,183,169	7761	84.5	82.3-86.7	710	9.4	7.6-11.2	89	0.3	0.1- 0.5	29	1.7	0.7- 2.7	9	0.2	0.0- 0.4	217	3.8	2.6- 5.0
Less Than H.S.	2023	996,271	1424	63.9	58.4-69.4	316	19.3	14.2-24.4	40	0.4	0.2- 0.6	4	0.3	0.0- 0.7	1	0.2	0.0- 0.6	238	15.9	12.2-19.6
H.S. or G.E.D.	6304	2,361,400	5166	72.7	70.0-75.4	807	17.1	14.7-19.5	74	0.5	0.1- 0.9	33	2.4	1.2- 3.6	10	0.3	0.1- 0.5	214	6.8	5.0- 8.6
Some Post-H.S.	6388	2,761,561	5367	75.4	73.0-77.8	661	16.1	13.9-18.3	86	0.4	0.2- 0.6	39	1.9	1.1- 2.7	7	0.1	0.0- 0.3	228	6.0	4.6- 7.4
College Graduate	5964	2,035,093	5023	75.0	72.5-77.5	576	14.2	12.0-16.4	56	0.4	0.0- 0.8	113	6.2	4.4- 8.0	18	0.6	0.2- 1.0	178	3.6	2.6- 4.6
Less than \$15,000	2111	711,599	1547	66.1	61.0-71.2	358	19.0	15.1-22.9	50	0.4	0.2- 0.6	15	3.1	0.7- 5.5	4	0.2	0.0- 0.4	137	11.2	7.5-14.9
\$15,000- 24,999	4046	1,507,633	3114	66.1	62.6-69.6	580	20.2	17.1-23.3	63	0.6	0.2- 1.0	33	2.8	1.2- 4.4	10	0.5	0.1- 0.9	246	9.8	7.6-12.0
\$25,000- 34,999	2187	799,989	1800	69.3	64.6-74.0	261	19.0	14.9-23.1	28	0.7	0.0- 1.5	8	2.2	0.4- 4.0	7	0.8	0.0- 1.6	83	8.1	5.0-11.2
\$35,000- 49,999	2363	933,751	2010	78.6	74.5-82.7	246	14.8	11.1-18.5	21	0.3	0.1- 0.5	18	2.0	0.6- 3.4	5	0.2	0.0- 0.4	63	4.1	1.9- 6.3
\$50,000- 74,999	2152	855,670	1873	79.5	75.0-84.0	198	14.8	10.9-18.7	13	0.4	0.0- 0.8	16	2.4	0.6- 4.2	1	0.1	0.0- 0.3	51	2.9	0.9- 4.9
\$75,000+	3352	1,516,131	2980	82.2	79.1-85.3	216	10.0	7.5-12.5	33	0.4	0.2- 0.6	52	4.8	2.6- 7.0	3	0.2	0.0- 0.4	68	2.4	1.4- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (\_RACE).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36269	16,216,666	26575	57.4	56.4-58.4	3756	14.3	13.3-15.3	514	0.5	0.3- 0.7	388	2.8	2.4- 3.2	604	1.3	1.1- 1.5	4432	23.7	22.7-24.7
Male	15243	7,807,918	11013	57.7	56.1-59.3	1504	13.9	12.5-15.3	250	0.4	0.2- 0.6	206	2.7	2.1- 3.3	303	1.3	1.1- 1.5	1967	23.9	22.3-25.5
Female	21023	8,407,004	15560	57.1	55.5-58.7	2251	14.6	13.4-15.8	264	0.5	0.3- 0.7	182	2.9	2.3- 3.5	301	1.3	0.9- 1.7	2465	23.5	22.1-24.9
18-24	1846	1,786,867	918	44.1	40.6-47.6	298	20.8	17.5-24.1	19	0.3	0.1- 0.5	62	4.7	3.1- 6.3	40	1.3	0.7- 1.9	509	28.8	25.3-32.3
25-34	3440	2,566,560	1843	44.7	42.0-47.4	487	18.5	16.0-21.0	44	0.5	0.3- 0.7	81	3.0	2.2- 3.8	88	2.4	1.6- 3.2	897	31.0	28.3-33.7
35-44	3645	2,338,033	2081	46.0	43.1-48.9	506	16.8	14.3-19.3	53	0.4	0.2- 0.6	67	3.6	2.4- 4.8	84	2.4	1.6- 3.2	854	30.8	27.9-33.7
45-54	5212	2,568,272	3558	55.0	52.3-57.7	632	15.1	12.9-17.3	86	0.4	0.2- 0.6	68	3.0	1.8- 4.2	64	0.8	0.4- 1.2	804	25.8	23.3-28.3
55-64	7203	2,659,485	5592	65.7	63.0-68.4	717	11.0	9.2-12.8	135	0.8	0.4- 1.2	46	2.2	1.0- 3.4	115	1.0	0.6- 1.4	598	19.4	16.9-21.9
65+	14447	4,031,691	12237	73.8	71.8-75.8	1056	8.8	7.4-10.2	167	0.4	0.2- 0.6	54	1.7	0.9- 2.5	203	0.6	0.4- 0.8	730	14.7	12.9-16.5
Less Than H.S.	3842	2,236,367	1901	33.7	30.6-36.8	541	17.6	14.5-20.7	80	0.6	0.2- 1.0	15	1.2	0.0- 2.4	75	1.2	0.6- 1.8	1230	45.6	42.1-49.1
H.S. or G.E.D.	10918	4,793,207	7996	55.8	53.8-57.8	1349	16.2	14.4-18.0	159	0.5	0.3- 0.7	63	1.9	1.1- 2.7	168	1.3	0.9- 1.7	1183	24.3	22.3-26.3
Some Post-H.S.	10493	5,088,868	8053	63.0	61.0-65.0	1003	13.9	12.3-15.5	155	0.4	0.2- 0.6	80	2.0	1.4- 2.6	187	1.6	1.2- 2.0	1015	19.0	17.2-20.8
College Graduate	10847	4,008,378	8535	65.7	63.7-67.7	836	10.7	9.3-12.1	114	0.5	0.3- 0.7	226	5.5	4.3- 6.7	170	1.0	0.8- 1.2	966	16.6	15.0-18.2
Less than \$15,000	3334	1,291,742	2053	44.0	40.3-47.7	542	18.2	15.1-21.3	80	0.5	0.3- 0.7	28	3.6	1.2- 6.0	77	1.4	0.6- 2.2	554	32.3	28.4-36.2
\$15,000- 24,999	6642	2,823,067	4293	44.4	42.0-46.8	837	16.9	14.5-19.3	118	0.6	0.4- 0.8	59	2.8	1.6- 4.0	122	1.8	1.2- 2.4	1213	33.5	31.0-36.0
\$25,000- 34,999	3740	1,540,996	2701	53.3	49.8-56.8	435	17.7	14.6-20.8	53	0.9	0.3- 1.5	26	2.3	1.1- 3.5	56	1.5	0.7- 2.3	469	24.4	21.1-27.7
\$35,000- 49,999	4359	1,880,792	3380	62.4	59.1-65.7	413	13.9	11.4-16.4	57	0.4	0.2- 0.6	38	1.8	0.8- 2.8	71	1.5	0.7- 2.3	400	19.8	16.9-22.7
\$50,000- 74,999	4049	1,779,220	3262	68.4	65.1-71.7	324	11.8	9.4-14.2	43	0.5	0.1- 0.9	36	2.1	1.1- 3.1	68	1.3	0.9- 1.7	316	16.0	13.1-18.9
\$75,000+	6864	3,458,832	5734	73.0	70.6-75.4	418	8.4	7.0- 9.8	64	0.3	0.1- 0.5	103	3.7	2.5- 4.9	85	0.9	0.5- 1.3	460	13.7	11.7-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (\_RACE).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15243	7,807,918	11013	57.7	56.1-59.3	1504	13.9	12.7-15.1	250	0.4	0.2- 0.6	206	2.7	2.1- 3.3	303	1.3	1.1- 1.5	1967	23.9	22.5-25.3
18-24	943	921,597	479	43.5	38.4-48.6	138	22.1	17.0-27.2	9	0.1	0.1- 0.1	32	3.5	1.7- 5.3	23	1.4	0.6- 2.2	262	29.4	24.5-34.3
25-34	1591	1,297,019	826	45.0	41.1-48.9	205	18.9	15.0-22.8	31	0.6	0.2- 1.0	48	2.6	1.8- 3.4	52	2.0	1.2- 2.8	429	30.9	27.0-34.8
35-44	1595	1,147,529	914	47.7	43.4-52.0	217	12.4	9.7-15.1	23	0.3	0.0- 0.7	39	4.0	2.2- 5.8	38	2.6	1.4- 3.8	364	33.0	28.5-37.5
45-54	2276	1,265,406	1518	55.4	51.7-59.1	270	13.7	11.0-16.4	40	0.3	0.1- 0.5	32	2.2	1.2- 3.2	43	1.0	0.4- 1.6	373	27.4	23.9-30.9
55-64	3054	1,257,088	2366	68.0	63.9-72.1	298	12.3	9.4-15.2	67	0.7	0.1- 1.3	18	2.6	0.4- 4.8	53	0.5	0.3- 0.7	252	15.8	12.5-19.1
65+	5612	1,820,692	4785	74.7	71.6-77.8	366	8.7	6.5-10.9	76	0.4	0.2- 0.6	30	1.7	0.7- 2.7	89	0.7	0.3- 1.1	266	13.7	11.2-16.2
Less Than H.S.	1686	1,144,999	797	33.8	29.3-38.3	240	18.9	14.6-23.2	43	0.8	0.0- 1.6	11	2.2	0.0- 4.4	40	1.6	0.4- 2.8	555	42.7	37.6-47.8
H.S. or G.E.D.	4559	2,385,943	3219	54.2	51.3-57.1	586	17.0	14.5-19.5	84	0.4	0.2- 0.6	31	1.5	0.7- 2.3	93	1.6	1.0- 2.2	546	25.3	22.6-28.0
Some Post-H.S.	4069	2,283,571	3057	63.5	60.6-66.4	376	12.9	10.7-15.1	70	0.3	0.1- 0.5	46	2.3	1.3- 3.3	85	1.2	0.8- 1.6	435	19.7	17.2-22.2
College Graduate	4868	1,964,646	3910	69.6	67.1-72.1	292	8.3	6.7- 9.9	51	0.3	0.1- 0.5	117	4.9	3.5- 6.3	83	1.0	0.6- 1.4	415	15.9	13.7-18.1
Less than \$15,000	1180	557,056	699	42.9	37.2-48.6	195	18.5	13.6-23.4	29	0.5	0.1- 0.9	14	4.6	0.3- 8.9	33	1.1	0.1- 2.1	210	32.4	26.5-38.3
\$15,000- 24,999	2524	1,270,919	1569	42.9	39.2-46.6	285	15.4	12.1-18.7	56	0.6	0.2- 1.0	29	2.9	1.3- 4.5	59	1.9	1.1- 2.7	526	36.4	32.5-40.3
\$25,000- 34,999	1535	728,108	1040	49.7	44.4-55.0	194	19.6	14.7-24.5	25	0.9	0.0- 2.1	18	2.5	0.7- 4.3	31	1.8	0.2- 3.4	227	25.5	20.4-30.6
\$35,000- 49,999	1990	943,432	1520	61.1	56.4-65.8	180	14.1	10.2-18.0	33	0.4	0.2- 0.6	22	1.8	0.6- 3.0	38	1.8	0.8- 2.8	197	20.9	16.8-25.0
\$50,000- 74,999	1889	910,674	1489	66.2	61.7-70.7	135	9.9	7.2-12.6	29	0.5	0.1- 0.9	22	2.0	0.6- 3.4	38	1.5	0.9- 2.1	176	19.9	15.6-24.2
\$75,000+	3501	1,926,710	2912	73.6	70.7-76.5	212	7.9	6.1- 9.7	36	0.2	0.2- 0.2	51	2.9	1.7- 4.1	44	0.5	0.3- 0.7	246	15.0	12.3-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (\_RACE).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21023	8,407,004	15560	57.1	55.7-58.5	2251	14.6	13.4-15.8	264	0.5	0.3- 0.7	182	2.9	2.3- 3.5	301	1.3	0.9- 1.7	2465	23.5	22.1-24.9
18-24	903	865,270	439	44.7	39.6-49.8	160	19.5	15.4-23.6	10	0.4	0.0- 0.8	30	5.9	3.2- 8.6	17	1.2	0.2- 2.2	247	28.2	23.3-33.1
25-34	1847	1,268,050	1016	44.4	40.5-48.3	281	18.0	14.5-21.5	13	0.4	0.0- 0.8	33	3.4	2.0- 4.8	36	2.7	1.1- 4.3	468	31.1	27.0-35.2
35-44	2050	1,190,504	1167	44.5	40.6-48.4	289	21.0	16.9-25.1	30	0.5	0.1- 0.9	28	3.2	1.4- 5.0	46	2.1	1.1- 3.1	490	28.6	24.9-32.3
45-54	2936	1,302,865	2040	54.5	50.4-58.6	362	16.4	12.9-19.9	46	0.5	0.1- 0.9	36	3.8	1.6- 6.0	21	0.6	0.0- 1.2	431	24.1	20.6-27.6
55-64	4149	1,402,397	3226	63.6	59.7-67.5	419	9.8	7.4-12.2	68	0.8	0.2- 1.4	28	1.7	0.3- 3.1	62	1.4	0.6- 2.2	346	22.6	18.9-26.3
65+	8834	2,210,747	7451	73.0	70.5-75.5	690	8.8	7.2-10.4	91	0.4	0.2- 0.6	24	1.6	0.6- 2.6	114	0.6	0.4- 0.8	464	15.5	13.1-17.9
Less Than H.S.	2155	1,090,771	1104	33.6	29.3-37.9	300	16.2	11.5-20.9	37	0.5	0.1- 0.9	4	0.3	0.0- 0.7	35	0.9	0.3- 1.5	675	48.6	43.5-53.7
H.S. or G.E.D.	6359	2,407,265	4777	57.4	54.5-60.3	763	15.3	12.9-17.7	75	0.6	0.4- 0.8	32	2.4	1.2- 3.6	75	1.1	0.5- 1.7	637	23.3	20.8-25.8
Some Post-H.S.	6424	2,805,298	4996	62.7	60.2-65.2	627	14.7	12.7-16.7	85	0.5	0.3- 0.7	34	1.8	1.0- 2.6	102	2.0	1.2- 2.8	580	18.4	16.2-20.6
College Graduate	5977	2,042,585	4623	62.0	59.3-64.7	544	13.0	11.0-15.0	63	0.7	0.3- 1.1	109	6.1	4.3- 7.9	87	1.0	0.6- 1.4	551	17.2	15.0-19.4
Less than \$15,000	2154	734,686	1354	44.8	40.1-49.5	347	18.0	14.1-21.9	51	0.6	0.2- 1.0	14	2.8	0.4- 5.2	44	1.6	0.6- 2.6	344	32.2	27.1-37.3
\$15,000- 24,999	4118	1,552,147	2724	45.7	42.4-49.0	552	18.2	15.1-21.3	62	0.6	0.2- 1.0	30	2.7	1.1- 4.3	63	1.8	0.8- 2.8	687	31.1	27.8-34.4
\$25,000- 34,999	2204	811,995	1660	56.5	51.6-61.4	241	16.0	12.3-19.7	28	0.8	0.0- 1.6	8	2.1	0.3- 3.9	25	1.1	0.3- 1.9	242	23.4	18.9-27.9
\$35,000- 49,999	2369	937,360	1860	63.8	59.3-68.3	233	13.8	10.3-17.3	24	0.5	0.3- 0.7	16	1.9	0.5- 3.3	33	1.3	0.0- 2.7	203	18.8	14.7-22.9
\$50,000- 74,999	2160	868,546	1773	70.7	65.8-75.6	189	13.8	9.9-17.7	14	0.4	0.0- 0.8	14	2.2	0.4- 4.0	30	1.0	0.4- 1.6	140	11.9	8.2-15.6
\$75,000+	3362	1,531,870	2821	72.3	68.8-75.8	206	9.1	6.7-11.5	28	0.4	0.0- 0.8	52	4.8	2.8- 6.8	41	1.3	0.5- 2.1	214	12.1	9.4-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36269	16,216,666	26575	57.4	56.4-58.4	9694	42.6	41.6-43.6
Male	15243	7,807,918	11013	57.7	56.1-59.3	4230	42.3	40.7-43.9
Female	21023	8,407,004	15560	57.1	55.5-58.7	5463	42.9	41.3-44.5
18-24	1846	1,786,867	918	44.1	40.6-47.6	928	55.9	52.4-59.4
25-34	3440	2,566,560	1843	44.7	42.0-47.4	1597	55.3	52.6-58.0
35-44	3645	2,338,033	2081	46.0	43.1-48.9	1564	54.0	51.1-56.9
45-54	5212	2,568,272	3558	55.0	52.3-57.7	1654	45.0	42.3-47.7
55-64	7203	2,659,485	5592	65.7	63.0-68.4	1611	34.3	31.6-37.0
65+	14447	4,031,691	12237	73.8	71.8-75.8	2210	26.2	24.2-28.2
Less Than H.S.	3842	2,236,367	1901	33.7	30.6-36.8	1941	66.3	63.2-69.4
H.S. or G.E.D.	10918	4,793,207	7996	55.8	53.8-57.8	2922	44.2	42.2-46.2
Some Post-H.S.	10493	5,088,868	8053	63.0	61.0-65.0	2440	37.0	35.0-39.0
College Graduate	10847	4,008,378	8535	65.7	63.7-67.7	2312	34.3	32.3-36.3
Less than \$15,000	3334	1,291,742	2053	44.0	40.3-47.7	1281	56.0	52.3-59.7
\$15,000- 24,999	6642	2,823,067	4293	44.4	42.0-46.8	2349	55.6	53.2-58.0
\$25,000- 34,999	3740	1,540,996	2701	53.3	49.8-56.8	1039	46.7	43.2-50.2
\$35,000- 49,999	4359	1,880,792	3380	62.4	59.1-65.7	979	37.6	34.3-40.9
\$50,000- 74,999	4049	1,779,220	3262	68.4	65.1-71.7	787	31.6	28.3-34.9
\$75,000+	6864	3,458,832	5734	73.0	70.6-75.4	1130	27.0	24.6-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15243	7,807,918	11013	57.7	56.1-59.3	4230	42.3	40.7-43.9
18-24	943	921,597	479	43.5	38.4-48.6	464	56.5	51.4-61.6
25-34	1591	1,297,019	826	45.0	41.1-48.9	765	55.0	51.1-58.9
35-44	1595	1,147,529	914	47.7	43.4-52.0	681	52.3	48.0-56.6
45-54	2276	1,265,406	1518	55.4	51.7-59.1	758	44.6	40.9-48.3
55-64	3054	1,257,088	2366	68.0	63.9-72.1	688	32.0	27.9-36.1
65+	5612	1,820,692	4785	74.7	71.6-77.8	827	25.3	22.2-28.4
Less Than H.S.	1686	1,144,999	797	33.8	29.3-38.3	889	66.2	61.7-70.7
H.S. or G.E.D.	4559	2,385,943	3219	54.2	51.3-57.1	1340	45.8	42.9-48.7
Some Post-H.S.	4069	2,283,571	3057	63.5	60.6-66.4	1012	36.5	33.6-39.4
College Graduate	4868	1,964,646	3910	69.6	67.1-72.1	958	30.4	27.9-32.9
Less than \$15,000	1180	557,056	699	42.9	37.2-48.6	481	57.1	51.4-62.8
\$15,000- 24,999	2524	1,270,919	1569	42.9	39.2-46.6	955	57.1	53.4-60.8
\$25,000- 34,999	1535	728,108	1040	49.7	44.4-55.0	495	50.3	45.0-55.6
\$35,000- 49,999	1990	943,432	1520	61.1	56.4-65.8	470	38.9	34.2-43.6
\$50,000- 74,999	1889	910,674	1489	66.2	61.7-70.7	400	33.8	29.3-38.3
\$75,000+	3501	1,926,710	2912	73.6	70.7-76.5	589	26.4	23.5-29.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21023	8,407,004	15560	57.1	55.7-58.5	5463	42.9	41.5-44.3
18-24	903	865,270	439	44.7	39.6-49.8	464	55.3	50.2-60.4
25-34	1847	1,268,050	1016	44.4	40.5-48.3	831	55.6	51.7-59.5
35-44	2050	1,190,504	1167	44.5	40.6-48.4	883	55.5	51.6-59.4
45-54	2936	1,302,865	2040	54.5	50.4-58.6	896	45.5	41.4-49.6
55-64	4149	1,402,397	3226	63.6	59.7-67.5	923	36.4	32.5-40.3
65+	8834	2,210,747	7451	73.0	70.5-75.5	1383	27.0	24.5-29.5
Less Than H.S.	2155	1,090,771	1104	33.6	29.3-37.9	1051	66.4	62.1-70.7
H.S. or G.E.D.	6359	2,407,265	4777	57.4	54.5-60.3	1582	42.6	39.7-45.5
Some Post-H.S.	6424	2,805,298	4996	62.7	60.2-65.2	1428	37.3	34.8-39.8
College Graduate	5977	2,042,585	4623	62.0	59.3-64.7	1354	38.0	35.3-40.7
Less than \$15,000	2154	734,686	1354	44.8	40.1-49.5	800	55.2	50.5-59.9
\$15,000- 24,999	4118	1,552,147	2724	45.7	42.4-49.0	1394	54.3	51.0-57.6
\$25,000- 34,999	2204	811,995	1660	56.5	51.6-61.4	544	43.5	38.6-48.4
\$35,000- 49,999	2369	937,360	1860	63.8	59.3-68.3	509	36.2	31.7-40.7
\$50,000- 74,999	2160	868,546	1773	70.7	65.8-75.6	387	29.3	24.4-34.2
\$75,000+	3362	1,531,870	2821	72.3	68.8-75.8	541	27.7	24.2-31.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36269	16,216,666	26575	57.4	56.4-58.4	3756	14.3	13.3-15.3	1050	3.7	3.3- 4.1	456	0.9	0.7- 1.1	4432	23.7	22.7-24.7
Male	15243	7,807,918	11013	57.7	56.1-59.3	1504	13.9	12.5-15.3	536	3.6	3.0- 4.2	223	0.9	0.7- 1.1	1967	23.9	22.3-25.5
Female	21023	8,407,004	15560	57.1	55.5-58.7	2251	14.6	13.4-15.8	514	3.8	3.2- 4.4	233	1.0	0.8- 1.2	2465	23.5	22.1-24.9
18-24	1846	1,786,867	918	44.1	40.6-47.6	298	20.8	17.5-24.1	85	5.0	3.4- 6.6	36	1.2	0.6- 1.8	509	28.8	25.3-32.3
25-34	3440	2,566,560	1843	44.7	42.0-47.4	487	18.5	16.0-21.0	148	4.1	3.1- 5.1	65	1.7	0.9- 2.5	897	31.0	28.3-33.7
35-44	3645	2,338,033	2081	46.0	43.1-48.9	506	16.8	14.3-19.3	143	4.7	3.3- 6.1	61	1.6	1.0- 2.2	854	30.8	27.9-33.7
45-54	5212	2,568,272	3558	55.0	52.3-57.7	632	15.1	12.9-17.3	169	3.6	2.4- 4.8	49	0.6	0.2- 1.0	804	25.8	23.3-28.3
55-64	7203	2,659,485	5592	65.7	63.0-68.4	717	11.0	9.2-12.8	206	3.4	2.0- 4.8	90	0.5	0.3- 0.7	598	19.4	16.9-21.9
65+	14447	4,031,691	12237	73.8	71.8-75.8	1056	8.8	7.4-10.2	275	2.3	1.5- 3.1	149	0.4	0.2- 0.6	730	14.7	12.9-16.5
Less Than H.S.	3842	2,236,367	1901	33.7	30.6-36.8	541	17.6	14.5-20.7	108	2.2	1.0- 3.4	62	0.9	0.3- 1.5	1230	45.6	42.1-49.1
H.S. or G.E.D.	10918	4,793,207	7996	55.8	53.8-57.8	1349	16.2	14.4-18.0	267	2.9	2.1- 3.7	123	0.9	0.5- 1.3	1183	24.3	22.3-26.3
Some Post-H.S.	10493	5,088,868	8053	63.0	61.0-65.0	1003	13.9	12.3-15.5	268	2.9	2.1- 3.7	154	1.2	0.8- 1.6	1015	19.0	17.2-20.8
College Graduate	10847	4,008,378	8535	65.7	63.7-67.7	836	10.7	9.3-12.1	396	6.4	5.2- 7.6	114	0.7	0.5- 0.9	966	16.6	15.0-18.2
Less than \$15,000	3334	1,291,742	2053	44.0	40.3-47.7	542	18.2	15.1-21.3	119	4.3	1.9- 6.7	66	1.2	0.6- 1.8	554	32.3	28.4-36.2
\$15,000- 24,999	6642	2,823,067	4293	44.4	42.0-46.8	837	16.9	14.5-19.3	206	4.1	2.9- 5.3	93	1.0	0.6- 1.4	1213	33.5	31.0-36.0
\$25,000- 34,999	3740	1,540,996	2701	53.3	49.8-56.8	435	17.7	14.6-20.8	90	3.4	2.0- 4.8	45	1.2	0.4- 2.0	469	24.4	21.1-27.7
\$35,000- 49,999	4359	1,880,792	3380	62.4	59.1-65.7	413	13.9	11.4-16.4	115	2.7	1.7- 3.7	51	1.1	0.3- 1.9	400	19.8	16.9-22.7
\$50,000- 74,999	4049	1,779,220	3262	68.4	65.1-71.7	324	11.8	9.4-14.2	94	2.9	1.7- 4.1	53	0.9	0.5- 1.3	316	16.0	13.1-18.9
\$75,000+	6864	3,458,832	5734	73.0	70.6-75.4	418	8.4	7.0- 9.8	188	4.2	3.0- 5.4	64	0.7	0.3- 1.1	460	13.7	11.7-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15243	7,807,918	11013	57.7	56.1-59.3	1504	13.9	12.7-15.1	536	3.6	3.0- 4.2	223	0.9	0.7- 1.1	1967	23.9	22.5-25.3
18-24	943	921,597	479	43.5	38.4-48.6	138	22.1	17.0-27.2	44	3.8	2.0- 5.6	20	1.2	0.4- 2.0	262	29.4	24.5-34.3
25-34	1591	1,297,019	826	45.0	41.1-48.9	205	18.9	15.0-22.8	94	3.9	2.7- 5.1	37	1.3	0.7- 1.9	429	30.9	27.0-34.8
35-44	1595	1,147,529	914	47.7	43.4-52.0	217	12.4	9.7-15.1	76	5.2	3.2- 7.2	24	1.7	0.5- 2.9	364	33.0	28.5-37.5
45-54	2276	1,265,406	1518	55.4	51.7-59.1	270	13.7	11.0-16.4	81	2.7	1.5- 3.9	34	0.7	0.3- 1.1	373	27.4	23.9-30.9
55-64	3054	1,257,088	2366	68.0	63.9-72.1	298	12.3	9.4-15.2	99	3.6	1.4- 5.8	39	0.2	0.0- 0.4	252	15.8	12.5-19.1
65+	5612	1,820,692	4785	74.7	71.6-77.8	366	8.7	6.5-10.9	130	2.5	1.3- 3.7	65	0.3	0.1- 0.5	266	13.7	11.2-16.2
Less Than H.S.	1686	1,144,999	797	33.8	29.3-38.3	240	18.9	14.6-23.2	64	3.6	1.2- 6.0	30	1.0	0.0- 2.0	555	42.7	37.6-47.8
H.S. or G.E.D.	4559	2,385,943	3219	54.2	51.3-57.1	586	17.0	14.5-19.5	139	2.4	1.6- 3.2	69	1.0	0.6- 1.4	546	25.3	22.6-28.0
Some Post-H.S.	4069	2,283,571	3057	63.5	60.6-66.4	376	12.9	10.7-15.1	130	3.0	2.0- 4.0	71	0.9	0.5- 1.3	435	19.7	17.2-22.2
College Graduate	4868	1,964,646	3910	69.6	67.1-72.1	292	8.3	6.7- 9.9	199	5.6	4.2- 7.0	52	0.6	0.4- 0.8	415	15.9	13.7-18.1
Less than \$15,000	1180	557,056	699	42.9	37.2-48.6	195	18.5	13.6-23.4	47	5.5	1.0-10.0	29	0.7	0.0- 1.5	210	32.4	26.5-38.3
\$15,000- 24,999	2524	1,270,919	1569	42.9	39.2-46.6	285	15.4	12.1-18.7	98	4.1	2.3- 5.9	46	1.2	0.6- 1.8	526	36.4	32.5-40.3
\$25,000- 34,999	1535	728,108	1040	49.7	44.4-55.0	194	19.6	14.7-24.5	50	3.7	1.7- 5.7	24	1.5	0.1- 2.9	227	25.5	20.4-30.6
\$35,000- 49,999	1990	943,432	1520	61.1	56.4-65.8	180	14.1	10.2-18.0	68	2.9	1.5- 4.3	25	1.0	0.4- 1.6	197	20.9	16.8-25.0
\$50,000- 74,999	1889	910,674	1489	66.2	61.7-70.7	135	9.9	7.2-12.6	61	3.0	1.6- 4.4	28	1.1	0.5- 1.7	176	19.9	15.6-24.2
\$75,000+	3501	1,926,710	2912	73.6	70.7-76.5	212	7.9	6.1- 9.7	100	3.2	2.0- 4.4	31	0.4	0.2- 0.6	246	15.0	12.3-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21023	8,407,004	15560	57.1	55.7-58.5	2251	14.6	13.4-15.8	514	3.8	3.2- 4.4	233	1.0	0.8- 1.2	2465	23.5	22.1-24.9
18-24	903	865,270	439	44.7	39.6-49.8	160	19.5	15.4-23.6	41	6.4	3.7- 9.1	16	1.2	0.2- 2.2	247	28.2	23.3-33.1
25-34	1847	1,268,050	1016	44.4	40.5-48.3	281	18.0	14.5-21.5	54	4.3	2.7- 5.9	28	2.1	0.7- 3.5	468	31.1	27.0-35.2
35-44	2050	1,190,504	1167	44.5	40.6-48.4	289	21.0	16.9-25.1	67	4.3	2.3- 6.3	37	1.5	0.7- 2.3	490	28.6	24.9-32.3
45-54	2936	1,302,865	2040	54.5	50.4-58.6	362	16.4	12.9-19.9	88	4.4	2.2- 6.6	15	0.5	0.0- 1.1	431	24.1	20.6-27.6
55-64	4149	1,402,397	3226	63.6	59.7-67.5	419	9.8	7.4-12.2	107	3.2	1.6- 4.8	51	0.8	0.4- 1.2	346	22.6	18.9-26.3
65+	8834	2,210,747	7451	73.0	70.5-75.5	690	8.8	7.2-10.4	145	2.2	1.2- 3.2	84	0.4	0.2- 0.6	464	15.5	13.1-17.9
Less Than H.S.	2155	1,090,771	1104	33.6	29.3-37.9	300	16.2	11.5-20.9	44	0.8	0.2- 1.4	32	0.8	0.2- 1.4	675	48.6	43.5-53.7
H.S. or G.E.D.	6359	2,407,265	4777	57.4	54.5-60.3	763	15.3	12.9-17.7	128	3.3	2.1- 4.5	54	0.7	0.3- 1.1	637	23.3	20.8-25.8
Some Post-H.S.	6424	2,805,298	4996	62.7	60.2-65.2	627	14.7	12.7-16.7	138	2.8	1.8- 3.8	83	1.5	0.9- 2.1	580	18.4	16.2-20.6
College Graduate	5977	2,042,585	4623	62.0	59.3-64.7	544	13.0	11.0-15.0	197	7.0	5.2- 8.8	62	0.7	0.3- 1.1	551	17.2	15.0-19.4
Less than \$15,000	2154	734,686	1354	44.8	40.1-49.5	347	18.0	14.1-21.9	72	3.4	1.0- 5.8	37	1.6	0.6- 2.6	344	32.2	27.1-37.3
\$15,000- 24,999	4118	1,552,147	2724	45.7	42.4-49.0	552	18.2	15.1-21.3	108	4.2	2.4- 6.0	47	0.9	0.3- 1.5	687	31.1	27.8-34.4
\$25,000- 34,999	2204	811,995	1660	56.5	51.6-61.4	241	16.0	12.3-19.7	40	3.2	1.4- 5.0	21	1.0	0.2- 1.8	242	23.4	18.9-27.9
\$35,000- 49,999	2369	937,360	1860	63.8	59.3-68.3	233	13.8	10.3-17.3	47	2.4	1.0- 3.8	26	1.2	0.0- 2.6	203	18.8	14.7-22.9
\$50,000- 74,999	2160	868,546	1773	70.7	65.8-75.6	189	13.8	9.9-17.7	33	2.9	1.1- 4.7	25	0.7	0.1- 1.3	140	11.9	8.2-15.6
\$75,000+	3362	1,531,870	2821	72.3	68.8-75.8	206	9.1	6.7-11.5	88	5.5	3.3- 7.7	33	1.0	0.4- 1.6	214	12.1	9.4-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36371	16,238,105	3509	18.9	17.9-19.9	3665	15.6	14.8-16.4	4222	14.8	14.0-15.6	6489	17.0	16.2-17.8	8075	16.1	15.3-16.9	10411	17.6	16.8-18.4
Male	15376	7,866,644	1743	20.0	18.6-21.4	1637	16.2	15.0-17.4	1867	15.1	13.9-16.3	2822	16.7	15.5-17.9	3328	15.9	14.7-17.1	3979	16.1	15.1-17.1
Female	20992	8,369,718	1765	17.9	16.7-19.1	2027	15.0	13.8-16.2	2355	14.4	13.2-15.6	3667	17.2	16.0-18.4	4747	16.4	15.4-17.4	6431	19.1	18.1-20.1
White/Non-Hisp	26229	9,145,330	1753	14.4	13.4-15.4	2001	12.5	11.7-13.3	2550	12.6	11.8-13.4	4748	18.3	17.3-19.3	6386	19.3	18.3-20.3	8791	23.0	22.0-24.0
Black or Afr. Am./Non-Hisp	3696	2,273,195	537	26.8	23.7-29.9	484	18.7	16.0-21.4	582	18.1	15.4-20.8	654	13.9	11.7-16.1	754	12.2	10.0-14.4	685	10.3	8.3-12.3
Oth. Race/Non-Hisp.	1026	582,060	154	24.5	19.2-29.8	147	20.5	15.4-25.6	150	15.2	10.7-19.7	203	16.8	10.9-22.7	193	14.2	9.3-19.1	179	8.7	5.4-12.0
MultiRacial/Non-Hisp.	450	149,758	78	35.1	24.9-45.3	54	24.2	15.0-33.4	55	15.8	8.7-22.9	73	11.4	6.3-16.5	94	6.5	3.8-9.2	96	7.1	3.4-10.8
Hispanic	4392	3,800,564	931	23.8	21.4-26.2	908	19.6	17.6-21.6	829	18.3	16.1-20.5	720	15.9	13.9-17.9	531	11.6	9.8-13.4	473	10.8	9.2-12.4
Less Than H.S.	3868	2,251,802	392	16.4	13.9-18.9	443	15.1	12.7-17.5	534	17.4	14.5-20.3	723	16.6	14.1-19.1	671	15.3	12.6-18.0	1105	19.2	16.5-21.9
H.S. or G.E.D.	10945	4,799,440	1275	23.8	21.8-25.8	954	13.3	11.9-14.7	1103	13.1	11.7-14.5	1947	16.6	15.0-18.2	2370	14.9	13.5-16.3	3296	18.2	16.8-19.6
Some Post-H.S.	10525	5,104,444	1135	21.0	19.2-22.8	1092	15.8	14.2-17.4	1117	12.7	11.5-13.9	1870	16.7	15.3-18.1	2398	16.7	15.3-18.1	2913	17.2	16.0-18.4
College Graduate	10855	3,989,874	687	11.8	10.4-13.2	1167	18.5	16.9-20.1	1456	18.1	16.5-19.7	1921	18.1	16.7-19.5	2593	17.0	15.8-18.2	3031	16.5	15.3-17.7
Less than \$15,000	3361	1,299,989	314	18.9	15.8-22.0	299	12.4	10.0-14.8	361	14.2	11.5-16.9	751	20.5	17.4-23.6	767	17.2	14.5-19.9	869	16.8	14.1-19.5
\$15,000- 24,999	6671	2,835,344	705	19.5	17.3-21.7	745	16.8	14.8-18.8	715	15.3	13.1-17.5	1031	15.0	13.2-16.8	1446	15.0	13.2-16.8	2029	18.4	16.6-20.2
\$25,000- 34,999	3760	1,533,581	426	21.2	18.3-24.1	385	15.7	13.0-18.4	386	13.2	10.5-15.9	549	15.0	12.5-17.5	822	15.3	13.1-17.5	1192	19.6	17.1-22.1
\$35,000- 49,999	4385	1,901,006	455	18.7	16.2-21.2	453	16.8	14.4-19.2	500	12.8	10.8-14.8	678	14.8	12.6-17.0	1023	18.2	15.8-20.6	1276	18.7	16.3-21.1
\$50,000- 74,999	4059	1,789,606	336	18.7	15.8-21.6	457	16.4	13.9-18.9	532	14.5	12.3-16.7	748	17.1	14.7-19.5	931	16.1	13.9-18.3	1055	17.1	14.9-19.3
\$75,000+	6881	3,452,605	388	12.4	10.6-14.2	767	17.1	15.3-18.9	1124	20.3	18.3-22.3	1711	23.6	21.6-25.6	1576	15.7	14.1-17.3	1315	11.0	9.8-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15376	7,866,644	1743	20.0	18.6-21.4	1637	16.2	15.0-17.4	1867	15.1	13.9-16.3	2822	16.7	15.5-17.9	3328	15.9	14.7-17.1	3979	16.1	15.1-17.1
White/Non-Hisp	10888	4,447,640	863	15.0	13.6-16.4	869	13.2	11.8-14.6	1127	13.1	11.9-14.3	2031	18.3	16.9-19.7	2631	19.2	17.8-20.6	3367	21.2	19.8-22.6
Black or Afr. Am./Non-Hisp	1494	1,079,004	240	29.8	24.7-34.9	213	18.5	14.4-22.6	240	15.6	12.3-18.9	281	13.6	10.9-16.3	291	12.3	9.2-15.4	229	10.2	6.9-13.5
Oth. Race/Non-Hisp.	524	269,827	89	22.3	15.6-29.0	87	21.5	14.6-28.4	77	17.7	11.2-24.2	98	13.9	5.5-22.3	91	15.6	8.0-23.2	82	8.9	4.6-13.2
MultiRacial/Non-Hisp.	219	66,927	47	37.6	25.1-50.1	24	28.7	14.0-43.4	28	12.1	5.4-18.8	38	12.0	4.6-19.4	44	5.8	2.1- 9.5	38	3.9	1.4- 6.4
Hispanic	1946	1,845,934	471	25.6	22.3-28.9	402	20.2	17.3-23.1	366	19.9	16.8-23.0	331	15.4	12.7-18.1	210	10.4	7.9-12.9	166	8.5	6.3-10.7
Less Than H.S.	1710	1,163,785	211	17.3	13.8-20.8	214	14.9	11.8-18.0	243	18.4	14.3-22.5	358	17.4	13.9-20.9	296	17.2	13.1-21.3	388	14.9	11.2-18.6
H.S. or G.E.D.	4588	2,401,761	666	27.2	24.3-30.1	496	15.8	13.6-18.0	561	13.9	11.9-15.9	897	16.6	14.6-18.6	932	12.2	10.6-13.8	1036	14.3	12.5-16.1
Some Post-H.S.	4101	2,307,022	527	21.5	19.0-24.0	437	16.9	14.4-19.4	467	13.1	11.1-15.1	720	15.7	13.7-17.7	916	16.8	14.8-18.8	1034	15.9	13.9-17.9
College Graduate	4907	1,960,630	325	10.6	8.8-12.4	486	16.7	14.5-18.9	593	17.5	15.3-19.7	838	17.8	15.8-19.8	1166	18.4	16.6-20.2	1499	19.1	17.3-20.9
Less than \$15,000	1192	563,329	125	17.9	13.0-22.8	107	12.5	8.2-16.8	128	13.7	9.6-17.8	308	25.5	19.8-31.2	283	17.7	13.4-22.0	241	12.6	9.1-16.1
\$15,000- 24,999	2554	1,289,750	310	20.3	17.0-23.6	300	17.3	14.4-20.2	296	16.1	12.8-19.4	408	13.1	10.7-15.5	563	16.9	14.0-19.8	677	16.3	13.6-19.0
\$25,000- 34,999	1549	731,137	205	22.4	17.9-26.9	166	15.8	11.9-19.7	186	16.0	11.5-20.5	219	13.5	10.0-17.0	336	14.1	11.4-16.8	437	18.3	14.2-22.4
\$35,000- 49,999	2004	950,285	237	18.7	15.2-22.2	218	18.8	15.1-22.5	227	12.6	10.1-15.1	312	15.6	12.5-18.7	443	15.0	12.1-17.9	567	19.2	15.7-22.7
\$50,000- 74,999	1903	918,836	189	19.2	15.5-22.9	208	16.7	13.2-20.2	240	15.4	12.3-18.5	311	14.2	11.3-17.1	402	14.5	11.8-17.2	553	19.9	16.6-23.2
\$75,000+	3526	1,931,300	221	12.1	9.7-14.5	396	16.5	14.1-18.9	524	18.0	15.6-20.4	848	23.5	21.0-26.0	772	17.1	14.7-19.5	765	12.8	11.0-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGE5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20992	8,369,718	1765	17.9	16.7-19.1	2027	15.0	13.8-16.2	2355	14.4	13.2-15.6	3667	17.2	16.0-18.4	4747	16.4	15.4-17.4	6431	19.1	18.1-20.1
White/Non-Hisp	15339	4,696,544	890	13.8	12.4-15.2	1131	11.9	10.7-13.1	1423	12.0	10.8-13.2	2717	18.2	17.0-19.4	3755	19.4	18.2-20.6	5423	24.7	23.5-25.9
Black or Afr. Am./Non-Hisp	2201	1,193,594	296	24.1	20.0-28.2	271	18.8	14.9-22.7	342	20.4	16.3-24.5	373	14.2	10.9-17.5	463	12.2	9.5-14.9	456	10.3	7.9-12.7
Oth. Race/Non-Hisp.	502	312,233	65	26.5	18.5-34.5	60	19.6	12.3-26.9	73	13.0	6.5-19.5	105	19.3	11.3-27.3	102	13.1	7.0-19.2	97	8.6	3.5-13.7
MultiRacial/Non-Hisp.	231	82,832	31	33.1	17.4-48.8	30	20.5	9.3-31.7	27	18.7	7.5-29.9	35	10.9	4.2-17.6	50	7.1	3.0-11.2	58	9.7	3.4-16.0
Hispanic	2446	1,954,631	460	22.0	18.9-25.1	506	19.1	16.4-21.8	463	16.8	14.3-19.3	389	16.4	13.7-19.1	321	12.8	10.3-15.3	307	12.9	10.4-15.4
Less Than H.S.	2157	1,087,420	180	15.3	11.4-19.2	229	15.4	11.9-18.9	291	16.4	12.3-20.5	365	15.7	12.2-19.2	375	13.3	9.8-16.8	717	23.8	19.7-27.9
H.S. or G.E.D.	6357	2,397,679	609	20.4	18.0-22.8	458	10.7	8.9-12.5	542	12.4	10.4-14.4	1050	16.7	14.5-18.9	1438	17.7	15.5-19.9	2260	22.1	20.1-24.1
Some Post-H.S.	6424	2,797,422	608	20.6	18.2-23.0	655	14.8	12.8-16.8	650	12.3	10.5-14.1	1150	17.5	15.5-19.5	1482	16.6	14.8-18.4	1879	18.2	16.4-20.0
College Graduate	5946	2,028,098	362	13.0	11.0-15.0	680	20.3	17.9-22.7	863	18.7	16.5-20.9	1083	18.4	16.2-20.6	1427	15.6	14.0-17.2	1531	13.9	12.5-15.3
Less than \$15,000	2169	736,660	189	19.7	15.4-24.0	192	12.3	9.6-15.0	233	14.6	11.1-18.1	443	16.6	12.9-20.3	484	16.8	13.1-20.5	628	20.0	16.1-23.9
\$15,000- 24,999	4117	1,545,594	395	18.8	16.1-21.5	445	16.4	13.9-18.9	419	14.6	11.9-17.3	623	16.5	13.8-19.2	883	13.5	11.3-15.7	1352	20.2	17.7-22.7
\$25,000- 34,999	2210	801,551	221	20.2	16.3-24.1	218	15.5	11.8-19.2	200	10.7	7.6-13.8	330	16.4	12.5-20.3	486	16.5	13.4-19.6	755	20.8	17.5-24.1
\$35,000- 49,999	2381	950,721	218	18.7	15.0-22.4	235	14.7	11.8-17.6	273	13.0	10.1-15.9	366	14.0	11.1-16.9	580	21.3	17.8-24.8	709	18.2	15.3-21.1
\$50,000- 74,999	2156	870,770	147	18.1	13.8-22.4	249	16.2	12.7-19.7	292	13.5	10.6-16.4	437	20.2	16.5-23.9	529	17.9	14.8-21.0	502	14.1	11.6-16.6
\$75,000+	3354	1,521,053	167	12.8	10.1-15.5	371	17.8	15.1-20.5	600	23.3	20.2-26.4	863	23.7	20.8-26.6	804	13.8	12.0-15.6	549	8.6	7.2-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36371	16,238,105	21683	74.7	73.9-75.5	14688	25.3	24.5-26.1
Male	15376	7,866,644	9637	76.4	75.2-77.6	5739	23.6	22.4-24.8
Female	20992	8,369,718	12044	73.2	72.0-74.4	8948	26.8	25.6-28.0
White/Non-Hisp	26229	9,145,330	13992	67.5	66.5-68.5	12237	32.5	31.5-33.5
Black or Afr. Am./Non-Hisp	3696	2,273,195	2640	84.4	82.0-86.8	1056	15.6	13.2-18.0
Oth. Race/Non-Hisp.	1026	582,060	751	83.9	79.0-88.8	275	16.1	11.2-21.0
MultiRacial/Non-Hisp.	450	149,758	301	89.7	85.6-93.8	149	10.3	6.2-14.4
Hispanic	4392	3,800,564	3662	84.4	82.4-86.4	730	15.6	13.6-17.6
Less Than H.S.	3868	2,251,802	2424	74.1	71.0-77.2	1444	25.9	22.8-29.0
H.S. or G.E.D.	10945	4,799,440	6463	75.0	73.4-76.6	4482	25.0	23.4-26.6
Some Post-H.S.	10525	5,104,444	6361	75.2	73.8-76.6	4164	24.8	23.4-26.2
College Graduate	10855	3,989,874	6347	74.4	73.0-75.8	4508	25.6	24.2-27.0
Less than \$15,000	3361	1,299,989	2132	75.0	71.9-78.1	1229	25.0	21.9-28.1
\$15,000- 24,999	6671	2,835,344	3873	75.0	73.0-77.0	2798	25.0	23.0-27.0
\$25,000- 34,999	3760	1,533,581	2118	73.1	70.2-76.0	1642	26.9	24.0-29.8
\$35,000- 49,999	4385	1,901,006	2550	72.9	70.4-75.4	1835	27.1	24.6-29.6
\$50,000- 74,999	4059	1,789,606	2500	74.9	72.4-77.4	1559	25.1	22.6-27.6
\$75,000+	6881	3,452,605	4788	81.9	80.5-83.3	2093	18.1	16.7-19.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15376	7,866,644	9637	76.4	75.2-77.6	5739	23.6	22.4-24.8
White/Non-Hisp	10888	4,447,640	6103	69.4	67.8-71.0	4785	30.6	29.0-32.2
Black or Afr. Am./Non-Hisp	1494	1,079,004	1128	85.2	81.7-88.7	366	14.8	11.3-18.3
Oth. Race/Non-Hisp.	524	269,827	394	83.4	76.5-90.3	130	16.6	9.7-23.5
MultiRacial/Non-Hisp.	219	66,927	154	91.0	86.5-95.5	65	9.0	4.5-13.5
Hispanic	1946	1,845,934	1680	86.5	83.8-89.2	266	13.5	10.8-16.2
Less Than H.S.	1710	1,163,785	1185	77.8	73.5-82.1	525	22.2	17.9-26.5
H.S. or G.E.D.	4588	2,401,761	3107	79.9	77.7-82.1	1481	20.1	17.9-22.3
Some Post-H.S.	4101	2,307,022	2594	76.6	74.4-78.8	1507	23.4	21.2-25.6
College Graduate	4907	1,960,630	2712	70.9	68.7-73.1	2195	29.1	26.9-31.3
Less than \$15,000	1192	563,329	831	78.6	73.9-83.3	361	21.4	16.7-26.1
\$15,000- 24,999	2554	1,289,750	1596	77.2	74.3-80.1	958	22.8	19.9-25.7
\$25,000- 34,999	1549	731,137	918	75.1	70.8-79.4	631	24.9	20.6-29.2
\$35,000- 49,999	2004	950,285	1183	72.8	69.1-76.5	821	27.2	23.5-30.9
\$50,000- 74,999	1903	918,836	1111	72.2	68.5-75.9	792	27.8	24.1-31.5
\$75,000+	3526	1,931,300	2372	79.5	77.3-81.7	1154	20.5	18.3-22.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20992	8,369,718	12044	73.2	72.0-74.4	8948	26.8	25.6-28.0
White/Non-Hisp	15339	4,696,544	7888	65.6	64.2-67.0	7451	34.4	33.0-35.8
Black or Afr. Am./Non-Hisp	2201	1,193,594	1511	83.7	80.6-86.8	690	16.3	13.2-19.4
Oth. Race/Non-Hisp.	502	312,233	357	84.3	77.4-91.2	145	15.7	8.8-22.6
MultiRacial/Non-Hisp.	231	82,832	147	88.6	82.1-95.1	84	11.4	4.9-17.9
Hispanic	2446	1,954,631	1982	82.4	79.7-85.1	464	17.6	14.9-20.3
Less Than H.S.	2157	1,087,420	1238	70.3	66.0-74.6	919	29.7	25.4-34.0
H.S. or G.E.D.	6357	2,397,679	3356	70.1	67.7-72.5	3001	29.9	27.5-32.3
Some Post-H.S.	6424	2,797,422	3767	74.1	72.1-76.1	2657	25.9	23.9-27.9
College Graduate	5946	2,028,098	3634	77.8	76.0-79.6	2312	22.2	20.4-24.0
Less than \$15,000	2169	736,660	1301	72.3	68.0-76.6	868	27.7	23.4-32.0
\$15,000- 24,999	4117	1,545,594	2277	73.1	70.4-75.8	1840	26.9	24.2-29.6
\$25,000- 34,999	2210	801,551	1199	71.2	67.5-74.9	1011	28.8	25.1-32.5
\$35,000- 49,999	2381	950,721	1367	73.0	69.7-76.3	1014	27.0	23.7-30.3
\$50,000- 74,999	2156	870,770	1389	77.7	74.6-80.8	767	22.3	19.2-25.4
\$75,000+	3354	1,521,053	2416	84.9	83.1-86.7	938	15.1	13.3-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34686	15,205,729	2042	5.5	4.9- 6.1	15965	43.0	41.8-44.2	13867	42.7	41.5-43.9	2812	8.7	8.1- 9.3
Male	14693	7,360,739	81	0.8	0.4- 1.2	1859	14.3	13.1-15.5	10016	67.4	65.8-69.0	2737	17.5	16.3-18.7
Female	19990	7,843,247	1961	10.0	9.0-11.0	14106	69.9	68.5-71.3	3848	19.5	18.3-20.7	75	0.6	0.4- 0.8
White/Non-Hisp	25641	8,931,777	1369	4.5	3.9- 5.1	11689	40.6	39.4-41.8	10412	44.6	43.4-45.8	2171	10.3	9.5-11.1
Black or Afr. Am./Non-Hisp	3513	2,149,118	145	3.3	1.9- 4.7	1633	41.6	38.1-45.1	1429	45.2	41.7-48.7	306	9.9	7.7-12.1
Oth. Race/Non-Hisp.	971	548,999	81	8.2	4.5-11.9	409	53.5	46.8-60.2	415	34.7	28.6-40.8	66	3.7	1.2- 6.2
MultiRacial/Non-Hisp.	443	149,638	18	5.1	0.2-10.0	178	45.2	34.8-55.6	198	39.3	30.1-48.5	49	10.4	5.3-15.5
Hispanic	3555	3,140,808	408	9.7	7.9-11.5	1848	49.2	46.3-52.1	1133	36.6	33.7-39.5	166	4.5	3.3- 5.7
18-24	1718	1,659,592	94	4.8	3.2- 6.4	679	40.1	36.4-43.8	737	41.8	38.1-45.5	208	13.2	10.5-15.9
25-34	3113	2,310,712	174	5.2	3.8- 6.6	1276	37.4	34.5-40.3	1339	47.0	43.9-50.1	324	10.4	8.4-12.4
35-44	3384	2,168,670	158	4.0	2.8- 5.2	1440	43.4	40.3-46.5	1447	43.8	40.7-46.9	339	8.8	7.2-10.4
45-54	4944	2,388,944	227	4.4	3.0- 5.8	2175	41.8	39.1-44.5	2101	44.8	42.1-47.5	441	9.0	7.4-10.6
55-64	6957	2,528,921	298	4.9	3.5- 6.3	3179	44.6	41.9-47.3	2879	42.2	39.7-44.7	601	8.3	6.9- 9.7
65+	14152	3,892,643	1069	8.1	7.1- 9.1	7024	46.9	44.9-48.9	5190	38.9	37.1-40.7	869	6.0	5.2- 6.8
Less Than H.S.	3343	1,923,011	333	9.6	7.4-11.8	1674	45.9	42.0-49.8	1131	36.9	33.2-40.6	205	7.6	5.6- 9.6
H.S. or G.E.D.	10446	4,477,663	727	6.9	5.7- 8.1	4910	41.5	39.5-43.5	3993	42.8	40.6-45.0	816	8.9	7.7-10.1
Some Post-H.S.	10233	4,879,417	552	4.5	3.7- 5.3	4899	44.9	42.9-46.9	4001	42.5	40.5-44.5	781	8.1	7.1- 9.1
College Graduate	10526	3,857,854	417	3.2	2.4- 4.0	4412	40.5	38.5-42.5	4695	46.3	44.3-48.3	1002	10.0	8.8-11.2
Less than \$15,000	3160	1,190,028	252	7.8	5.8- 9.8	1665	51.2	47.3-55.1	1044	33.4	29.7-37.1	199	7.6	5.4- 9.8
\$15,000- 24,999	6317	2,621,545	538	9.9	8.1-11.7	3148	46.7	44.0-49.4	2229	36.7	34.2-39.2	402	6.6	5.4- 7.8
\$25,000- 34,999	3660	1,474,566	225	5.4	3.8- 7.0	1743	46.5	43.0-50.0	1439	40.5	37.0-44.0	253	7.6	5.8- 9.4
\$35,000- 49,999	4343	1,873,528	217	3.9	2.7- 5.1	1884	42.5	39.4-45.6	1876	45.9	42.8-49.0	366	7.7	6.3- 9.1
\$50,000- 74,999	4024	1,761,022	163	4.1	2.9- 5.3	1673	37.0	33.9-40.1	1804	49.6	46.5-52.7	384	9.3	7.7-10.9
\$75,000+	6838	3,421,016	181	2.1	1.5- 2.7	2598	36.0	33.8-38.2	3248	49.4	47.0-51.8	811	12.5	10.9-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14693	7,360,739	81	0.8	0.4- 1.2	1859	14.3	13.1-15.5	10016	67.4	65.8-69.0	2737	17.5	16.3-18.7
White/Non-Hisp	10676	4,337,044	23	0.2	0.0- 0.4	1072	9.4	8.4-10.4	7450	69.7	67.9-71.5	2131	20.8	19.2-22.4
Black or Afr. Am./Non-Hisp	1422	1,005,903	10	1.1	0.0- 2.7	187	11.9	8.6-15.2	944	67.7	62.8-72.6	281	19.3	15.2-23.4
Oth. Race/Non-Hisp.	494	259,352	4	0.2	0.0- 0.4	92	34.9	25.1-44.7	332	57.2	47.4-67.0	66	7.7	2.6-12.8
MultiRacial/Non-Hisp.	214	67,181	2	1.6	0.0- 4.5	23	18.4	4.1-32.7	140	56.8	42.9-70.7	49	23.1	12.5-33.7
Hispanic	1579	1,534,784	40	2.5	0.9- 4.1	449	26.4	22.9-29.9	931	62.4	58.5-66.3	159	8.7	6.5-10.9
18-24	864	839,608	7	0.7	0.1- 1.3	111	13.5	9.8-17.2	542	60.7	55.4-66.0	204	25.1	20.2-30.0
25-34	1433	1,164,212	16	1.7	0.1- 3.3	175	11.0	8.5-13.5	929	67.8	63.7-71.9	313	19.5	16.2-22.8
35-44	1501	1,060,223	13	0.6	0.0- 1.2	211	16.4	12.7-20.1	952	65.9	61.6-70.2	325	17.1	14.2-20.0
45-54	2170	1,191,192	11	0.6	0.0- 1.2	250	13.5	10.8-16.2	1475	67.8	64.1-71.5	434	18.0	15.1-20.9
55-64	2967	1,205,476	12	1.1	0.0- 2.7	338	14.3	11.2-17.4	2031	67.4	63.5-71.3	586	17.3	14.6-20.0
65+	5592	1,791,186	21	0.4	0.0- 0.8	751	16.2	14.0-18.4	3974	70.8	68.3-73.3	846	12.6	10.8-14.4
Less Than H.S.	1473	996,543	34	2.9	0.7- 5.1	374	26.5	21.6-31.4	868	56.9	51.4-62.4	197	13.8	10.1-17.5
H.S. or G.E.D.	4399	2,244,693	21	1.0	0.2- 1.8	593	13.8	11.8-15.8	2992	68.2	65.5-70.9	793	17.0	14.8-19.2
Some Post-H.S.	3996	2,181,137	8	0.2	0.0- 0.4	427	12.6	10.6-14.6	2801	69.5	66.8-72.2	760	17.7	15.5-19.9
College Graduate	4769	1,916,163	15	0.2	0.0- 0.4	452	10.3	8.5-12.1	3322	70.1	67.6-72.6	980	19.4	17.2-21.6
Less than \$15,000	1108	505,262	12	1.0	0.0- 2.0	206	23.3	17.2-29.4	702	58.1	51.6-64.6	188	17.6	12.7-22.5
\$15,000- 24,999	2406	1,184,275	26	3.3	0.9- 5.7	433	20.9	17.8-24.0	1569	62.3	58.4-66.2	378	13.5	11.0-16.0
\$25,000- 34,999	1508	703,636	8	0.3	0.0- 0.7	216	19.8	14.9-24.7	1038	64.7	59.4-70.0	246	15.1	11.8-18.4
\$35,000- 49,999	1989	933,266	8	0.2	0.0- 0.4	229	14.0	10.7-17.3	1390	70.4	66.5-74.3	362	15.5	12.8-18.2
\$50,000- 74,999	1880	908,034	3	0.1	0.1- 0.1	194	10.9	8.2-13.6	1302	71.1	67.4-74.8	381	18.0	14.9-21.1
\$75,000+	3501	1,912,399	6	0.2	0.0- 0.4	278	8.1	6.5- 9.7	2422	69.8	66.9-72.7	795	21.9	19.4-24.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19990	7,843,247	1961	10.0	9.0-11.0	14106	69.9	68.5-71.3	3848	19.5	18.3-20.7	75	0.6	0.4- 0.8
White/Non-Hisp	14963	4,593,587	1346	8.6	7.6- 9.6	10617	70.1	68.5-71.7	2960	21.0	19.6-22.4	40	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	2090	1,142,618	135	5.2	3.0- 7.4	1446	67.7	63.0-72.4	484	25.4	20.9-29.9	25	1.7	0.3- 3.1
Oth. Race/Non-Hisp.	477	289,647	77	15.4	8.5-22.3	317	70.1	61.5-78.7	83	14.5	7.8-21.2			
MultiRacial/Non-Hisp.	229	82,456	16	8.0	0.0-16.2	155	67.0	54.1-79.9	58	25.0	13.8-36.2			
Hispanic	1976	1,606,023	368	16.6	13.7-19.5	1399	71.0	67.3-74.7	202	11.9	9.2-14.6	7	0.5	0.0- 1.1
18-24	854	819,984	87	9.1	6.2-12.0	568	67.4	62.5-72.3	195	22.5	18.2-26.8	4	1.0	0.0- 2.4
25-34	1678	1,145,009	158	8.8	6.6-11.0	1101	64.3	60.2-68.4	408	25.7	21.8-29.6	11	1.2	0.2- 2.2
35-44	1883	1,108,446	145	7.3	4.9- 9.7	1229	69.3	65.2-73.4	495	22.6	19.1-26.1	14	0.9	0.0- 1.9
45-54	2774	1,197,752	216	8.1	5.7-10.5	1925	69.8	65.9-73.7	626	21.9	18.6-25.2	7	0.1	0.1- 0.1
55-64	3990	1,323,445	286	8.3	6.1-10.5	2841	72.2	68.9-75.5	848	19.2	16.5-21.9	15	0.2	0.0- 0.4
65+	8559	2,101,205	1048	14.6	12.6-16.6	6273	73.2	71.0-75.4	1215	11.7	10.3-13.1	23	0.5	0.1- 0.9
Less Than H.S.	1869	925,871	299	16.9	13.2-20.6	1300	66.7	61.6-71.8	262	15.4	11.5-19.3	8	1.0	0.0- 2.2
H.S. or G.E.D.	6047	2,232,970	706	12.8	10.6-15.0	4317	69.3	66.4-72.2	1001	17.2	14.8-19.6	23	0.7	0.1- 1.3
Some Post-H.S.	6237	2,698,279	544	8.0	6.8- 9.2	4472	71.1	68.7-73.5	1200	20.7	18.5-22.9	21	0.3	0.1- 0.5
College Graduate	5755	1,940,546	402	6.2	4.8- 7.6	3960	70.4	68.0-72.8	1371	22.8	20.6-25.0	22	0.6	0.0- 1.2
Less than \$15,000	2052	684,766	240	12.7	9.4-16.0	1459	71.8	67.3-76.3	342	15.2	11.9-18.5	11	0.3	0.0- 0.7
\$15,000- 24,999	3911	1,437,270	512	15.4	12.7-18.1	2715	68.0	64.7-71.3	660	15.7	13.2-18.2	24	1.0	0.2- 1.8
\$25,000- 34,999	2151	770,036	217	10.1	7.0-13.2	1527	70.9	66.6-75.2	400	18.3	14.8-21.8	7	0.7	0.0- 1.7
\$35,000- 49,999	2354	940,262	209	7.5	5.3- 9.7	1655	70.8	66.7-74.9	486	21.6	17.7-25.5	4	0.1	0.1- 0.1
\$50,000- 74,999	2144	852,988	160	8.3	5.9-10.7	1479	64.9	60.4-69.4	502	26.8	22.5-31.1	3	0.1	0.1- 0.1
\$75,000+	3336	1,508,365	175	4.5	3.1- 5.9	2320	71.3	68.2-74.4	825	23.5	20.6-26.4	16	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35059	15,574,919	2105	5.9	5.3- 6.5	16146	43.0	41.8-44.2	13976	42.4	41.2-43.6	2832	8.7	8.1- 9.3
Male	14899	7,564,221	89	0.9	0.5- 1.3	1950	14.9	13.7-16.1	10105	66.9	65.3-68.5	2755	17.3	16.1-18.5
Female	20157	8,008,955	2016	10.6	9.6-11.6	14196	69.5	68.1-70.9	3868	19.3	18.1-20.5	77	0.6	0.4- 0.8
White/Non-Hisp	25661	8,947,025	1370	4.5	3.9- 5.1	11693	40.6	39.4-41.8	10421	44.7	43.5-45.9	2177	10.3	9.5-11.1
Black or Afr. Am./Non-Hisp	3515	2,155,366	145	3.3	1.9- 4.7	1633	41.4	37.9-44.9	1431	45.4	41.9-48.9	306	9.9	7.7-12.1
Oth. Race/Non-Hisp.	979	555,290	81	8.1	4.4-11.8	414	53.8	47.1-60.5	418	34.5	28.4-40.6	66	3.6	1.1- 6.1
MultiRacial/Non-Hisp.	443	149,638	18	5.1	0.2-10.0	178	45.2	34.8-55.6	198	39.3	30.1-48.5	49	10.4	5.3-15.5
Hispanic	3896	3,481,803	470	10.8	9.0-12.6	2020	48.9	46.2-51.6	1227	35.6	32.9-38.3	179	4.7	3.5- 5.9
18-24	1767	1,724,535	103	5.2	3.6- 6.8	696	39.6	35.9-43.3	759	42.4	38.7-46.1	209	12.7	10.0-15.4
25-34	3219	2,406,806	187	5.5	4.1- 6.9	1331	37.8	34.9-40.7	1368	46.2	43.1-49.3	333	10.5	8.5-12.5
35-44	3481	2,255,367	174	4.5	3.1- 5.9	1491	43.7	40.6-46.8	1475	43.1	40.0-46.2	341	8.7	7.1-10.3
45-54	5003	2,450,517	240	5.0	3.6- 6.4	2198	41.7	39.0-44.4	2119	44.3	41.6-47.0	446	9.1	7.5-10.7
55-64	6992	2,568,509	304	5.4	3.8- 7.0	3201	44.8	42.1-47.5	2885	41.6	39.1-44.1	602	8.2	6.8- 9.6
65+	14179	3,912,937	1075	8.1	7.1- 9.1	7037	47.0	45.0-49.0	5196	38.8	37.0-40.6	871	6.1	5.3- 6.9
Less Than H.S.	3475	2,027,275	362	10.8	8.4-13.2	1743	45.7	42.0-49.4	1160	35.9	32.2-39.6	210	7.5	5.5- 9.5
H.S. or G.E.D.	10543	4,597,250	744	7.0	5.8- 8.2	4951	41.7	39.7-43.7	4027	42.4	40.2-44.6	821	8.8	7.6-10.0
Some Post-H.S.	10286	4,960,001	558	4.7	3.9- 5.5	4924	44.6	42.6-46.6	4019	42.6	40.6-44.6	785	8.1	7.1- 9.1
College Graduate	10615	3,919,755	428	3.4	2.6- 4.2	4457	40.7	38.7-42.7	4722	46.0	44.0-48.0	1008	9.9	8.7-11.1
Less than \$15,000	3231	1,254,596	265	7.9	5.9- 9.9	1703	52.2	48.3-56.1	1062	32.6	29.1-36.1	201	7.3	5.1- 9.5
\$15,000- 24,999	6441	2,722,264	556	10.1	8.3-11.9	3211	46.9	44.4-49.4	2266	36.3	33.8-38.8	408	6.7	5.5- 7.9
\$25,000- 34,999	3701	1,511,220	233	5.9	4.1- 7.7	1762	46.2	42.7-49.7	1451	40.3	36.8-43.8	255	7.6	5.8- 9.4
\$35,000- 49,999	4355	1,880,406	218	3.9	2.7- 5.1	1888	42.4	39.3-45.5	1881	45.9	42.8-49.0	368	7.8	6.4- 9.2
\$50,000- 74,999	4032	1,775,682	163	4.0	2.8- 5.2	1676	37.0	33.9-40.1	1809	49.7	46.6-52.8	384	9.2	7.6-10.8
\$75,000+	6845	3,438,195	182	2.2	1.4- 3.0	2600	35.8	33.6-38.0	3250	49.5	47.1-51.9	813	12.5	10.9-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14899	7,564,221	89	0.9	0.5- 1.3	1950	14.9	13.7-16.1	10105	66.9	65.3-68.5	2755	17.3	16.1-18.5
White/Non-Hisp	10689	4,347,950	23	0.2	0.0- 0.4	1072	9.3	8.3-10.3	7458	69.7	67.9-71.5	2136	20.8	19.2-22.4
Black or Afr. Am./Non-Hisp	1424	1,012,151	10	1.1	0.0- 2.7	187	11.8	8.5-15.1	946	67.9	63.0-72.8	281	19.1	15.2-23.0
Oth. Race/Non-Hisp.	501	262,183	4	0.2	0.0- 0.4	96	35.2	25.6-44.8	335	57.0	47.4-66.6	66	7.7	2.6-12.8
MultiRacial/Non-Hisp.	214	67,181	2	1.6	0.0- 4.5	23	18.4	4.1-32.7	140	56.8	42.9-70.7	49	23.1	12.5-33.7
Hispanic	1762	1,718,252	48	2.5	1.1- 3.9	536	28.0	24.5-31.5	1007	60.3	56.4-64.2	171	9.1	6.9-11.3
18-24	898	885,858	10	0.8	0.2- 1.4	120	13.6	10.1-17.1	563	61.7	56.4-67.0	205	23.9	19.2-28.6
25-34	1499	1,223,602	18	1.6	0.0- 3.2	207	12.3	9.8-14.8	953	66.6	62.5-70.7	321	19.5	16.2-22.8
35-44	1544	1,103,948	13	0.6	0.0- 1.2	230	17.5	13.8-21.2	974	65.0	60.7-69.3	327	16.9	14.0-19.8
45-54	2199	1,223,121	12	0.7	0.1- 1.3	261	14.5	11.8-17.2	1488	66.8	63.1-70.5	438	18.1	15.2-21.0
55-64	2985	1,220,464	13	1.2	0.0- 2.8	350	15.1	12.0-18.2	2035	66.7	62.8-70.6	587	17.1	14.4-19.8
65+	5608	1,798,386	22	0.5	0.1- 0.9	759	16.2	14.0-18.4	3979	70.7	68.2-73.2	848	12.6	10.8-14.4
Less Than H.S.	1561	1,054,002	40	3.0	1.0- 5.0	425	27.9	23.2-32.6	895	55.5	50.2-60.8	201	13.5	10.0-17.0
H.S. or G.E.D.	4451	2,317,223	23	1.0	0.2- 1.8	613	14.8	12.6-17.0	3018	67.4	64.7-70.1	797	16.8	14.6-19.0
Some Post-H.S.	4022	2,231,253	8	0.2	0.0- 0.4	436	12.6	10.6-14.6	2814	69.4	66.7-72.1	764	17.8	15.6-20.0
College Graduate	4807	1,936,685	15	0.2	0.0- 0.4	462	10.5	8.7-12.3	3344	69.9	67.5-72.3	986	19.3	17.1-21.5
Less than \$15,000	1150	541,837	16	1.4	0.4- 2.4	230	26.5	20.2-32.8	715	55.7	49.4-62.0	189	16.4	11.7-21.1
\$15,000- 24,999	2477	1,239,972	27	3.2	1.0- 5.4	467	22.0	18.7-25.3	1599	61.2	57.3-65.1	384	13.6	11.1-16.1
\$25,000- 34,999	1532	721,229	9	0.4	0.0- 1.0	226	19.9	15.0-24.8	1049	64.4	59.1-69.7	248	15.3	12.0-18.6
\$35,000- 49,999	1998	938,446	8	0.2	0.0- 0.4	231	14.0	10.7-17.3	1395	70.3	66.4-74.2	364	15.6	12.9-18.3
\$50,000- 74,999	1885	915,276	3	0.1	0.1- 0.1	195	10.8	8.1-13.5	1306	71.3	67.6-75.0	381	17.9	14.8-21.0
\$75,000+	3506	1,924,391	6	0.2	0.0- 0.4	279	8.1	6.5- 9.7	2424	70.0	67.1-72.9	797	21.8	19.3-24.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20157	8,008,955	2016	10.6	9.6-11.6	14196	69.5	68.1-70.9	3868	19.3	18.1-20.5	77	0.6	0.4- 0.8
White/Non-Hisp	14970	4,597,930	1347	8.6	7.6- 9.6	10621	70.1	68.5-71.7	2961	21.0	19.6-22.4	41	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	2090	1,142,618	135	5.2	3.0- 7.4	1446	67.7	63.0-72.4	484	25.4	20.9-29.9	25	1.7	0.3- 3.1
Oth. Race/Non-Hisp.	478	293,107	77	15.2	8.5-21.9	318	70.4	61.8-79.0	83	14.3	7.6-21.0			
MultiRacial/Non-Hisp.	229	82,456	16	8.0	0.0-16.2	155	67.0	54.1-79.9	58	25.0	13.8-36.2			
Hispanic	2134	1,763,552	422	18.8	15.9-21.7	1484	69.2	65.5-72.9	220	11.5	9.0-14.0	8	0.5	0.0- 1.1
18-24	869	838,677	93	9.9	6.8-13.0	576	67.0	62.1-71.9	196	22.1	17.8-26.4	4	1.0	0.0- 2.4
25-34	1718	1,181,714	169	9.6	7.4-11.8	1124	64.2	60.1-68.3	413	25.1	21.4-28.8	12	1.1	0.1- 2.1
35-44	1937	1,151,419	161	8.2	5.7-10.7	1261	68.9	65.0-72.8	501	22.0	18.5-25.5	14	0.8	0.0- 1.8
45-54	2804	1,227,395	228	9.2	6.7-11.7	1937	68.8	64.9-72.7	631	21.9	18.6-25.2	8	0.1	0.1- 0.1
55-64	4007	1,348,044	291	9.1	6.6-11.6	2851	71.7	68.4-75.0	850	18.9	16.2-21.6	15	0.2	0.0- 0.4
65+	8570	2,114,300	1053	14.7	12.7-16.7	6278	73.1	70.9-75.3	1216	11.7	10.3-13.1	23	0.5	0.1- 0.9
Less Than H.S.	1913	972,676	322	19.2	14.9-23.5	1318	65.1	60.0-70.2	264	14.7	11.0-18.4	9	1.0	0.0- 2.2
H.S. or G.E.D.	6092	2,280,027	721	13.2	11.0-15.4	4338	69.1	66.4-71.8	1009	17.0	14.6-19.4	24	0.7	0.1- 1.3
Some Post-H.S.	6264	2,728,747	550	8.3	6.9- 9.7	4488	70.8	68.4-73.2	1205	20.6	18.4-22.8	21	0.3	0.1- 0.5
College Graduate	5806	1,981,924	413	6.5	5.1- 7.9	3995	70.3	67.9-72.7	1376	22.5	20.3-24.7	22	0.6	0.0- 1.2
Less than \$15,000	2081	712,759	249	12.9	9.6-16.2	1473	71.7	67.4-76.0	347	15.1	11.8-18.4	12	0.3	0.0- 0.7
\$15,000- 24,999	3964	1,482,292	529	15.9	13.2-18.6	2744	67.7	64.4-71.0	667	15.4	13.0-17.8	24	1.0	0.2- 1.8
\$25,000- 34,999	2168	789,098	224	10.9	7.8-14.0	1536	70.3	66.0-74.6	401	18.2	14.7-21.7	7	0.6	0.0- 1.6
\$35,000- 49,999	2357	941,960	210	7.7	5.5- 9.9	1657	70.7	66.6-74.8	486	21.6	17.7-25.5	4	0.1	0.1- 0.1
\$50,000- 74,999	2147	860,406	160	8.2	5.8-10.6	1481	65.0	60.5-69.5	503	26.7	22.6-30.8	3	0.1	0.1- 0.1
\$75,000+	3338	1,513,552	176	4.8	3.2- 6.4	2321	71.1	68.0-74.2	825	23.5	20.6-26.4	16	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33953	15,221,075	445	1.2	1.0- 1.4	10743	32.4	31.4-33.4	14818	44.6	43.4-45.8	6001	16.8	16.0-17.6	1523	3.9	3.5- 4.3	423	1.2	1.0- 1.4
Male	14861	7,577,293	41	0.3	0.1- 0.5	1752	13.2	12.0-14.4	7537	53.8	52.2-55.4	4154	25.0	23.6-26.4	1075	6.0	5.2- 6.8	302	1.7	1.3- 2.1
Female	19089	7,642,039	404	2.0	1.6- 2.4	8991	51.4	49.8-53.0	7279	35.4	33.8-37.0	1846	8.7	7.7- 9.7	448	1.8	1.4- 2.2	121	0.6	0.4- 0.8
White/Non-Hisp	24591	8,595,109	335	1.1	0.9- 1.3	7838	30.7	29.5-31.9	10737	44.7	43.5-45.9	4303	18.3	17.3-19.3	1090	4.3	3.7- 4.9	288	1.0	0.8- 1.2
Black or Afr. Am./Non-Hisp	3384	2,082,990	21	0.5	0.1- 0.9	768	28.6	25.3-31.9	1446	41.5	38.0-45.0	838	21.2	18.1-24.3	228	5.3	3.7- 6.9	83	2.8	1.4- 4.2
Oth. Race/Non-Hisp.	946	539,515	27	3.4	1.4- 5.4	343	48.5	41.6-55.4	388	38.3	31.4-45.2	145	8.2	5.5-10.9	34	1.5	0.1- 2.9	9	0.1	0.0- 0.3
MultiRacial/Non-Hisp.	436	148,154	2	0.8	0.0- 2.4	117	28.5	18.3-38.7	182	49.2	39.0-59.4	95	14.4	8.9-19.9	30	4.0	1.5- 6.5	10	3.0	0.0- 6.3
Hispanic	4088	3,600,570	54	1.3	0.7- 1.9	1512	36.3	33.6-39.0	1852	46.8	44.1-49.5	526	12.3	10.5-14.1	118	2.6	1.8- 3.4	26	0.7	0.1- 1.3
18-24	1747	1,703,264	42	2.5	1.5- 3.5	800	46.4	42.7-50.1	627	36.1	32.4-39.8	229	12.6	10.1-15.1	34	2.0	0.8- 3.2	15	0.5	0.1- 0.9
25-34	3218	2,391,677	35	1.0	0.4- 1.6	1092	33.0	30.3-35.7	1312	41.9	39.0-44.8	563	17.1	14.7-19.5	155	4.5	3.3- 5.7	61	2.5	1.1- 3.9
35-44	3389	2,217,313	27	0.8	0.4- 1.2	925	29.2	26.3-32.1	1486	45.5	42.4-48.6	657	17.6	15.2-20.0	218	5.2	4.0- 6.4	76	1.7	1.1- 2.3
45-54	4835	2,387,050	35	0.6	0.2- 1.0	1281	27.1	24.6-29.6	2080	46.0	43.3-48.7	1067	20.8	18.4-23.2	281	4.1	3.1- 5.1	91	1.3	0.7- 1.9
55-64	6715	2,501,139	72	0.8	0.4- 1.2	1823	27.9	25.5-30.3	2981	47.4	44.7-50.1	1327	18.1	16.1-20.1	416	4.9	3.9- 5.9	96	1.0	0.4- 1.6
65+	13746	3,835,440	226	1.5	1.1- 1.9	4714	34.0	32.2-35.8	6194	46.4	44.4-48.4	2124	14.9	13.5-16.3	406	2.9	2.3- 3.5	82	0.4	0.2- 0.6
Less Than H.S.	3606	2,112,893	75	1.8	1.0- 2.6	1127	32.6	29.1-36.1	1619	45.7	42.0-49.4	573	14.6	11.9-17.3	152	4.3	2.7- 5.9	60	1.1	0.5- 1.7
H.S. or G.E.D.	10172	4,455,270	133	1.2	0.8- 1.6	3244	32.5	30.5-34.5	4256	41.9	39.7-44.1	1879	18.8	17.0-20.6	512	4.1	3.3- 4.9	148	1.5	0.9- 2.1
Some Post-H.S.	9819	4,786,616	124	1.1	0.7- 1.5	3028	31.3	29.5-33.1	4311	45.6	43.6-47.6	1761	16.7	15.3-18.1	453	4.0	3.2- 4.8	142	1.4	1.0- 1.8
College Graduate	10224	3,800,443	108	0.9	0.5- 1.3	3291	33.5	31.7-35.3	4574	45.5	43.5-47.5	1774	16.2	14.8-17.6	404	3.4	2.8- 4.0	73	0.5	0.3- 0.7
Less than \$15,000	3210	1,242,058	75	1.9	0.7- 3.1	1074	35.5	31.6-39.4	1297	42.7	38.8-46.6	533	13.9	11.4-16.4	162	4.6	2.8- 6.4	69	1.4	0.8- 2.0
\$15,000- 24,999	6364	2,718,789	99	1.6	1.0- 2.2	2051	34.8	32.3-37.3	2784	42.2	39.7-44.7	1047	16.0	14.0-18.0	287	3.6	2.8- 4.4	96	1.7	0.9- 2.5
\$25,000- 34,999	3609	1,448,207	54	1.0	0.4- 1.6	1091	31.9	28.4-35.4	1617	46.0	42.5-49.5	627	15.7	13.3-18.1	167	3.8	2.6- 5.0	53	1.5	0.7- 2.3
\$35,000- 49,999	4240	1,844,736	32	0.7	0.3- 1.1	1262	30.2	27.3-33.1	1914	46.9	43.8-50.0	787	17.4	14.9-19.9	198	4.0	3.0- 5.0	47	0.9	0.5- 1.3
\$50,000- 74,999	3892	1,732,720	17	0.5	0.0- 1.1	1076	26.2	23.5-28.9	1782	47.8	44.5-51.1	767	19.3	16.8-21.8	198	4.5	3.3- 5.7	52	1.6	0.4- 2.8
\$75,000+	6660	3,372,741	38	0.4	0.2- 0.6	1854	28.2	26.0-30.4	3003	46.0	43.6-48.4	1402	19.9	18.1-21.7	313	4.6	3.6- 5.6	50	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14861	7,577,293	41	0.3	0.1- 0.5	1752	13.2	12.0-14.4	7537	53.8	52.2-55.4	4154	25.0	23.6-26.4	1075	6.0	5.2- 6.8	302	1.7	1.3- 2.1
White/Non-Hisp	10624	4,325,567	23	0.2	0.0- 0.4	1069	9.6	8.6-10.6	5386	53.3	51.5-55.1	3133	28.6	27.0-30.2	800	6.8	5.8- 7.8	213	1.6	1.2- 2.0
Black or Afr. Am./Non-Hisp	1409	1,003,755	4	0.4	0.0- 1.2	188	15.4	11.3-19.5	610	46.6	41.3-51.9	425	26.3	21.6-31.0	132	7.6	4.9-10.3	50	3.7	1.5- 5.9
Oth. Race/Non-Hisp.	490	257,706	5	1.0	0.0- 2.2	90	22.3	15.2-29.4	263	61.7	53.1-70.3	103	12.9	8.2-17.6	22	1.9	0.0- 4.4	7	0.3	0.1- 0.5
MultiRacial/Non-Hisp.	219	67,681	24	11.1	3.1-19.1	24	11.1	3.1-19.1	104	57.6	45.1-70.1	63	23.5	13.5-33.5	21	4.6	1.5- 7.7	7	3.2	0.0- 6.9
Hispanic	1828	1,770,882	7	0.1	0.1- 0.1	339	19.2	16.1-22.3	1028	57.9	54.0-61.8	353	17.7	15.0-20.4	82	3.9	2.5- 5.3	19	1.1	0.1- 2.1
18-24	902	888,317	5	0.7	0.0- 1.7	274	29.4	24.5-34.3	413	47.2	41.9-52.5	170	18.5	14.2-22.8	28	3.3	1.1- 5.5	12	0.9	0.1- 1.7
25-34	1507	1,224,951	4	0.1	0.0- 0.3	229	13.4	10.9-15.9	758	53.5	49.2-57.8	375	23.9	20.2-27.6	102	6.1	4.1- 8.1	39	3.1	0.9- 5.3
35-44	1538	1,120,012	4	0.2	0.0- 0.4	156	12.5	9.0-16.0	749	54.1	49.6-58.6	414	22.7	19.4-26.0	159	7.7	5.7- 9.7	56	2.8	1.8- 3.8
45-54	2196	1,224,280	2	0.2	0.0- 0.4	170	7.4	5.4- 9.4	1040	52.7	49.0-56.4	720	31.2	27.7-34.7	202	6.6	5.0- 8.2	62	2.0	1.0- 3.0
55-64	2982	1,220,649	8	0.1	0.0- 0.3	266	9.5	7.1-11.9	1428	53.8	50.1-57.5	927	27.4	24.3-30.5	281	7.5	5.5- 9.5	72	1.6	0.6- 2.6
65+	5589	1,803,997	16	0.4	0.2- 0.6	640	12.1	9.9-14.3	3061	56.9	54.0-59.8	1517	25.1	22.6-27.6	295	4.9	3.7- 6.1	60	0.6	0.2- 1.0
Less Than H.S.	1603	1,094,988	15	0.6	0.2- 1.0	294	21.4	17.1-25.7	834	52.3	47.0-57.6	324	18.4	14.7-22.1	104	5.8	3.3- 8.3	32	1.5	0.3- 2.7
H.S. or G.E.D.	4416	2,292,279	6	0.2	0.0- 0.6	628	16.6	14.2-19.0	2066	48.4	45.5-51.3	1244	26.1	23.6-28.6	359	6.2	5.0- 7.4	113	2.5	1.3- 3.7
Some Post-H.S.	4004	2,232,355	7	0.1	0.1- 0.1	385	9.5	7.9-11.1	2008	56.2	53.3-59.1	1197	25.8	23.3-28.3	310	6.5	5.1- 7.9	97	1.9	1.3- 2.5
College Graduate	4779	1,928,189	11	0.3	0.1- 0.5	430	8.5	6.9-10.1	2596	58.1	55.6-60.6	1381	26.8	24.4-29.2	301	5.4	4.2- 6.6	60	0.9	0.3- 1.5
Less than \$15,000	1157	539,754	6	0.5	0.0- 1.1	209	19.5	14.4-24.6	565	54.4	48.1-60.7	250	15.9	12.2-19.6	88	7.4	3.7-11.1	39	2.2	1.0- 3.4
\$15,000- 24,999	2481	1,248,454	12	0.4	0.0- 0.8	384	19.8	16.5-23.1	1258	50.2	46.1-54.3	601	21.6	18.3-24.9	164	5.1	3.5- 6.7	62	2.9	1.1- 4.7
\$25,000- 34,999	1535	718,474	3	0.0	0.0- 0.0	191	15.1	10.6-19.6	795	57.4	52.1-62.7	396	20.1	16.4-23.8	113	5.7	3.5- 7.9	37	1.7	0.5- 2.9
\$35,000- 49,999	1996	943,249	4	0.3	0.0- 0.7	234	12.0	9.1-14.9	992	54.5	50.2-58.8	580	25.4	21.7-29.1	148	6.3	4.5- 8.1	38	1.5	0.7- 2.3
\$50,000- 74,999	1877	916,316	1	0.0	0.0- 0.0	154	8.1	5.7-10.5	962	55.6	51.3-59.9	566	28.0	24.3-31.7	152	6.9	4.7- 9.1	42	1.4	0.6- 2.2
\$75,000+	3507	1,934,351	2	0.1	0.0- 0.3	219	6.4	5.0- 7.8	1791	54.2	51.1-57.3	1182	30.7	28.0-33.4	268	7.0	5.2- 8.8	45	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19089	7,642,039	404	2.0	1.6- 2.4	8991	51.4	49.8-53.0	7279	35.4	33.8-37.0	1846	8.7	7.7- 9.7	448	1.8	1.4- 2.2	121	0.6	0.4- 0.8
White/Non-Hisp	13965	4,268,396	312	2.0	1.6- 2.4	6769	52.1	50.3-53.9	5349	35.9	34.3-37.5	1170	7.9	6.9- 8.9	290	1.7	1.3- 2.1	75	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	1974	1,078,638	17	0.6	0.0- 1.2	580	40.9	35.8-46.0	836	36.9	32.0-41.8	412	16.4	12.3-20.5	96	3.1	1.7- 4.5	33	2.0	0.2- 3.8
Oth. Race/Non-Hisp.	456	281,809	22	5.6	2.1- 9.1	253	72.5	64.5-80.5	125	16.9	9.8-24.0	42	3.8	1.1- 6.5	12	1.1	0.0- 2.3	2	0.0	0.0- 0.0
MultiRacial/Non-Hisp.	217	80,472	2	1.6	0.0- 4.5	93	43.2	27.7-58.7	78	42.1	27.8-56.4	32	6.8	2.3-11.3	9	3.5	0.0- 7.2	3	2.8	0.0- 8.1
Hispanic	2260	1,829,688	47	2.5	1.3- 3.7	1173	52.9	49.0-56.8	824	35.9	32.2-39.6	173	7.1	5.1- 9.1	36	1.2	0.6- 1.8	7	0.3	0.0- 0.7
18-24	845	814,947	37	4.4	2.4- 6.4	526	64.8	59.7-69.9	214	23.9	19.2-28.6	59	6.2	3.5- 8.9	6	0.5	0.0- 1.1	3	0.1	0.0- 0.3
25-34	1709	1,165,236	31	1.9	0.7- 3.1	863	53.6	49.3-57.9	553	29.6	25.7-33.5	187	10.0	7.5-12.5	53	2.9	1.5- 4.3	22	2.0	0.4- 3.6
35-44	1851	1,097,301	23	1.4	0.6- 2.2	769	46.3	41.8-50.8	737	36.7	32.4-41.0	243	12.3	8.8-15.8	59	2.7	1.3- 4.1	20	0.6	0.2- 1.0
45-54	2639	1,162,770	33	1.1	0.5- 1.7	1111	47.9	43.6-52.2	1040	38.9	34.8-43.0	347	9.9	7.5-12.3	79	1.5	0.9- 2.1	29	0.6	0.2- 1.0
55-64	3733	1,280,490	64	1.4	0.6- 2.2	1557	45.4	41.7-49.1	1553	41.2	37.5-44.9	400	9.2	6.8-11.6	135	2.4	1.6- 3.2	24	0.4	0.0- 1.0
65+	8156	2,031,191	210	2.4	1.6- 3.2	4074	53.4	50.9-55.9	3132	37.0	34.5-39.5	607	5.9	4.7- 7.1	111	1.1	0.7- 1.5	22	0.2	0.0- 0.4
Less Than H.S.	2002	1,017,308	60	3.1	1.5- 4.7	833	44.6	39.3-49.9	785	38.6	33.3-43.9	248	10.4	6.7-14.1	48	2.7	1.1- 4.3	28	0.7	0.1- 1.3
H.S. or G.E.D.	5756	2,162,991	127	2.2	1.4- 3.0	2616	49.4	46.5-52.3	2190	35.0	32.1-37.9	635	11.1	8.9-13.3	153	1.8	1.2- 2.4	35	0.5	0.1- 0.9
Some Post-H.S.	5815	2,554,261	117	1.9	1.1- 2.7	2643	50.2	47.5-52.9	2303	36.4	33.9-38.9	564	8.7	7.1-10.3	143	1.7	1.1- 2.3	45	1.0	0.2- 1.8
College Graduate	5443	1,871,109	97	1.4	0.8- 2.0	2861	59.2	56.5-61.9	1976	32.6	30.1-35.1	393	5.3	4.3- 6.3	103	1.4	0.8- 2.0	13	0.1	0.0- 0.3
Less than \$15,000	2053	702,304	69	3.0	1.0- 5.0	865	47.7	42.6-52.8	732	33.7	29.0-38.4	283	12.3	8.8-15.8	74	2.5	1.1- 3.9	30	0.8	0.2- 1.4
\$15,000- 24,999	3883	1,470,335	87	2.7	1.7- 3.7	1667	47.5	44.0-51.0	1526	35.4	32.1-38.7	446	11.3	8.9-13.7	123	2.4	1.6- 3.2	34	0.7	0.3- 1.1
\$25,000- 34,999	2073	728,840	51	2.0	0.6- 3.4	900	48.6	43.7-53.5	821	34.7	30.2-39.2	231	11.4	8.3-14.5	54	1.9	0.9- 2.9	16	1.3	0.1- 2.5
\$35,000- 49,999	2244	901,487	28	1.0	0.4- 1.6	1028	49.3	44.8-53.8	922	38.9	34.6-43.2	207	9.0	5.9-12.1	50	1.6	0.8- 2.4	9	0.2	0.0- 0.4
\$50,000- 74,999	2015	816,404	16	1.1	0.0- 2.3	922	46.5	41.8-51.2	820	39.1	34.4-43.8	201	9.6	6.7-12.5	46	1.9	0.9- 2.9	10	1.8	0.0- 4.0
\$75,000+	3152	1,438,138	36	0.9	0.3- 1.5	1635	57.4	53.9-60.9	1211	34.8	31.5-38.1	220	5.5	3.7- 7.3	45	1.3	0.7- 1.9	5	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33186	14,769,612	496	1.6	1.4- 1.8	10876	35.4	34.2-36.6	11798	35.7	34.5-36.9	6203	17.5	16.7-18.3	3813	9.8	9.0-10.6
Male	14638	7,419,076	154	0.9	0.7- 1.1	3875	29.6	28.0-31.2	5992	41.3	39.7-42.9	3053	19.2	18.0-20.4	1564	9.0	8.0-10.0
Female	18545	7,348,794	342	2.3	1.9- 2.7	6999	41.2	39.6-42.8	5805	30.0	28.6-31.4	3150	15.8	14.6-17.0	2249	10.7	9.7-11.7
White/Non-Hisp	24332	8,484,923	365	1.4	1.2- 1.6	8256	36.8	35.6-38.0	8732	35.2	34.0-36.4	4411	17.5	16.5-18.5	2568	9.2	8.4-10.0
Black or Afr. Am./Non-Hisp	3314	2,034,158	38	1.8	0.8- 2.8	794	31.6	28.1-35.1	1067	32.9	29.4-36.4	763	19.2	16.3-22.1	652	14.5	12.0-17.0
Oth. Race/Non-Hisp.	928	530,813	20	3.1	0.7- 5.5	380	53.1	46.2-60.0	292	26.8	20.9-32.7	152	13.0	7.5-18.5	84	4.0	2.0- 6.0
MultiRacial/Non-Hisp.	429	145,800	6	0.9	0.0- 2.7	141	37.5	27.1-47.9	138	34.1	24.5-43.7	75	15.1	8.6-21.6	69	12.5	6.2-18.8
Hispanic	3683	3,325,146	58	1.6	1.0- 2.2	1122	31.0	28.3-33.7	1402	40.2	37.5-42.9	705	17.7	15.5-19.9	396	9.5	7.7-11.3
18-24	1659	1,637,345	71	4.4	2.8- 6.0	882	55.8	51.9-59.7	421	25.1	21.6-28.6	187	9.3	7.3-11.3	98	5.4	3.4- 7.4
25-34	3007	2,250,551	46	1.5	0.7- 2.3	1139	39.3	36.2-42.4	971	32.0	29.1-34.9	474	15.7	13.3-18.1	377	11.4	9.2-13.6
35-44	3263	2,134,624	39	0.9	0.5- 1.3	945	32.7	29.6-35.8	1130	36.8	33.7-39.9	659	17.3	14.9-19.7	490	12.3	10.1-14.5
45-54	4766	2,352,580	50	1.0	0.6- 1.4	1329	29.0	26.5-31.5	1682	38.4	35.7-41.1	1008	20.3	17.9-22.7	697	11.4	9.6-13.2
55-64	6630	2,464,098	89	1.3	0.7- 1.9	1916	29.8	27.3-32.3	2324	36.2	33.7-38.7	1403	20.4	18.0-22.8	898	12.3	10.5-14.1
65+	13575	3,757,518	194	1.3	0.9- 1.7	4551	33.3	31.5-35.1	5163	39.5	37.5-41.5	2431	18.8	17.2-20.4	1236	7.0	6.2- 7.8
Less Than H.S.	3313	1,927,990	74	2.0	1.2- 2.8	931	30.8	27.1-34.5	1103	34.8	31.1-38.5	692	20.8	17.7-23.9	513	11.7	9.2-14.2
H.S. or G.E.D.	9984	4,351,317	155	1.6	1.0- 2.2	3148	34.6	32.4-36.8	3372	34.2	32.2-36.2	1979	17.5	15.9-19.1	1330	12.1	10.7-13.5
Some Post-H.S.	9688	4,706,134	147	1.6	1.2- 2.0	3072	34.9	32.9-36.9	3489	35.8	33.8-37.8	1829	17.7	16.1-19.3	1151	10.0	8.8-11.2
College Graduate	10084	3,724,779	115	1.3	0.7- 1.9	3677	39.0	37.0-41.0	3796	37.9	36.1-39.7	1686	15.6	14.2-17.0	810	6.2	5.4- 7.0
Less than \$15,000	3093	1,196,168	74	1.9	0.9- 2.9	1006	34.4	30.5-38.3	899	31.9	28.2-35.6	594	18.0	14.9-21.1	520	13.9	11.2-16.6
\$15,000- 24,999	6150	2,589,465	121	2.2	1.4- 3.0	1906	34.2	31.7-36.7	2053	32.4	29.9-34.9	1209	18.0	15.8-20.2	861	13.3	11.3-15.3
\$25,000- 34,999	3557	1,420,764	54	1.3	0.7- 1.9	1090	34.6	30.9-38.3	1273	36.6	33.3-39.9	686	16.2	13.8-18.6	454	11.3	8.9-13.7
\$35,000- 49,999	4193	1,822,913	48	1.1	0.5- 1.7	1335	34.9	32.0-37.8	1506	36.4	33.3-39.5	840	18.5	16.1-20.9	464	9.2	7.2-11.2
\$50,000- 74,999	3854	1,710,661	23	0.8	0.2- 1.4	1183	31.1	28.2-34.0	1500	40.5	37.2-43.8	709	17.6	15.2-20.0	439	10.1	8.1-12.1
\$75,000+	6593	3,329,610	48	0.8	0.4- 1.2	2199	36.1	33.7-38.5	2581	37.7	35.5-39.9	1238	17.7	15.9-19.5	527	7.7	6.3- 9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14638	7,419,076	154	0.9	0.7- 1.1	3875	29.6	28.0-31.2	5992	41.3	39.7-42.9	3053	19.2	18.0-20.4	1564	9.0	8.0-10.0
White/Non-Hisp	10552	4,290,070	100	0.8	0.6- 1.0	2757	28.9	27.1-30.7	4392	41.3	39.5-43.1	2198	19.9	18.5-21.3	1105	9.1	8.1-10.1
Black or Afr. Am./Non-Hisp	1396	991,326	16	1.0	0.0- 2.0	356	31.0	25.7-36.3	491	35.3	30.2-40.4	324	20.9	16.4-25.4	209	11.8	8.7-14.9
Oth. Race/Non-Hisp.	482	253,883	5	0.5	0.0- 1.1	174	44.9	35.5-54.3	183	34.1	25.5-42.7	86	17.7	8.5-26.9	34	2.8	0.8- 4.8
MultiRacial/Non-Hisp.	214	67,181	4	0.0	0.0- 0.0	59	35.0	22.5-47.5	75	37.8	23.9-51.7	49	19.8	10.6-29.0	27	7.4	2.3-12.5
Hispanic	1706	1,669,998	23	1.1	0.3- 1.9	446	27.7	24.0-31.4	739	45.9	41.8-50.0	335	17.2	14.3-20.1	163	8.1	5.7-10.5
18-24	879	868,107	35	3.5	1.7- 5.3	444	53.2	47.9-58.5	245	27.7	22.8-32.6	104	10.1	7.4-12.8	51	5.5	3.0- 8.0
25-34	1452	1,187,018	14	0.5	0.1- 0.9	469	32.7	28.6-36.8	557	38.9	34.8-43.0	255	17.8	14.3-21.3	157	10.1	7.2-13.0
35-44	1505	1,081,164	12	0.5	0.0- 1.1	354	27.0	22.7-31.3	594	42.9	38.4-47.4	321	18.1	15.0-21.2	224	11.5	9.1-13.9
45-54	2170	1,204,908	14	0.4	0.0- 0.8	442	20.4	17.3-23.5	892	44.9	41.0-48.8	535	24.2	20.9-27.5	287	10.1	7.9-12.3
55-64	2945	1,204,313	27	0.5	0.1- 0.9	658	24.4	21.1-27.7	1177	41.9	38.0-45.8	699	22.2	18.9-25.5	384	10.9	8.5-13.3
65+	5544	1,781,814	49	0.7	0.3- 1.1	1467	27.5	24.8-30.2	2462	45.0	42.1-47.9	1112	20.1	17.7-22.5	454	6.8	5.6- 8.0
Less Than H.S.	1520	1,026,424	34	1.9	0.7- 3.1	430	32.8	27.7-37.9	566	35.6	30.5-40.7	305	20.4	16.1-24.7	185	9.3	6.4-12.2
H.S. or G.E.D.	4367	2,261,231	51	1.1	0.5- 1.7	1177	31.1	28.2-34.0	1639	38.6	35.7-41.5	956	19.2	16.8-21.6	544	10.0	8.2-11.8
Some Post-H.S.	3965	2,201,242	38	0.6	0.2- 1.0	1006	28.0	25.3-30.7	1598	42.4	39.5-45.3	850	18.9	16.5-21.3	473	10.1	8.5-11.7
College Graduate	4734	1,905,825	28	0.5	0.1- 0.9	1242	27.5	25.1-29.9	2169	46.4	43.9-48.9	935	19.3	17.1-21.5	360	6.4	5.2- 7.6
Less than \$15,000	1124	521,053	21	1.0	0.4- 1.6	376	36.0	29.9-42.1	357	33.3	27.4-39.2	213	17.9	12.4-23.4	157	11.7	8.0-15.4
\$15,000- 24,999	2428	1,210,425	37	1.2	0.4- 2.0	703	32.4	28.7-36.1	918	36.4	32.5-40.3	490	19.4	16.3-22.5	280	10.6	7.9-13.3
\$25,000- 34,999	1518	710,030	18	1.0	0.2- 1.8	388	32.6	26.9-38.3	633	43.3	38.0-48.6	301	13.8	10.9-16.7	178	9.3	6.6-12.0
\$35,000- 49,999	1984	936,354	22	0.6	0.2- 1.0	530	29.0	25.1-32.9	782	42.6	38.1-47.1	428	19.4	15.9-22.9	222	8.5	6.5-10.5
\$50,000- 74,999	1861	904,418	6	0.1	0.0- 0.3	435	23.0	19.3-26.7	812	47.5	43.0-52.0	408	20.3	16.8-23.8	200	9.2	6.8-11.6
\$75,000+	3480	1,915,154	13	0.5	0.1- 0.9	770	24.8	22.1-27.5	1586	43.8	40.7-46.9	803	22.0	19.5-24.5	308	8.8	7.0-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	18545	7,348,794	342	2.3	1.9- 2.7	6999	41.2	39.6-42.8	5805	30.0	28.6-31.4	3150	15.8	14.6-17.0	2249	10.7	9.7-11.7
White/Non-Hisp	13778	4,193,707	265	2.1	1.5- 2.7	5497	44.7	42.9-46.5	4340	28.9	27.3-30.5	2213	15.0	13.8-16.2	1463	9.3	8.3-10.3
Black or Afr. Am./Non-Hisp	1917	1,042,235	22	2.5	0.7- 4.3	438	32.2	27.3-37.1	575	30.5	25.8-35.2	439	17.6	13.9-21.3	443	17.1	13.0-21.2
Oth. Race/Non-Hisp.	446	276,930	15	5.5	1.2- 9.8	206	60.7	50.9-70.5	109	20.2	12.0-28.4	66	8.6	3.1-14.1	50	5.0	1.9- 8.1
MultiRacial/Non-Hisp.	215	78,619	2	1.6	0.0- 4.7	82	39.6	23.9-55.3	63	30.9	18.0-43.8	26	11.1	2.1-20.1	42	16.8	6.0-27.6
Hispanic	1977	1,655,148	35	2.1	1.1- 3.1	676	34.3	30.6-38.0	663	34.5	30.6-38.4	370	18.2	15.1-21.3	233	10.9	8.4-13.4
18-24	780	769,238	36	5.5	3.0- 8.0	438	58.7	53.2-64.2	176	22.2	17.3-27.1	83	8.3	5.6-11.0	47	5.2	2.5- 7.9
25-34	1553	1,062,043	32	2.6	1.2- 4.0	669	46.7	42.2-51.2	413	24.3	20.4-28.2	219	13.5	10.6-16.4	220	12.9	10.0-15.8
35-44	1758	1,053,460	27	1.2	0.6- 1.8	591	38.6	34.1-43.1	536	30.5	26.4-34.6	338	16.5	13.2-19.8	266	13.1	9.6-16.6
45-54	2596	1,147,672	36	1.6	0.6- 2.6	887	38.0	33.9-42.1	790	31.5	27.6-35.4	473	16.2	13.1-19.3	410	12.7	10.0-15.4
55-64	3685	1,259,785	62	2.0	1.0- 3.0	1258	35.0	31.3-38.7	1147	30.7	27.2-34.2	704	18.7	15.4-22.0	514	13.6	10.9-16.3
65+	8030	1,975,451	145	1.9	1.1- 2.7	3083	38.5	36.0-41.0	2701	34.7	32.2-37.2	1319	17.7	15.7-19.7	782	7.3	6.1- 8.5
Less Than H.S.	1792	900,969	40	2.1	0.9- 3.3	501	28.6	23.5-33.7	536	33.8	28.3-39.3	387	21.2	16.5-25.9	328	14.3	10.0-18.6
H.S. or G.E.D.	5617	2,090,086	104	2.2	1.4- 3.0	1971	38.4	35.5-41.3	1733	29.4	26.7-32.1	1023	15.7	13.5-17.9	786	14.4	12.0-16.8
Some Post-H.S.	5723	2,504,892	109	2.5	1.7- 3.3	2066	41.0	38.3-43.7	1891	30.0	27.6-32.4	979	16.7	14.7-18.7	678	9.9	8.3-11.5
College Graduate	5348	1,817,808	87	2.2	1.2- 3.2	2433	51.0	48.3-53.7	1627	29.0	26.5-31.5	751	11.9	10.1-13.7	450	6.0	4.8- 7.2
Less than \$15,000	1969	675,115	53	2.5	0.9- 4.1	630	33.1	28.0-38.2	542	30.7	25.8-35.6	381	18.1	14.2-22.0	363	15.5	11.6-19.4
\$15,000- 24,999	3722	1,379,040	84	3.0	1.8- 4.2	1203	35.7	32.2-39.2	1135	28.9	25.6-32.2	719	16.8	14.1-19.5	581	15.6	13.1-18.1
\$25,000- 34,999	2038	709,841	36	1.5	0.3- 2.7	701	36.5	31.8-41.2	640	30.0	25.7-34.3	385	18.5	14.8-22.2	276	13.4	9.9-16.9
\$35,000- 49,999	2209	886,559	26	1.5	0.5- 2.5	805	41.2	36.7-45.7	724	29.8	25.7-33.9	412	17.5	14.2-20.8	242	10.0	6.7-13.3
\$50,000- 74,999	1993	806,243	17	1.5	0.3- 2.7	748	40.1	35.4-44.8	688	32.6	27.9-37.3	301	14.7	11.4-18.0	239	11.1	8.0-14.2
\$75,000+	3112	1,414,204	35	1.3	0.5- 2.1	1428	51.4	47.9-54.9	995	29.4	26.3-32.5	435	11.9	9.5-14.3	219	6.1	4.3- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33186	14,769,612	720	2.3	1.9- 2.7	10612	34.5	33.3-35.7	11820	35.8	34.6-37.0	10034	27.4	26.4-28.4
Male	14638	7,419,076	207	1.4	1.0- 1.8	3798	28.8	27.2-30.4	6002	41.4	39.8-43.0	4631	28.3	26.9-29.7
Female	18545	7,348,794	513	3.2	2.6- 3.8	6812	40.1	38.5-41.7	5817	30.1	28.7-31.5	5403	26.6	25.2-28.0
White/Non-Hisp	24332	8,484,923	538	2.1	1.7- 2.5	8052	35.9	34.7-37.1	8748	35.3	34.1-36.5	6994	26.7	25.5-27.9
Black or Afr. Am./Non-Hisp	3314	2,034,158	53	2.3	1.3- 3.3	778	31.1	27.6-34.6	1067	32.7	29.4-36.0	1416	34.0	30.5-37.5
Oth. Race/Non-Hisp.	928	530,813	26	3.8	1.4- 6.2	371	52.3	45.4-59.2	294	26.9	21.0-32.8	237	17.0	11.3-22.7
MultiRacial/Non-Hisp.	429	145,800	9	3.7	0.0- 9.0	138	34.6	24.6-44.6	138	34.1	24.5-43.7	144	27.6	19.2-36.0
Hispanic	3683	3,325,146	82	2.5	1.5- 3.5	1093	29.8	27.3-32.3	1406	40.4	37.7-43.1	1102	27.2	24.7-29.7
18-24	1659	1,637,345	104	6.6	4.8- 8.4	846	53.5	49.6-57.4	423	25.0	21.5-28.5	286	14.9	12.2-17.6
25-34	3007	2,250,551	67	2.1	1.3- 2.9	1113	38.6	35.5-41.7	976	32.2	29.3-35.1	851	27.1	24.2-30.0
35-44	3263	2,134,624	51	1.4	0.8- 2.0	928	32.1	29.0-35.2	1132	36.9	33.8-40.0	1152	29.6	26.7-32.5
45-54	4766	2,352,580	67	1.3	0.7- 1.9	1305	28.4	25.9-30.9	1686	38.4	35.7-41.1	1708	31.8	29.3-34.3
55-64	6630	2,464,098	137	1.8	1.2- 2.4	1863	29.1	26.6-31.6	2327	36.3	33.8-38.8	2303	32.7	30.2-35.2
65+	13575	3,757,518	286	2.0	1.4- 2.6	4444	32.3	30.5-34.1	5169	39.7	37.7-41.7	3676	25.9	24.1-27.7
Less Than H.S.	3313	1,927,990	89	3.0	1.8- 4.2	914	29.8	26.3-33.3	1103	34.8	31.1-38.5	1207	32.4	28.7-36.1
H.S. or G.E.D.	9984	4,351,317	232	2.5	1.9- 3.1	3058	33.4	31.4-35.4	3380	34.4	32.4-36.4	3314	29.7	27.7-31.7
Some Post-H.S.	9688	4,706,134	213	2.2	1.6- 2.8	2997	34.2	32.2-36.2	3492	35.8	33.8-37.8	2986	27.8	26.0-29.6
College Graduate	10084	3,724,779	181	1.8	1.2- 2.4	3595	38.4	36.4-40.4	3807	37.9	36.1-39.7	2501	21.9	20.3-23.5
Less than \$15,000	3093	1,196,168	106	3.0	1.6- 4.4	972	33.0	29.1-36.9	898	31.7	28.0-35.4	1117	32.2	28.3-36.1
\$15,000- 24,999	6150	2,589,465	163	2.7	1.9- 3.5	1860	33.6	31.1-36.1	2054	32.4	29.9-34.9	2073	31.3	28.8-33.8
\$25,000- 34,999	3557	1,420,764	80	2.0	1.2- 2.8	1057	33.8	30.1-37.5	1280	36.7	33.4-40.0	1140	27.5	24.4-30.6
\$35,000- 49,999	4193	1,822,913	68	1.5	0.9- 2.1	1313	34.3	31.4-37.2	1505	36.5	33.4-39.6	1307	27.7	25.0-30.4
\$50,000- 74,999	3854	1,710,661	42	1.2	0.6- 1.8	1157	30.6	27.7-33.5	1507	40.5	37.2-43.8	1148	27.7	24.8-30.6
\$75,000+	6593	3,329,610	82	1.3	0.7- 1.9	2154	35.4	33.0-37.8	2586	37.8	35.6-40.0	1771	25.4	23.2-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14638	7,419,076	207	1.4	1.0- 1.8	3798	28.8	27.2-30.4	6002	41.4	39.8-43.0	4631	28.3	26.9-29.7
White/Non-Hisp	10552	4,290,070	137	1.1	0.7- 1.5	2700	28.3	26.5-30.1	4398	41.5	39.7-43.3	3317	29.0	27.4-30.6
Black or Afr. Am./Non-Hisp	1396	991,326	21	1.4	0.4- 2.4	350	30.5	25.2-35.8	492	35.4	30.3-40.5	533	32.7	27.8-37.6
Oth. Race/Non-Hisp.	482	253,883	5	0.5	0.0- 1.1	172	44.8	35.4-54.2	185	34.2	25.6-42.8	120	20.5	11.3-29.7
MultiRacial/Non-Hisp.	214	67,181	4	0.0	0.0- 0.0	59	35.0	22.5-47.5	75	37.8	23.9-51.7	76	27.2	16.8-37.6
Hispanic	1706	1,669,998	32	2.3	0.9- 3.7	436	26.4	22.9-29.9	740	45.9	41.8-50.0	498	25.3	21.8-28.8
18-24	879	868,107	51	5.8	3.4- 8.2	425	50.6	45.1-56.1	248	28.0	23.1-32.9	155	15.6	11.9-19.3
25-34	1452	1,187,018	17	0.6	0.2- 1.0	464	32.3	28.2-36.4	559	39.2	35.1-43.3	412	27.8	23.7-31.9
35-44	1505	1,081,164	15	0.8	0.2- 1.4	347	26.6	22.3-30.9	596	43.0	38.5-47.5	547	29.6	25.9-33.3
45-54	2170	1,204,908	18	0.5	0.1- 0.9	433	20.0	17.1-22.9	895	45.0	41.1-48.9	824	34.5	30.8-38.2
55-64	2945	1,204,313	36	0.7	0.3- 1.1	646	24.2	20.9-27.5	1178	41.9	38.0-45.8	1085	33.2	29.5-36.9
65+	5544	1,781,814	67	1.4	0.4- 2.4	1442	26.6	23.9-29.3	2461	45.0	42.1-47.9	1574	27.0	24.5-29.5
Less Than H.S.	1520	1,026,424	39	3.2	1.2- 5.2	425	31.5	26.4-36.6	565	35.6	30.5-40.7	491	29.7	24.8-34.6
H.S. or G.E.D.	4367	2,261,231	77	1.8	1.0- 2.6	1143	30.1	27.4-32.8	1642	38.8	35.9-41.7	1505	29.3	26.6-32.0
Some Post-H.S.	3965	2,201,242	51	1.0	0.6- 1.4	987	27.5	24.8-30.2	1601	42.5	39.6-45.4	1326	29.0	26.5-31.5
College Graduate	4734	1,905,825	37	0.6	0.2- 1.0	1223	27.2	24.8-29.6	2174	46.4	43.9-48.9	1300	25.8	23.4-28.2
Less than \$15,000	1124	521,053	31	2.4	0.4- 4.4	365	34.6	28.5-40.7	356	33.3	27.4-39.2	372	29.7	23.6-35.8
\$15,000- 24,999	2428	1,210,425	47	1.6	0.8- 2.4	691	32.0	28.3-35.7	919	36.4	32.5-40.3	771	30.0	26.3-33.7
\$25,000- 34,999	1518	710,030	28	1.7	0.7- 2.7	375	31.7	26.0-37.4	636	43.4	38.1-48.7	479	23.1	19.2-27.0
\$35,000- 49,999	1984	936,354	28	1.0	0.4- 1.6	522	28.3	24.4-32.2	781	42.8	38.3-47.3	653	27.8	24.1-31.5
\$50,000- 74,999	1861	904,418	9	0.2	0.0- 0.4	429	22.8	19.3-26.3	815	47.6	43.1-52.1	608	29.4	25.5-33.3
\$75,000+	3480	1,915,154	16	0.7	0.3- 1.1	757	24.3	21.6-27.0	1591	44.0	40.9-47.1	1116	31.0	28.1-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	18545	7,348,794	513	3.2	2.6- 3.8	6812	40.1	38.5-41.7	5817	30.1	28.7-31.5	5403	26.6	25.2-28.0
White/Non-Hisp	13778	4,193,707	401	3.1	2.5- 3.7	5350	43.6	41.8-45.4	4350	29.0	27.4-30.6	3677	24.3	22.7-25.9
Black or Afr. Am./Non-Hisp	1917	1,042,235	32	3.1	1.3- 4.9	428	31.6	26.7-36.5	574	30.1	25.4-34.8	883	35.2	30.3-40.1
Oth. Race/Non-Hisp.	446	276,930	21	6.9	2.4-11.4	199	59.2	49.4-69.0	109	20.2	12.0-28.4	117	13.7	7.4-20.0
MultiRacial/Non-Hisp.	215	78,619	5	6.8	0.0-16.4	79	34.3	19.0-49.6	63	30.9	18.0-43.8	68	27.9	14.8-41.0
Hispanic	1977	1,655,148	50	2.7	1.5- 3.9	657	33.3	29.6-37.0	666	34.9	31.0-38.8	604	29.1	25.4-32.8
18-24	780	769,238	53	7.5	4.8-10.2	421	56.7	51.2-62.2	175	21.7	16.8-26.6	131	14.1	10.2-18.0
25-34	1553	1,062,043	50	3.7	2.1- 5.3	648	45.5	41.0-50.0	416	24.4	20.5-28.3	439	26.4	22.5-30.3
35-44	1758	1,053,460	36	2.0	1.0- 3.0	581	37.9	33.4-42.4	536	30.5	26.4-34.6	605	29.7	25.4-34.0
45-54	2596	1,147,672	49	2.2	1.0- 3.4	872	37.3	33.2-41.4	791	31.5	27.6-35.4	884	28.9	25.2-32.6
55-64	3685	1,259,785	101	2.9	1.7- 4.1	1217	33.9	30.4-37.4	1149	30.9	27.4-34.4	1218	32.3	28.6-36.0
65+	8030	1,975,451	219	2.6	1.8- 3.4	3001	37.5	35.0-40.0	2708	35.0	32.5-37.5	2102	25.0	22.8-27.2
Less Than H.S.	1792	900,969	50	2.8	1.4- 4.2	489	27.8	22.7-32.9	537	33.8	28.3-39.3	716	35.6	29.9-41.3
H.S. or G.E.D.	5617	2,090,086	155	3.3	2.3- 4.3	1915	37.0	34.1-39.9	1738	29.7	27.0-32.4	1809	30.1	27.4-32.8
Some Post-H.S.	5723	2,504,892	162	3.3	2.3- 4.3	2010	40.0	37.3-42.7	1891	29.9	27.5-32.3	1660	26.7	24.3-29.1
College Graduate	5348	1,817,808	144	3.2	2.2- 4.2	2370	50.0	47.3-52.7	1633	29.0	26.5-31.5	1201	17.8	15.8-19.8
Less than \$15,000	1969	675,115	75	3.5	1.7- 5.3	607	31.8	26.9-36.7	542	30.4	25.5-35.3	745	34.2	29.3-39.1
\$15,000- 24,999	3722	1,379,040	116	3.7	2.3- 5.1	1169	34.9	31.4-38.4	1135	28.9	25.6-32.2	1302	32.4	29.1-35.7
\$25,000- 34,999	2038	709,841	52	2.2	0.8- 3.6	681	35.8	31.1-40.5	644	30.1	25.8-34.4	661	31.9	27.2-36.6
\$35,000- 49,999	2209	886,559	40	2.0	1.0- 3.0	791	40.7	36.2-45.2	724	29.8	25.7-33.9	654	27.5	23.4-31.6
\$50,000- 74,999	1993	806,243	33	2.3	0.9- 3.7	728	39.4	34.7-44.1	692	32.6	27.9-37.3	540	25.8	21.5-30.1
\$75,000+	3112	1,414,204	66	2.2	1.2- 3.2	1396	50.5	47.0-54.0	995	29.4	26.3-32.5	655	17.9	15.2-20.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33186	14,769,612	11332	36.8	35.6-38.0	21854	63.2	62.0-64.4
Male	14638	7,419,076	4005	30.3	28.7-31.9	10633	69.7	68.1-71.3
Female	18545	7,348,794	7325	43.3	41.7-44.9	11220	56.7	55.1-58.3
White/Non-Hisp	24332	8,484,923	8590	38.0	36.8-39.2	15742	62.0	60.8-63.2
Black or Afr. Am./Non-Hisp	3314	2,034,158	831	33.3	29.8-36.8	2483	66.7	63.2-70.2
Oth. Race/Non-Hisp.	928	530,813	397	56.1	49.2-63.0	531	43.9	37.0-50.8
MultiRacial/Non-Hisp.	429	145,800	147	38.3	27.9-48.7	282	61.7	51.3-72.1
Hispanic	3683	3,325,146	1175	32.4	29.7-35.1	2508	67.6	64.9-70.3
18-24	1659	1,637,345	950	60.1	56.4-63.8	709	39.9	36.2-43.6
25-34	3007	2,250,551	1180	40.6	37.5-43.7	1827	59.4	56.3-62.5
35-44	3263	2,134,624	979	33.5	30.4-36.6	2284	66.5	63.4-69.6
45-54	4766	2,352,580	1372	29.8	27.3-32.3	3394	70.2	67.7-72.7
55-64	6630	2,464,098	2000	31.0	28.5-33.5	4630	69.0	66.5-71.5
65+	13575	3,757,518	4730	34.4	32.6-36.2	8845	65.6	63.8-67.4
Less Than H.S.	3313	1,927,990	1003	32.8	29.1-36.5	2310	67.2	63.5-70.9
H.S. or G.E.D.	9984	4,351,317	3290	35.9	33.7-38.1	6694	64.1	61.9-66.3
Some Post-H.S.	9688	4,706,134	3210	36.4	34.4-38.4	6478	63.6	61.6-65.6
College Graduate	10084	3,724,779	3776	40.2	38.2-42.2	6308	59.8	57.8-61.8
Less than \$15,000	3093	1,196,168	1078	36.1	32.2-40.0	2015	63.9	60.0-67.8
\$15,000- 24,999	6150	2,589,465	2023	36.3	33.8-38.8	4127	63.7	61.2-66.2
\$25,000- 34,999	3557	1,420,764	1137	35.8	32.1-39.5	2420	64.2	60.5-67.9
\$35,000- 49,999	4193	1,822,913	1381	35.8	32.7-38.9	2812	64.2	61.1-67.3
\$50,000- 74,999	3854	1,710,661	1199	31.8	28.9-34.7	2655	68.2	65.3-71.1
\$75,000+	6593	3,329,610	2236	36.8	34.4-39.2	4357	63.2	60.8-65.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14638	7,419,076	4005	30.3	28.7-31.9	10633	69.7	68.1-71.3
White/Non-Hisp	10552	4,290,070	2837	29.4	27.6-31.2	7715	70.6	68.8-72.4
Black or Afr. Am./Non-Hisp	1396	991,326	371	31.9	26.6-37.2	1025	68.1	62.8-73.4
Oth. Race/Non-Hisp.	482	253,883	177	45.3	35.9-54.7	305	54.7	45.3-64.1
MultiRacial/Non-Hisp.	214	67,181	63	35.0	22.5-47.5	151	65.0	52.5-77.5
Hispanic	1706	1,669,998	468	28.8	25.1-32.5	1238	71.2	67.5-74.9
18-24	879	868,107	476	56.4	51.1-61.7	403	43.6	38.3-48.9
25-34	1452	1,187,018	481	32.9	28.8-37.0	971	67.1	63.0-71.2
35-44	1505	1,081,164	362	27.4	23.1-31.7	1143	72.6	68.3-76.9
45-54	2170	1,204,908	451	20.5	17.4-23.6	1719	79.5	76.4-82.6
55-64	2945	1,204,313	682	24.9	21.6-28.2	2263	75.1	71.8-78.4
65+	5544	1,781,814	1509	28.1	25.4-30.8	4035	71.9	69.2-74.6
Less Than H.S.	1520	1,026,424	464	34.7	29.4-40.0	1056	65.3	60.0-70.6
H.S. or G.E.D.	4367	2,261,231	1220	31.9	29.0-34.8	3147	68.1	65.2-71.0
Some Post-H.S.	3965	2,201,242	1038	28.5	25.8-31.2	2927	71.5	68.8-74.2
College Graduate	4734	1,905,825	1260	27.8	25.3-30.3	3474	72.2	69.7-74.7
Less than \$15,000	1124	521,053	396	37.0	30.7-43.3	728	63.0	56.7-69.3
\$15,000- 24,999	2428	1,210,425	738	33.6	29.7-37.5	1690	66.4	62.5-70.3
\$25,000- 34,999	1518	710,030	403	33.5	27.8-39.2	1115	66.5	60.8-72.2
\$35,000- 49,999	1984	936,354	550	29.3	25.4-33.2	1434	70.7	66.8-74.6
\$50,000- 74,999	1861	904,418	438	23.0	19.3-26.7	1423	77.0	73.3-80.7
\$75,000+	3480	1,915,154	773	25.0	22.3-27.7	2707	75.0	72.3-77.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	18545	7,348,794	7325	43.3	41.7-44.9	11220	56.7	55.1-58.3
White/Non-Hisp	13778	4,193,707	5751	46.7	44.9-48.5	8027	53.3	51.5-55.1
Black or Afr. Am./Non-Hisp	1917	1,042,235	460	34.7	29.8-39.6	1457	65.3	60.4-70.2
Oth. Race/Non-Hisp.	446	276,930	220	66.1	56.7-75.5	226	33.9	24.5-43.3
MultiRacial/Non-Hisp.	215	78,619	84	41.2	25.5-56.9	131	58.8	43.1-74.5
Hispanic	1977	1,655,148	707	36.0	32.1-39.9	1270	64.0	60.1-67.9
18-24	780	769,238	474	64.2	58.7-69.7	306	35.8	30.3-41.3
25-34	1553	1,062,043	698	49.2	44.7-53.7	855	50.8	46.3-55.3
35-44	1758	1,053,460	617	39.8	35.3-44.3	1141	60.2	55.7-64.7
45-54	2596	1,147,672	921	39.5	35.4-43.6	1675	60.5	56.4-64.6
55-64	3685	1,259,785	1318	36.8	33.1-40.5	2367	63.2	59.5-66.9
65+	8030	1,975,451	3220	40.0	37.5-42.5	4810	60.0	57.5-62.5
Less Than H.S.	1792	900,969	539	30.7	25.6-35.8	1253	69.3	64.2-74.4
H.S. or G.E.D.	5617	2,090,086	2070	40.3	37.4-43.2	3547	59.7	56.8-62.6
Some Post-H.S.	5723	2,504,892	2172	43.3	40.6-46.0	3551	56.7	54.0-59.4
College Graduate	5348	1,817,808	2514	53.1	50.4-55.8	2834	46.9	44.2-49.6
Less than \$15,000	1969	675,115	682	35.3	30.2-40.4	1287	64.7	59.6-69.8
\$15,000- 24,999	3722	1,379,040	1285	38.7	35.2-42.2	2437	61.3	57.8-64.8
\$25,000- 34,999	2038	709,841	733	38.0	33.3-42.7	1305	62.0	57.3-66.7
\$35,000- 49,999	2209	886,559	831	42.7	38.2-47.2	1378	57.3	52.8-61.8
\$50,000- 74,999	1993	806,243	761	41.6	36.9-46.3	1232	58.4	53.7-63.1
\$75,000+	3112	1,414,204	1462	52.7	49.2-56.2	1650	47.3	43.8-50.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36260	16,170,038	27846	69.0	68.0-70.0	3638	13.7	12.9-14.5	2935	11.0	10.2-11.8	1195	4.2	3.8- 4.6	442	1.5	1.3- 1.7	204	0.6	0.4- 0.8
Male	15262	7,789,046	11935	71.8	70.4-73.2	1450	12.2	11.2-13.2	1174	10.5	9.5-11.5	467	4.0	3.4- 4.6	168	1.1	0.9- 1.3	68	0.5	0.1- 0.9
Female	20995	8,379,249	15909	66.4	65.0-67.8	2188	15.2	14.0-16.4	1761	11.5	10.5-12.5	727	4.3	3.7- 4.9	274	1.8	1.4- 2.2	136	0.8	0.6- 1.0
White/Non-Hisp	26171	9,149,505	21355	75.9	74.9-76.9	2167	11.3	10.5-12.1	1682	8.5	7.9- 9.1	636	2.9	2.5- 3.3	231	1.0	0.8- 1.2	100	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	3657	2,224,150	2469	57.2	53.7-60.7	527	17.5	14.6-20.4	380	14.2	11.7-16.7	167	6.4	4.6- 8.2	71	2.8	1.6- 4.0	43	1.8	0.6- 3.0
Oth. Race/Non-Hisp.	1019	576,562	725	61.3	54.8-67.8	141	14.8	10.9-18.7	103	15.4	10.5-20.3	34	5.7	2.2- 9.2	8	2.2	0.0- 4.6	8	0.7	0.0- 1.5
MultiRacial/Non-Hisp.	450	151,336	324	57.5	47.3-67.7	58	19.4	9.8-29.0	42	13.4	6.7-20.1	20	8.9	4.0-13.8	3	0.3	0.0- 0.7	3	0.6	0.0- 1.4
Hispanic	4342	3,751,277	2478	60.3	57.8-62.8	678	16.9	14.9-18.9	691	14.8	13.0-16.6	328	5.6	4.4- 6.8	122	1.8	1.2- 2.4	45	0.5	0.1- 0.9
18-24	1836	1,764,348	1190	65.2	61.7-68.7	358	20.6	17.5-23.7	183	9.5	7.3-11.7	70	2.5	1.5- 3.5	24	1.0	0.4- 1.6	11	1.1	0.0- 2.5
25-34	3414	2,531,781	1494	48.3	45.4-51.2	671	20.2	17.8-22.6	688	19.0	16.6-21.4	345	8.4	6.8-10.0	147	2.9	1.9- 3.9	69	1.2	0.8- 1.6
35-44	3610	2,327,304	1191	34.8	31.9-37.7	739	21.5	18.8-24.2	997	27.3	24.8-29.8	449	11.2	9.4-13.0	161	3.7	2.7- 4.7	73	1.6	1.0- 2.2
45-54	5167	2,543,072	3275	61.4	58.7-64.1	965	19.3	17.1-21.5	654	13.8	11.8-15.8	182	3.8	2.6- 5.0	64	1.2	0.6- 1.8	27	0.5	0.1- 0.9
55-64	7182	2,656,338	6350	87.4	85.6-89.2	499	7.6	6.2- 9.0	217	3.1	2.3- 3.9	83	1.3	0.7- 1.9	25	0.5	0.1- 0.9	8	0.0	0.0- 0.0
65+	14534	4,051,131	13912	95.2	94.4-96.0	364	2.9	2.3- 3.5	169	1.2	0.8- 1.6	57	0.4	0.2- 0.6	17	0.3	0.0- 0.7	15	0.1	0.1- 0.1
Less Than H.S.	3840	2,220,104	2743	65.8	62.5-69.1	406	14.5	11.8-17.2	322	9.7	7.7-11.7	224	6.6	5.0- 8.2	101	2.6	1.6- 3.6	44	0.8	0.4- 1.2
H.S. or G.E.D.	10859	4,754,976	8380	69.5	67.5-71.5	1122	13.5	12.1-14.9	791	10.4	9.0-11.8	358	4.4	3.6- 5.2	146	1.6	1.0- 2.2	62	0.7	0.1- 1.3
Some Post-H.S.	10492	5,066,990	8123	70.2	68.4-72.0	1088	14.1	12.7-15.5	807	10.1	8.9-11.3	301	3.7	2.9- 4.5	121	1.3	0.9- 1.7	52	0.6	0.4- 0.8
College Graduate	10889	4,019,066	8448	68.3	66.5-70.1	1011	13.2	11.8-14.6	1007	13.7	12.3-15.1	309	3.2	2.6- 3.8	71	1.0	0.6- 1.4	43	0.5	0.3- 0.7
Less than \$15,000	3349	1,293,982	2651	74.3	71.0-77.6	333	12.2	9.8-14.6	195	7.1	5.1- 9.1	99	3.5	2.1- 4.9	46	2.1	0.7- 3.5	25	0.7	0.3- 1.1
\$15,000- 24,999	6678	2,844,873	4969	66.2	63.7-68.7	717	14.6	12.4-16.8	532	11.2	9.4-13.0	281	5.6	4.4- 6.8	126	1.8	1.2- 2.4	53	0.6	0.4- 0.8
\$25,000- 34,999	3764	1,542,682	2885	68.2	64.9-71.5	381	12.9	10.5-15.3	304	12.8	10.3-15.3	140	4.4	3.0- 5.8	39	1.1	0.5- 1.7	15	0.6	0.0- 1.2
\$35,000- 49,999	4399	1,909,891	3409	70.5	67.8-73.2	409	13.4	11.0-15.8	362	10.2	8.4-12.0	136	3.4	2.4- 4.4	56	1.9	1.1- 2.7	27	0.5	0.1- 0.9
\$50,000- 74,999	4071	1,801,842	3106	68.7	65.6-71.8	414	12.9	10.5-15.3	364	11.9	9.7-14.1	122	3.7	2.7- 4.7	44	1.9	0.7- 3.1	21	0.8	0.4- 1.2
\$75,000+	6903	3,483,485	4957	63.6	61.4-65.8	833	15.9	14.1-17.7	762	14.4	12.8-16.0	242	4.4	3.4- 5.4	76	1.3	0.7- 1.9	33	0.5	0.3- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15262	7,789,046	11935	71.8	70.4-73.2	1450	12.2	11.2-13.2	1174	10.5	9.5-11.5	467	4.0	3.4- 4.6	168	1.1	0.9- 1.3	68	0.5	0.1- 0.9
White/Non-Hisp	10819	4,421,193	8911	78.0	76.4-79.6	874	10.3	9.1-11.5	674	8.1	7.1- 9.1	237	2.7	2.1- 3.3	86	0.7	0.5- 0.9	37	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	1456	1,025,676	1052	62.3	57.0-67.6	163	13.2	9.7-16.7	140	14.9	10.8-19.0	60	5.6	3.4- 7.8	28	2.4	1.0- 3.8	13	1.7	0.0- 4.1
Oth. Race/Non-Hisp.	516	264,398	357	60.4	51.6-69.2	77	15.5	9.6-21.4	54	15.2	8.9-21.5	23	7.4	1.9-12.9	3	1.0	0.0- 2.2	2	0.7	0.0- 1.7
MultiRacial/Non-Hisp.	218	68,304	156	60.3	48.0-72.6	29	19.7	9.9-29.5	24	14.4	6.0-22.8	7	5.2	0.5- 9.9	2	0.4	0.0- 1.0			
Hispanic	1922	1,831,225	1194	63.5	59.8-67.2	269	15.3	12.4-18.2	266	13.6	11.1-16.1	133	5.7	4.1- 7.3	46	1.5	0.7- 2.3	14	0.3	0.1- 0.5
18-24	935	900,137	645	67.9	62.8-73.0	161	17.6	13.7-21.5	80	8.8	5.5-12.1	30	2.6	1.4- 3.8	15	1.6	0.4- 2.8	4	1.4	0.0- 3.9
25-34	1578	1,267,934	913	61.4	57.5-65.3	267	15.3	12.4-18.2	223	14.1	11.4-16.8	105	6.4	4.2- 8.6	52	2.2	1.2- 3.2	18	0.7	0.3- 1.1
35-44	1580	1,145,527	648	41.6	37.1-46.1	287	21.0	17.3-24.7	384	24.6	20.9-28.3	178	9.5	7.3-11.7	60	2.6	1.6- 3.6	23	0.8	0.4- 1.2
45-54	2260	1,265,075	1448	60.8	57.1-64.5	364	16.6	13.7-19.5	315	15.9	13.0-18.8	90	5.2	3.2- 7.2	29	1.0	0.4- 1.6	14	0.4	0.0- 0.8
55-64	3044	1,260,791	2679	88.5	86.3-90.7	217	6.6	5.0- 8.2	100	3.1	1.9- 4.3	40	1.7	0.7- 2.7	6	0.1	0.1- 0.1	2	0.0	0.0- 0.0
65+	5672	1,832,002	5440	95.1	93.7-96.5	142	2.9	1.9- 3.9	61	1.5	0.5- 2.5	18	0.4	0.0- 0.8	5	0.2	0.0- 0.4	6	0.0	0.0- 0.0
Less Than H.S.	1689	1,144,578	1251	70.1	65.8-74.4	174	13.4	9.9-16.9	130	8.6	6.4-10.8	84	5.3	3.3- 7.3	32	1.6	0.8- 2.4	18	0.9	0.3- 1.5
H.S. or G.E.D.	4525	2,355,540	3460	70.4	67.7-73.1	507	13.2	11.2-15.2	327	9.9	7.9-11.9	146	4.3	3.3- 5.3	70	1.5	0.9- 2.1	15	0.7	0.0- 1.7
Some Post-H.S.	4073	2,273,823	3240	73.7	71.0-76.4	375	10.9	9.1-12.7	294	10.1	8.1-12.1	109	4.2	2.8- 5.6	38	1.0	0.4- 1.6	17	0.2	0.0- 0.4
College Graduate	4906	1,972,715	3926	72.1	69.6-74.6	390	11.8	10.0-13.6	420	12.5	10.5-14.5	127	2.8	2.0- 3.6	26	0.6	0.2- 1.0	17	0.3	0.1- 0.5
Less than \$15,000	1190	564,082	1020	82.9	78.0-87.8	85	8.1	5.0-11.2	46	5.3	2.0- 8.6	27	3.2	0.7- 5.7	11	0.5	0.0- 1.3	1	0.0	0.0- 0.0
\$15,000- 24,999	2554	1,291,884	2001	71.6	67.9-75.3	238	12.4	9.3-15.5	172	9.5	7.1-11.9	86	4.5	3.1- 5.9	39	1.5	0.7- 2.3	18	0.6	0.2- 1.0
\$25,000- 34,999	1544	727,454	1205	73.6	68.9-78.3	133	7.1	5.1- 9.1	128	13.4	9.3-17.5	58	4.3	2.3- 6.3	14	1.2	0.4- 2.0	6	0.4	0.0- 0.8
\$35,000- 49,999	2011	949,353	1564	70.7	66.8-74.6	194	13.3	10.2-16.4	159	9.6	7.1-12.1	56	3.9	2.3- 5.5	26	2.2	1.0- 3.4	12	0.3	0.0- 0.7
\$50,000- 74,999	1903	924,700	1479	71.3	67.4-75.2	200	13.0	10.1-15.9	146	11.0	8.3-13.7	47	3.4	2.0- 4.8	24	1.1	0.3- 1.9	7	0.4	0.0- 0.8
\$75,000+	3528	1,946,816	2577	65.9	63.0-68.8	400	14.6	12.4-16.8	378	14.1	11.7-16.5	122	4.2	2.8- 5.6	38	0.9	0.5- 1.3	13	0.3	0.1- 0.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20995	8,379,249	15909	66.4	65.0-67.8	2188	15.2	14.0-16.4	1761	11.5	10.5-12.5	727	4.3	3.7- 4.9	274	1.8	1.4- 2.2	136	0.8	0.6- 1.0
White/Non-Hisp	15350	4,727,165	12442	73.9	72.3-75.5	1293	12.4	11.2-13.6	1008	8.8	8.0- 9.6	399	3.2	2.6- 3.8	145	1.2	0.8- 1.6	63	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	2200	1,197,877	1417	52.9	48.0-57.8	364	21.2	16.9-25.5	240	13.7	10.4-17.0	106	7.0	4.5- 9.5	43	3.2	1.2- 5.2	30	2.0	1.0- 3.0
Oth. Race/Non-Hisp.	503	312,164	368	62.0	52.8-71.2	64	14.2	8.7-19.7	49	15.7	8.4-23.0	11	4.2	0.0- 8.7	5	3.2	0.0- 7.5	6	0.7	0.0- 1.7
MultiRacial/Non-Hisp.	232	83,032	168	55.3	40.2-70.4	29	19.2	3.7-34.7	18	12.5	2.3-22.7	13	11.9	3.9-19.9	1	0.1	0.0- 0.3	3	1.1	0.0- 2.5
Hispanic	2420	1,920,052	1284	57.2	53.7-60.7	409	18.5	15.6-21.4	425	16.0	13.5-18.5	195	5.5	4.1- 6.9	76	2.1	1.3- 2.9	31	0.7	0.1- 1.3
18-24	901	864,211	545	62.4	57.3-67.5	197	23.7	19.0-28.4	103	10.1	7.2-13.0	40	2.5	1.1- 3.9	9	0.4	0.0- 0.8	7	0.8	0.0- 1.6
25-34	1834	1,262,356	580	35.1	31.2-39.0	404	25.2	21.5-28.9	465	23.9	20.4-27.4	239	10.5	8.0-13.0	95	3.6	1.8- 5.4	51	1.8	1.0- 2.6
35-44	2030	1,181,777	543	28.1	24.4-31.8	452	21.9	18.0-25.8	613	29.9	26.2-33.6	271	13.0	10.1-15.9	101	4.7	2.9- 6.5	50	2.4	1.2- 3.6
45-54	2907	1,277,998	1827	61.9	58.0-65.8	601	21.9	18.6-25.2	339	11.7	9.2-14.2	92	2.3	1.5- 3.1	35	1.4	0.4- 2.4	13	0.7	0.1- 1.3
55-64	4138	1,395,547	3671	86.4	83.9-88.9	282	8.6	6.4-10.8	117	3.1	2.1- 4.1	43	1.0	0.4- 1.6	19	1.0	0.2- 1.8	6	0.0	0.0- 0.0
65+	8861	2,218,877	8471	95.2	94.0-96.4	222	2.9	2.1- 3.7	108	0.9	0.5- 1.3	39	0.5	0.1- 0.9	12	0.4	0.0- 1.0	9	0.1	0.0- 0.3
Less Than H.S.	2150	1,074,929	1492	61.1	56.0-66.2	232	15.6	11.3-19.9	192	10.8	7.7-13.9	139	7.9	5.4-10.4	69	3.7	1.9- 5.5	26	0.7	0.3- 1.1
H.S. or G.E.D.	6334	2,399,436	4920	68.5	65.8-71.2	615	13.8	11.8-15.8	464	10.9	8.9-12.9	212	4.5	3.1- 5.9	76	1.6	0.8- 2.4	47	0.8	0.4- 1.2
Some Post-H.S.	6419	2,793,168	4883	67.4	64.9-69.9	713	16.8	14.6-19.0	513	10.1	8.5-11.7	192	3.3	2.5- 4.1	83	1.6	0.8- 2.4	35	0.9	0.5- 1.3
College Graduate	5981	2,045,205	4520	64.6	62.1-67.1	621	14.6	12.6-16.6	587	15.0	13.0-17.0	182	3.7	2.5- 4.9	45	1.4	0.4- 2.4	26	0.8	0.2- 1.4
Less than \$15,000	2159	729,900	1631	67.6	63.1-72.1	248	15.5	12.2-18.8	149	8.6	6.2-11.0	72	3.8	2.2- 5.4	35	3.3	0.9- 5.7	24	1.2	0.4- 2.0
\$15,000- 24,999	4124	1,552,989	2968	61.6	58.3-64.9	479	16.5	13.8-19.2	360	12.6	10.1-15.1	195	6.5	4.7- 8.3	87	2.1	1.3- 2.9	35	0.6	0.2- 1.0
\$25,000- 34,999	2219	814,334	1679	63.3	58.6-68.0	248	18.1	14.2-22.0	176	12.2	9.1-15.3	82	4.5	2.3- 6.7	25	1.1	0.1- 2.1	9	0.8	0.0- 2.0
\$35,000- 49,999	2388	960,537	1845	70.4	66.5-74.3	215	13.6	10.3-16.9	203	10.8	8.4-13.2	80	3.0	1.8- 4.2	30	1.6	0.8- 2.4	15	0.8	0.0- 1.6
\$50,000- 74,999	2168	877,142	1627	66.0	61.3-70.7	214	12.9	9.2-16.6	218	12.9	9.8-16.0	75	4.1	2.5- 5.7	20	2.8	0.4- 5.2	14	1.3	0.3- 2.3
\$75,000+	3374	1,536,417	2379	60.6	57.1-64.1	433	17.6	14.7-20.5	384	14.8	12.4-17.2	120	4.6	3.0- 6.2	38	1.7	0.5- 2.9	20	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	36728	16,442,053	3898	13.7	12.7-14.7	11080	29.7	28.7-30.7	10685	31.6	30.6-32.6	11065	24.9	24.1-25.7
Male	15517	7,955,305	1720	14.7	13.3-16.1	4645	30.7	29.3-32.1	4152	29.3	27.9-30.7	5000	25.3	24.1-26.5
Female	21208	8,485,005	2177	12.9	11.7-14.1	6435	28.9	27.5-30.3	6533	33.7	32.3-35.1	6063	24.5	23.3-25.7
White/Non-Hisp	26485	9,269,079	1901	8.1	7.3- 8.9	7996	28.8	27.6-30.0	8053	34.6	33.4-35.8	8535	28.4	27.4-29.4
Black or Afr. Am./Non-Hisp	3729	2,302,980	541	17.1	14.0-20.2	1349	33.6	30.3-36.9	1003	30.7	27.6-33.8	836	18.6	16.2-21.0
Oth. Race/Non-Hisp.	1039	589,243	108	8.4	3.9-12.9	267	23.5	18.0-29.0	268	24.8	19.5-30.1	396	43.3	37.0-49.6
MultiRacial/Non-Hisp.	453	151,999	62	13.2	5.4-21.0	123	28.2	19.6-36.8	154	41.2	31.2-51.2	114	17.5	11.0-24.0
Hispanic	4394	3,813,519	1230	26.7	24.2-29.2	1183	30.5	28.0-33.0	1015	25.3	22.9-27.7	966	17.4	15.6-19.2
18-24	1871	1,801,563	196	10.8	8.4-13.2	770	40.7	37.0-44.4	661	37.7	34.2-41.2	244	10.8	8.8-12.8
25-34	3480	2,601,293	428	13.5	11.3-15.7	1003	29.6	26.9-32.3	1041	32.0	29.3-34.7	1008	24.8	22.4-27.2
35-44	3699	2,387,416	475	15.8	13.1-18.5	921	24.4	21.9-26.9	1025	28.8	26.1-31.5	1278	31.0	28.3-33.7
45-54	5277	2,597,255	612	13.5	11.3-15.7	1501	28.6	26.1-31.1	1482	29.4	26.9-31.9	1682	28.5	26.1-30.9
55-64	7268	2,689,644	713	14.7	12.3-17.1	2268	28.7	26.3-31.1	2152	32.6	30.2-35.0	2135	24.0	22.0-26.0
65+	14598	4,068,388	1444	14.3	12.5-16.1	4482	29.5	27.7-31.3	4164	31.1	29.3-32.9	4508	25.1	23.7-26.5
Less Than H.S.	3898	2,260,643	3898	100.0	100.0- 100									
H.S. or G.E.D.	11080	4,886,929				11080	100.0	100.0- 100						
Some Post-H.S.	10685	5,197,613							10685	100.0	100.0- 100			
College Graduate	11065	4,096,868										11065	100.0	100.0- 100
Less than \$15,000	3365	1,298,438	923	34.5	30.6-38.4	1329	32.8	29.3-36.3	785	24.0	20.9-27.1	328	8.7	6.7-10.7
\$15,000- 24,999	6699	2,852,606	1208	24.4	22.0-26.8	2633	38.3	35.8-40.8	1932	27.2	25.0-29.4	926	10.1	8.7-11.5
\$25,000- 34,999	3776	1,549,392	351	14.1	11.0-17.2	1387	34.0	30.7-37.3	1280	36.1	32.8-39.4	758	15.8	13.6-18.0
\$35,000- 49,999	4417	1,922,004	201	7.3	5.3- 9.3	1352	32.8	29.9-35.7	1494	36.4	33.5-39.3	1370	23.4	21.0-25.8
\$50,000- 74,999	4092	1,803,937	96	3.8	2.4- 5.2	947	26.0	23.1-28.9	1322	38.6	35.5-41.7	1727	31.5	28.8-34.2
\$75,000+	6948	3,500,779	117	2.6	1.6- 3.6	993	16.4	14.6-18.2	1796	30.6	28.4-32.8	4042	50.4	48.0-52.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	15517	7,955,305	1720	14.7	13.3-16.1	4645	30.7	29.3-32.1	4152	29.3	27.9-30.7	5000	25.3	24.1-26.5
White/Non-Hisp	10983	4,496,851	797	8.6	7.4- 9.8	3219	28.8	27.2-30.4	3057	32.2	30.4-34.0	3910	30.4	28.8-32.0
Black or Afr. Am./Non-Hisp	1494	1,080,239	240	20.1	15.4-24.8	586	37.6	32.7-42.5	376	27.3	22.8-31.8	292	15.0	12.1-17.9
Oth. Race/Non-Hisp.	532	277,943	64	14.7	6.1-23.3	139	20.9	14.0-27.8	130	24.5	17.1-31.9	199	39.9	31.5-48.3
MultiRacial/Non-Hisp.	222	68,961	30	16.1	1.8-30.4	69	36.1	23.9-48.3	71	31.4	20.2-42.6	52	16.4	8.8-24.0
Hispanic	1951	1,855,163	555	26.3	22.8-29.8	546	32.6	28.9-36.3	435	24.2	20.9-27.5	415	16.9	14.4-19.4
18-24	957	923,140	118	12.6	9.3-15.9	429	47.3	42.0-52.6	297	31.1	26.4-35.8	113	9.0	6.5-11.5
25-34	1611	1,314,643	205	12.7	9.8-15.6	503	33.3	29.2-37.4	451	31.6	27.7-35.5	452	22.4	19.5-25.3
35-44	1630	1,181,804	231	17.9	14.0-21.8	470	26.3	22.6-30.0	431	29.6	25.5-33.7	498	26.3	22.6-30.0
45-54	2311	1,284,739	277	14.1	11.4-16.8	708	29.8	26.5-33.1	595	26.7	23.4-30.0	731	29.4	26.1-32.7
55-64	3089	1,277,539	354	17.9	14.0-21.8	997	27.7	24.6-30.8	820	29.1	25.8-32.4	918	25.3	22.6-28.0
65+	5708	1,851,333	525	14.0	11.3-16.7	1481	26.0	23.5-28.5	1507	29.2	26.7-31.7	2195	30.8	28.4-33.2
Less Than H.S.	1720	1,166,770	1720	100.0	100.0- 100									
H.S. or G.E.D.	4645	2,438,396				4645	100.0	100.0- 100						
Some Post-H.S.	4152	2,334,287							4152	100.0	100.0- 100			
College Graduate	5000	2,015,851										5000	100.0	100.0- 100
Less than \$15,000	1193	563,947	375	39.9	33.6-46.2	446	31.1	25.6-36.6	249	21.4	16.7-26.1	123	7.6	5.1-10.1
\$15,000- 24,999	2561	1,294,681	573	28.2	24.5-31.9	1013	38.2	34.3-42.1	628	24.1	20.8-27.4	347	9.4	7.4-11.4
\$25,000- 34,999	1552	733,253	175	19.8	14.3-25.3	601	35.1	30.2-40.0	463	30.7	26.2-35.2	313	14.4	11.7-17.1
\$35,000- 49,999	2019	956,933	126	10.6	7.3-13.9	671	35.9	31.6-40.2	639	32.0	28.1-35.9	583	21.6	18.5-24.7
\$50,000- 74,999	1916	929,289	61	4.6	2.2- 7.0	470	29.0	24.7-33.3	623	38.8	34.5-43.1	762	27.6	24.1-31.1
\$75,000+	3557	1,957,908	62	3.0	1.4- 4.6	553	18.1	15.6-20.6	846	29.2	26.3-32.1	2096	49.7	46.6-52.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21208	8,485,005	2177	12.9	11.7-14.1	6435	28.9	27.5-30.3	6533	33.7	32.3-35.1	6063	24.5	23.3-25.7
White/Non-Hisp	15500	4,771,082	1104	7.7	6.7- 8.7	4777	28.9	27.3-30.5	4996	36.9	35.3-38.5	4623	26.5	25.1-27.9
Black or Afr. Am./Non-Hisp	2234	1,222,144	300	14.5	10.2-18.8	763	30.1	25.8-34.4	627	33.7	29.4-38.0	544	21.7	18.2-25.2
Oth. Race/Non-Hisp.	507	311,300	44	2.8	0.8- 4.8	128	25.9	17.5-34.3	138	25.1	17.5-32.7	197	46.2	37.0-55.4
MultiRacial/Non-Hisp.	231	83,038	32	10.7	3.3-18.1	54	21.6	9.3-33.9	83	49.3	34.6-64.0	62	18.4	8.4-28.4
Hispanic	2443	1,958,355	675	27.1	23.6-30.6	637	28.6	25.3-31.9	580	26.4	23.3-29.5	551	18.0	15.5-20.5
18-24	914	878,423	78	8.9	5.8-12.0	341	33.8	28.9-38.7	364	44.5	39.4-49.6	131	12.7	9.6-15.8
25-34	1867	1,285,160	222	14.4	11.1-17.7	500	25.9	22.4-29.4	590	32.5	28.6-36.4	555	27.3	24.0-30.6
35-44	2069	1,205,613	244	13.8	10.3-17.3	451	22.5	18.8-26.2	594	28.0	24.5-31.5	780	35.7	31.8-39.6
45-54	2966	1,312,516	335	12.9	9.8-16.0	793	27.4	23.9-30.9	887	32.0	28.5-35.5	951	27.7	24.4-31.0
55-64	4179	1,412,105	359	11.7	8.8-14.6	1271	29.7	26.4-33.0	1332	35.8	32.5-39.1	1217	22.7	20.2-25.2
65+	8889	2,216,802	919	14.6	12.4-16.8	3001	32.4	30.0-34.8	2657	32.7	30.5-34.9	2312	20.3	18.7-21.9
Less Than H.S.	2177	1,093,276	2177	100.0	100.0- 100									
H.S. or G.E.D.	6435	2,448,532				6435	100.0	100.0- 100						
Some Post-H.S.	6533	2,863,326							6533	100.0	100.0- 100			
College Graduate	6063	2,079,871										6063	100.0	100.0- 100
Less than \$15,000	2172	734,491	548	30.4	25.5-35.3	883	34.1	29.6-38.6	536	26.0	21.7-30.3	205	9.5	6.8-12.2
\$15,000- 24,999	4138	1,557,925	635	21.2	18.1-24.3	1620	38.3	35.0-41.6	1304	29.7	26.8-32.6	579	10.7	8.9-12.5
\$25,000- 34,999	2223	815,245	176	9.0	5.9-12.1	786	33.0	28.7-37.3	817	41.0	36.3-45.7	444	17.0	13.7-20.3
\$35,000- 49,999	2398	965,071	75	4.1	1.9- 6.3	681	29.8	25.5-34.1	855	40.8	36.5-45.1	787	25.3	22.0-28.6
\$50,000- 74,999	2176	874,647	35	3.0	1.4- 4.6	477	22.9	19.0-26.8	699	38.5	33.8-43.2	965	35.6	31.5-39.7
\$75,000+	3390	1,542,618	55	2.2	0.8- 3.6	440	14.1	11.4-16.8	950	32.4	29.3-35.5	1945	51.3	47.8-54.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	29359	12,950,394	3380	10.1	9.3-10.9	6719	22.1	21.1-23.1	3788	12.0	11.2-12.8	4425	14.8	14.0-15.6	11047	41.0	39.8-42.2
Male	12825	6,444,695	1199	8.8	7.8- 9.8	2568	20.1	18.7-21.5	1558	11.4	10.2-12.6	2023	14.9	13.7-16.1	5477	44.8	43.0-46.6
Female	16532	6,504,553	2181	11.4	10.4-12.4	4151	24.0	22.6-25.4	2229	12.6	11.4-13.8	2402	14.8	13.6-16.0	5569	37.2	35.6-38.8
White/Non-Hisp	21423	7,559,407	2053	7.5	6.7- 8.3	4293	16.6	15.6-17.6	2701	10.9	10.1-11.7	3380	15.5	14.5-16.5	8996	49.5	48.1-50.9
Black or Afr. Am./Non-Hisp	2969	1,749,334	542	13.5	11.1-15.9	837	27.3	23.8-30.8	435	15.6	12.9-18.3	413	15.0	12.1-17.9	742	28.7	25.2-32.2
Oth. Race/Non-Hisp.	812	473,605	119	11.8	5.7-17.9	206	24.7	18.2-31.2	90	11.2	6.9-15.5	115	10.6	6.7-14.5	282	41.8	34.5-49.1
MultiRacial/Non-Hisp.	372	122,964	66	12.4	5.5-19.3	93	23.7	14.9-32.5	45	15.3	6.3-24.3	51	17.2	6.6-27.8	117	31.3	21.9-40.7
Hispanic	3412	2,869,339	554	14.5	12.3-16.7	1213	32.9	30.2-35.6	469	13.1	11.1-15.1	400	13.0	10.8-15.2	776	26.4	23.7-29.1
18-24	1300	1,215,013	173	12.1	9.4-14.8	379	25.2	21.7-28.7	212	14.8	11.9-17.7	202	15.2	12.1-18.3	334	32.6	28.3-36.9
25-34	2899	2,145,163	300	9.0	7.2-10.8	724	24.5	21.8-27.2	411	13.3	11.1-15.5	490	16.2	14.0-18.4	974	36.9	33.8-40.0
35-44	3176	1,993,762	295	7.2	5.8- 8.6	705	22.3	19.6-25.0	367	10.3	8.1-12.5	421	12.6	10.6-14.6	1388	47.6	44.5-50.7
45-54	4497	2,195,696	528	10.9	8.9-12.9	835	18.2	15.8-20.6	458	9.6	7.8-11.4	593	12.3	10.5-14.1	2083	49.0	46.1-51.9
55-64	6089	2,225,386	836	11.3	9.3-13.3	1230	20.3	17.9-22.7	670	10.7	8.9-12.5	844	14.9	12.7-17.1	2509	42.9	40.2-45.6
65+	11156	3,037,112	1229	10.7	9.3-12.1	2798	23.4	21.6-25.2	1642	13.6	12.0-15.2	1835	17.0	15.4-18.6	3652	35.4	33.4-37.4
Less Than H.S.	2896	1,662,817	923	27.0	23.5-30.5	1208	41.8	37.9-45.7	351	13.1	10.0-16.2	201	8.5	6.1-10.9	213	9.6	7.1-12.1
H.S. or G.E.D.	8641	3,718,027	1329	11.5	10.1-12.9	2633	29.4	27.2-31.6	1387	14.2	12.6-15.8	1352	17.0	15.2-18.8	1940	28.0	25.8-30.2
Some Post-H.S.	8609	4,114,568	785	7.6	6.6- 8.6	1932	18.8	17.2-20.4	1280	13.6	12.2-15.0	1494	17.0	15.4-18.6	3118	43.0	40.8-45.2
College Graduate	9151	3,431,743	328	3.3	2.5- 4.1	926	8.4	7.4- 9.4	758	7.1	6.1- 8.1	1370	13.1	11.9-14.3	5769	68.0	66.2-69.8
Less than \$15,000	3380	1,305,029	3380	100.0	100.0- 100												
\$15,000- 24,999	6719	2,858,430				6719	100.0	100.0- 100									
\$25,000- 34,999	3788	1,553,018							3788	100.0	100.0- 100						
\$35,000- 49,999	4425	1,922,651										4425	100.0	100.0- 100			
\$50,000- 74,999	4094	1,808,414													4094	100.0	100.0- 100
\$75,000+	6953	3,502,853													6953	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12825	6,444,695	1199	8.8	7.8- 9.8	2568	20.1	18.7-21.5	1558	11.4	10.2-12.6	2023	14.9	13.7-16.1	5477	44.8	43.0-46.6
White/Non-Hisp	9229	3,742,006	699	6.4	5.4- 7.4	1569	14.6	13.2-16.0	1040	9.7	8.5-10.9	1520	15.4	14.0-16.8	4401	54.0	52.0-56.0
Black or Afr. Am./Non-Hisp	1201	816,841	195	12.6	9.1-16.1	285	24.0	18.9-29.1	194	17.5	12.8-22.2	180	16.3	11.8-20.8	347	29.6	24.7-34.5
Oth. Race/Non-Hisp.	424	225,572	47	13.5	3.3-23.7	98	23.2	14.6-31.8	50	12.0	5.5-18.5	68	12.3	6.6-18.0	161	39.1	29.3-48.9
MultiRacial/Non-Hisp.	183	56,850	29	6.4	0.0-13.7	46	27.0	14.5-39.5	24	19.6	3.9-35.3	25	16.7	6.5-26.9	59	30.3	18.5-42.1
Hispanic	1582	1,495,630	210	12.1	9.6-14.6	526	30.9	27.0-34.8	227	12.4	9.7-15.1	197	13.2	10.3-16.1	422	31.4	27.3-35.5
18-24	652	603,096	78	10.8	6.9-14.7	176	26.4	21.1-31.7	103	14.1	10.0-18.2	102	14.1	9.8-18.4	193	34.5	28.4-40.6
25-34	1342	1,080,117	102	7.3	4.8- 9.8	299	21.4	17.7-25.1	188	13.3	10.2-16.4	252	17.5	14.2-20.8	501	40.5	36.0-45.0
35-44	1405	999,978	107	5.7	3.9- 7.5	288	21.6	17.7-25.5	172	11.2	7.9-14.5	197	13.4	10.3-16.5	641	48.1	43.4-52.8
45-54	1982	1,092,676	206	11.0	8.3-13.7	328	16.1	13.2-19.0	202	9.1	6.9-11.3	270	12.9	10.4-15.4	976	50.9	47.0-54.8
55-64	2630	1,102,618	338	11.1	8.4-13.8	505	19.3	15.8-22.8	253	9.8	7.4-12.2	362	13.0	10.3-15.7	1172	46.8	42.7-50.9
65+	4717	1,506,153	361	8.0	6.0-10.0	958	19.5	17.0-22.0	631	12.1	9.9-14.3	821	17.2	14.7-19.7	1946	43.2	40.1-46.3
Less Than H.S.	1372	936,450	375	24.0	19.3-28.7	573	39.0	33.7-44.3	175	15.5	10.8-20.2	126	10.8	7.3-14.3	123	10.7	7.0-14.4
H.S. or G.E.D.	3754	1,896,063	446	9.3	7.5-11.1	1013	26.1	23.4-28.8	601	13.6	11.4-15.8	671	18.1	15.6-20.6	1023	32.9	29.8-36.0
Some Post-H.S.	3448	1,896,137	249	6.4	5.0- 7.8	628	16.5	14.1-18.9	463	11.9	9.9-13.9	639	16.1	13.9-18.3	1469	49.2	46.1-52.3
College Graduate	4224	1,707,361	123	2.5	1.7- 3.3	347	7.2	5.8- 8.6	313	6.2	5.0- 7.4	583	12.1	10.3-13.9	2858	72.0	69.6-74.4
Less than \$15,000	1199	565,599	1199	100.0	100.0- 100												
\$15,000- 24,999	2568	1,296,686				2568	100.0	100.0- 100									
\$25,000- 34,999	1558	735,697							1558	100.0	100.0- 100						
\$35,000- 49,999	2023	957,469										2023	100.0	100.0- 100			
\$50,000- 74,999	1916	929,289													1916	100.0	100.0- 100
\$75,000+	3561	1,959,955													3561	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	16532	6,504,553	2181	11.4	10.4-12.4	4151	24.0	22.6-25.4	2229	12.6	11.4-13.8	2402	14.8	13.6-16.0	5569	37.2	35.6-38.8
White/Non-Hisp	12192	3,816,255	1354	8.6	7.6- 9.6	2724	18.6	17.2-20.0	1660	12.0	10.8-13.2	1860	15.7	14.3-17.1	4594	45.1	43.3-46.9
Black or Afr. Am./Non-Hisp	1768	932,493	347	14.2	11.1-17.3	552	30.3	25.4-35.2	241	13.9	10.6-17.2	233	13.8	10.1-17.5	395	27.8	22.9-32.7
Oth. Race/Non-Hisp.	388	248,033	72	10.2	3.7-16.7	108	26.0	16.6-35.4	40	10.4	4.5-16.3	47	9.1	3.8-14.4	121	44.3	33.7-54.9
MultiRacial/Non-Hisp.	189	66,113	37	17.6	6.6-28.6	47	20.9	8.6-33.2	21	11.7	2.5-20.9	26	17.7	0.1-35.3	58	32.1	18.0-46.2
Hispanic	1830	1,373,709	344	17.2	14.1-20.3	687	35.1	31.2-39.0	242	13.8	10.9-16.7	203	12.8	9.9-15.7	354	21.0	17.3-24.7
18-24	648	611,917	95	13.5	9.6-17.4	203	23.9	19.2-28.6	109	15.6	11.7-19.5	100	16.3	11.6-21.0	141	30.8	24.7-36.9
25-34	1556	1,064,153	198	10.7	8.2-13.2	425	27.6	23.7-31.5	222	13.3	10.2-16.4	238	15.0	11.9-18.1	473	33.4	29.3-37.5
35-44	1771	993,784	188	8.8	6.4-11.2	417	23.0	19.3-26.7	195	9.4	6.9-11.9	224	11.8	9.3-14.3	747	47.0	42.5-51.5
45-54	2515	1,103,020	322	10.8	8.1-13.5	507	20.2	16.7-23.7	256	10.1	7.4-12.8	323	11.8	9.3-14.3	1107	47.2	42.9-51.5
55-64	3459	1,122,768	498	11.5	9.0-14.0	725	21.2	17.9-24.5	417	11.6	9.2-14.0	482	16.7	13.6-19.8	1337	39.0	35.3-42.7
65+	6438	1,530,707	868	13.3	11.1-15.5	1840	27.1	24.6-29.6	1011	15.1	13.1-17.1	1014	16.8	14.6-19.0	1705	27.7	25.3-30.1
Less Than H.S.	1524	726,367	548	30.8	25.5-36.1	635	45.5	39.6-51.4	176	10.0	6.5-13.5	75	5.5	2.8- 8.2	90	8.2	4.9-11.5
H.S. or G.E.D.	4887	1,821,964	883	13.7	11.7-15.7	1620	32.8	29.7-35.9	786	14.8	12.6-17.0	681	15.8	13.3-18.3	917	23.0	20.3-25.7
Some Post-H.S.	5161	2,218,431	536	8.6	7.0-10.2	1304	20.9	18.7-23.1	817	15.1	13.1-17.1	855	17.8	15.6-20.0	1649	37.7	35.0-40.4
College Graduate	4925	1,723,236	205	4.0	2.8- 5.2	579	9.7	8.1-11.3	444	8.1	6.5- 9.7	787	14.2	12.4-16.0	2910	64.0	61.3-66.7
Less than \$15,000	2181	739,430	2181	100.0	100.0- 100												
\$15,000- 24,999	4151	1,561,744				4151	100.0	100.0- 100									
\$25,000- 34,999	2229	816,428							2229	100.0	100.0- 100						
\$35,000- 49,999	2402	965,181										2402	100.0	100.0- 100			
\$50,000- 74,999	2178	879,125													2178	100.0	100.0- 100
\$75,000+	3391	1,542,645													3391	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 9: TOBACCO USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	99
2	MALES ONLY	100
3	FEMALES ONLY	101
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	102
5	MALES ONLY	103
6	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35062	15,546,461	3823	10.1	9.5-10.7	1652	5.4	4.8- 6.0	10998	26.5	25.5-27.5	18589	58.0	57.0-59.0
Male	14791	7,489,638	1772	11.3	10.3-12.3	776	6.5	5.7- 7.3	5420	30.9	29.5-32.3	6823	51.3	49.7-52.9
Female	20268	8,055,080	2050	8.9	8.1- 9.7	875	4.4	3.8- 5.0	5578	22.4	21.2-23.6	11765	64.3	62.9-65.7
White/Non-Hisp	25435	8,857,566	3030	12.5	11.7-13.3	1110	5.4	4.8- 6.0	9039	33.7	32.5-34.9	12256	48.4	47.2-49.6
Black or Afr. Am./Non-Hisp	3457	2,110,281	258	6.4	5.0- 7.8	208	6.1	4.5- 7.7	563	11.5	9.1-13.9	2428	76.0	73.1-78.9
Oth. Race/Non-Hisp.	985	561,854	143	7.0	4.3- 9.7	50	2.5	1.3- 3.7	235	11.3	7.6-15.0	557	79.1	74.4-83.8
MultiRacial/Non-Hisp.	434	134,085	79	15.4	9.5-21.3	37	15.5	6.9-24.1	142	25.1	17.7-32.5	176	43.9	34.1-53.7
Hispanic	4160	3,590,740	258	6.7	5.3- 8.1	218	5.1	3.9- 6.3	814	19.6	17.4-21.8	2870	68.6	66.1-71.1
18-24	1766	1,713,550	122	5.2	3.8- 6.6	95	6.1	4.3- 7.9	120	6.1	4.5- 7.7	1429	82.7	80.2-85.2
25-34	3275	2,428,729	451	12.4	10.6-14.2	262	8.0	6.4- 9.6	537	16.1	13.7-18.5	2025	63.5	60.6-66.4
35-44	3504	2,236,062	492	11.4	9.8-13.0	239	7.0	5.2- 8.8	736	21.5	19.0-24.0	2037	60.0	57.1-62.9
45-54	5010	2,444,142	802	14.5	12.5-16.5	292	5.8	4.4- 7.2	1145	21.2	19.0-23.4	2771	58.5	55.8-61.2
55-64	6976	2,553,101	1005	12.3	10.7-13.9	384	5.8	4.6- 7.0	2270	32.4	30.0-34.8	3317	49.5	47.0-52.0
65+	14040	3,892,719	919	6.0	5.0- 7.0	369	2.3	1.7- 2.9	6054	44.2	42.2-46.2	6698	47.4	45.4-49.4
Less Than H.S.	3656	2,106,773	652	16.8	14.3-19.3	266	8.7	6.5-10.9	948	22.9	19.6-26.2	1790	51.6	47.9-55.3
H.S. or G.E.D.	10476	4,573,767	1450	13.1	11.7-14.5	540	5.6	4.6- 6.6	3282	25.9	24.1-27.7	5204	55.3	53.3-57.3
Some Post-H.S.	10189	4,907,353	1156	9.1	8.1-10.1	549	6.0	5.0- 7.0	3495	29.1	27.5-30.7	4989	55.8	53.8-57.8
College Graduate	10575	3,876,252	555	4.3	3.5- 5.1	292	2.6	2.0- 3.2	3235	26.2	24.6-27.8	6493	66.9	65.1-68.7
Less than \$15,000	3255	1,258,609	638	18.1	15.4-20.8	292	8.6	6.6-10.6	875	22.9	19.8-26.0	1450	50.5	46.6-54.4
\$15,000- 24,999	6435	2,697,599	978	14.5	12.9-16.1	416	7.5	5.9- 9.1	1870	23.3	21.1-25.5	3171	54.7	52.2-57.2
\$25,000- 34,999	3662	1,494,058	436	10.5	8.3-12.7	190	6.8	5.0- 8.6	1163	25.6	22.5-28.7	1873	57.1	53.6-60.6
\$35,000- 49,999	4311	1,847,210	466	10.2	8.4-12.0	177	5.7	4.1- 7.3	1466	28.3	25.8-30.8	2202	55.9	53.0-58.8
\$50,000- 74,999	4001	1,766,141	340	9.5	7.5-11.5	161	4.5	3.3- 5.7	1446	30.9	28.2-33.6	2054	55.1	52.0-58.2
\$75,000+	6799	3,417,852	395	5.5	4.5- 6.5	182	2.8	2.0- 3.6	2191	29.6	27.6-31.6	4031	62.1	59.9-64.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14791	7,489,638	1772	11.3	10.3-12.3	776	6.5	5.7- 7.3	5420	30.9	29.5-32.3	6823	51.3	49.7-52.9
White/Non-Hisp	10550	4,297,637	1326	13.1	11.9-14.3	468	5.7	4.7- 6.7	4320	37.6	35.8-39.4	4436	43.6	41.8-45.4
Black or Afr. Am./Non-Hisp	1383	975,971	152	9.3	6.6-12.0	118	8.0	5.3-10.7	287	15.5	11.6-19.4	826	67.2	62.3-72.1
Oth. Race/Non-Hisp.	500	260,843	80	8.7	4.6-12.8	25	3.6	1.2- 6.0	127	15.2	8.9-21.5	268	72.5	64.9-80.1
MultiRacial/Non-Hisp.	210	62,123	44	17.8	9.4-26.2	19	14.1	3.3-24.9	75	26.7	15.5-37.9	72	41.4	27.1-55.7
Hispanic	1829	1,722,553	138	8.4	6.2-10.6	130	7.8	5.4-10.2	489	25.7	22.2-29.2	1072	58.2	54.3-62.1
18-24	905	877,139	72	6.1	4.1- 8.1	63	8.2	5.3-11.1	79	7.8	5.3-10.3	691	77.9	73.8-82.0
25-34	1520	1,230,227	202	13.4	10.7-16.1	142	9.2	6.8-11.6	296	19.6	16.3-22.9	880	57.8	53.7-61.9
35-44	1537	1,093,547	238	12.9	10.4-15.4	133	10.4	6.9-13.9	388	26.5	22.4-30.6	778	50.2	45.7-54.7
45-54	2191	1,209,440	359	15.3	12.8-17.8	132	6.8	4.8- 8.8	559	24.1	21.0-27.2	1141	53.9	50.2-57.6
55-64	2955	1,201,629	483	14.6	11.9-17.3	158	5.4	3.8- 7.0	1066	35.9	32.2-39.6	1248	44.1	40.2-48.0
65+	5491	1,762,591	406	6.8	5.2- 8.4	146	2.2	1.4- 3.0	2972	54.3	51.4-57.2	1967	36.7	33.8-39.6
Less Than H.S.	1604	1,070,989	331	19.2	15.3-23.1	151	11.5	8.2-14.8	516	28.4	23.5-33.3	606	41.0	35.9-46.1
H.S. or G.E.D.	4393	2,280,312	718	14.6	12.6-16.6	283	7.2	5.8- 8.6	1599	29.3	26.8-31.8	1793	48.9	46.0-51.8
Some Post-H.S.	3954	2,197,697	465	9.6	8.0-11.2	211	6.2	4.4- 8.0	1556	33.9	31.2-36.6	1722	50.3	47.4-53.2
College Graduate	4769	1,900,693	255	5.1	3.9- 6.3	128	3.3	2.3- 4.3	1728	31.2	28.8-33.6	2658	60.4	57.9-62.9
Less than \$15,000	1156	546,863	277	21.2	16.3-26.1	123	11.7	8.0-15.4	345	23.4	18.7-28.1	411	43.7	37.4-50.0
\$15,000- 24,999	2454	1,214,607	429	16.7	14.0-19.4	198	9.8	7.1-12.5	852	28.4	24.9-31.9	975	45.1	41.0-49.2
\$25,000- 34,999	1516	713,819	170	10.2	6.9-13.5	101	7.9	5.4-10.4	600	32.6	27.5-37.7	645	49.2	43.9-54.5
\$35,000- 49,999	1967	910,912	246	11.4	9.0-13.8	75	4.8	2.8- 6.8	772	32.7	28.8-36.6	874	51.1	46.8-55.4
\$50,000- 74,999	1870	906,581	183	10.7	8.0-13.4	84	5.6	3.8- 7.4	764	35.0	30.9-39.1	839	48.7	44.2-53.2
\$75,000+	3470	1,897,705	222	6.3	4.7- 7.9	90	3.1	2.1- 4.1	1256	34.3	31.4-37.2	1902	56.2	53.1-59.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20268	8,055,080	2050	8.9	8.1- 9.7	875	4.4	3.8- 5.0	5578	22.4	21.2-23.6	11765	64.3	62.9-65.7
White/Non-Hisp	14883	4,558,784	1704	11.9	10.7-13.1	641	5.1	4.3- 5.9	4719	30.0	28.6-31.4	7819	52.9	51.1-54.7
Black or Afr. Am./Non-Hisp	2073	1,133,712	105	3.8	2.6- 5.0	90	4.4	2.6- 6.2	276	8.1	5.6-10.6	1602	83.6	80.5-86.7
Oth. Race/Non-Hisp.	485	301,011	63	5.6	2.1- 9.1	25	1.5	0.1- 2.9	108	8.0	3.9-12.1	289	84.9	79.4-90.4
MultiRacial/Non-Hisp.	224	71,962	35	13.4	5.2-21.6	18	16.7	3.6-29.8	67	23.8	14.0-33.6	104	46.1	32.4-59.8
Hispanic	2331	1,868,187	120	5.2	3.6- 6.8	88	2.6	1.6- 3.6	325	14.0	11.3-16.7	1798	78.2	75.1-81.3
18-24	861	836,411	50	4.1	2.5- 5.7	32	3.8	1.8- 5.8	41	4.2	2.4- 6.0	738	87.8	84.9-90.7
25-34	1753	1,197,011	248	11.3	8.9-13.7	119	6.6	4.6- 8.6	241	12.6	9.5-15.7	1145	69.5	65.6-73.4
35-44	1967	1,142,515	254	10.0	7.8-12.2	106	3.7	2.5- 4.9	348	16.8	13.9-19.7	1259	69.5	66.0-73.0
45-54	2819	1,234,702	443	13.8	11.1-16.5	160	4.8	3.2- 6.4	586	18.4	15.7-21.1	1630	63.1	59.4-66.8
55-64	4021	1,351,472	522	10.3	8.5-12.1	226	6.2	4.2- 8.2	1204	29.2	26.1-32.3	2069	54.3	50.8-57.8
65+	8548	2,129,875	513	5.4	4.2- 6.6	223	2.4	1.6- 3.2	3082	35.8	33.4-38.2	4730	56.3	53.9-58.7
Less Than H.S.	2051	1,035,187	320	14.3	11.4-17.2	115	5.9	3.7- 8.1	432	17.2	13.3-21.1	1184	62.6	57.7-67.5
H.S. or G.E.D.	6083	2,293,455	732	11.5	9.7-13.3	257	4.1	2.9- 5.3	1683	22.6	20.4-24.8	3411	61.8	59.1-64.5
Some Post-H.S.	6235	2,709,656	691	8.6	7.4- 9.8	338	5.8	4.6- 7.0	1939	25.3	23.3-27.3	3267	60.3	57.9-62.7
College Graduate	5804	1,974,413	300	3.6	2.8- 4.4	163	2.0	1.4- 2.6	1507	21.4	19.4-23.4	3834	73.1	70.9-75.3
Less than \$15,000	2099	711,746	361	15.7	12.6-18.8	169	6.1	4.1- 8.1	530	22.5	18.2-26.8	1039	55.6	50.7-60.5
\$15,000- 24,999	3981	1,482,992	549	12.7	10.7-14.7	218	5.6	4.0- 7.2	1018	19.1	16.6-21.6	2196	62.6	59.5-65.7
\$25,000- 34,999	2145	779,345	266	10.8	8.3-13.3	88	5.7	3.0- 8.4	563	19.2	15.9-22.5	1228	64.4	60.1-68.7
\$35,000- 49,999	2344	936,298	220	9.1	6.7-11.5	102	6.5	4.0- 9.0	694	24.0	20.7-27.3	1328	60.4	56.3-64.5
\$50,000- 74,999	2131	859,560	157	8.2	5.5-10.9	77	3.4	1.8- 5.0	682	26.6	22.9-30.3	1215	61.8	57.5-66.1
\$75,000+	3328	1,519,894	173	4.4	3.0- 5.8	92	2.5	1.5- 3.5	935	23.6	21.1-26.1	2128	69.6	66.7-72.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35062	15,546,461	29587	84.5	83.7-85.3	5475	15.5	14.7-16.3
Male	14791	7,489,638	12243	82.2	81.0-83.4	2548	17.8	16.6-19.0
Female	20268	8,055,080	17343	86.7	85.7-87.7	2925	13.3	12.3-14.3
White/Non-Hisp	25435	8,857,566	21295	82.1	81.1-83.1	4140	17.9	16.9-18.9
Black or Afr. Am./Non-Hisp	3457	2,110,281	2991	87.6	85.6-89.6	466	12.4	10.4-14.4
Oth. Race/Non-Hisp.	985	561,854	792	90.5	87.6-93.4	193	9.5	6.6-12.4
MultiRacial/Non-Hisp.	434	134,085	318	69.1	59.7-78.5	116	30.9	21.5-40.3
Hispanic	4160	3,590,740	3684	88.2	86.4-90.0	476	11.8	10.0-13.6
18-24	1766	1,713,550	1549	88.8	86.6-91.0	217	11.2	9.0-13.4
25-34	3275	2,428,729	2562	79.6	77.2-82.0	713	20.4	18.0-22.8
35-44	3504	2,236,062	2773	81.6	79.2-84.0	731	18.4	16.0-20.8
45-54	5010	2,444,142	3916	79.7	77.5-81.9	1094	20.3	18.1-22.5
55-64	6976	2,553,101	5587	81.9	79.9-83.9	1389	18.1	16.1-20.1
65+	14040	3,892,719	12752	91.7	90.5-92.9	1288	8.3	7.1- 9.5
Less Than H.S.	3656	2,106,773	2738	74.5	71.6-77.4	918	25.5	22.6-28.4
H.S. or G.E.D.	10476	4,573,767	8486	81.3	79.7-82.9	1990	18.7	17.1-20.3
Some Post-H.S.	10189	4,907,353	8484	85.0	83.6-86.4	1705	15.0	13.6-16.4
College Graduate	10575	3,876,252	9728	93.1	92.1-94.1	847	6.9	5.9- 7.9
Less than \$15,000	3255	1,258,609	2325	73.4	70.1-76.7	930	26.6	23.3-29.9
\$15,000- 24,999	6435	2,697,599	5041	78.0	75.8-80.2	1394	22.0	19.8-24.2
\$25,000- 34,999	3662	1,494,058	3036	82.7	80.0-85.4	626	17.3	14.6-20.0
\$35,000- 49,999	4311	1,847,210	3668	84.1	81.9-86.3	643	15.9	13.7-18.1
\$50,000- 74,999	4001	1,766,141	3500	86.0	83.8-88.2	501	14.0	11.8-16.2
\$75,000+	6799	3,417,852	6222	91.7	90.5-92.9	577	8.3	7.1- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14791	7,489,638	12243	82.2	81.0-83.4	2548	17.8	16.6-19.0
White/Non-Hisp	10550	4,297,637	8756	81.2	79.6-82.8	1794	18.8	17.2-20.4
Black or Afr. Am./Non-Hisp	1383	975,971	1113	82.7	79.0-86.4	270	17.3	13.6-21.0
Oth. Race/Non-Hisp.	500	260,843	395	87.7	83.0-92.4	105	12.3	7.6-17.0
MultiRacial/Non-Hisp.	210	62,123	147	68.1	55.6-80.6	63	31.9	19.4-44.4
Hispanic	1829	1,722,553	1561	83.8	80.9-86.7	268	16.2	13.3-19.1
18-24	905	877,139	770	85.7	82.2-89.2	135	14.3	10.8-17.8
25-34	1520	1,230,227	1176	77.4	73.9-80.9	344	22.6	19.1-26.1
35-44	1537	1,093,547	1166	76.7	72.8-80.6	371	23.3	19.4-27.2
45-54	2191	1,209,440	1700	77.9	74.8-81.0	491	22.1	19.0-25.2
55-64	2955	1,201,629	2314	80.0	77.1-82.9	641	20.0	17.1-22.9
65+	5491	1,762,591	4939	91.0	89.2-92.8	552	9.0	7.2-10.8
Less Than H.S.	1604	1,070,989	1122	69.4	64.7-74.1	482	30.6	25.9-35.3
H.S. or G.E.D.	4393	2,280,312	3392	78.2	75.8-80.6	1001	21.8	19.4-24.2
Some Post-H.S.	3954	2,197,697	3278	84.2	82.0-86.4	676	15.8	13.6-18.0
College Graduate	4769	1,900,693	4386	91.6	90.2-93.0	383	8.4	7.0- 9.8
Less than \$15,000	1156	546,863	756	67.1	61.4-72.8	400	32.9	27.2-38.6
\$15,000- 24,999	2454	1,214,607	1827	73.5	70.0-77.0	627	26.5	23.0-30.0
\$25,000- 34,999	1516	713,819	1245	81.8	77.7-85.9	271	18.2	14.1-22.3
\$35,000- 49,999	1967	910,912	1646	83.8	80.9-86.7	321	16.2	13.3-19.1
\$50,000- 74,999	1870	906,581	1603	83.7	80.6-86.8	267	16.3	13.2-19.4
\$75,000+	3470	1,897,705	3158	90.5	88.5-92.5	312	9.5	7.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20268	8,055,080	17343	86.7	85.7-87.7	2925	13.3	12.3-14.3
White/Non-Hisp	14883	4,558,784	12538	82.9	81.5-84.3	2345	17.1	15.7-18.5
Black or Afr. Am./Non-Hisp	2073	1,133,712	1878	91.8	89.6-94.0	195	8.2	6.0-10.4
Oth. Race/Non-Hisp.	485	301,011	397	92.9	89.2-96.6	88	7.1	3.4-10.8
MultiRacial/Non-Hisp.	224	71,962	171	69.9	56.2-83.6	53	30.1	16.4-43.8
Hispanic	2331	1,868,187	2123	92.2	90.2-94.2	208	7.8	5.8- 9.8
18-24	861	836,411	779	92.0	89.6-94.4	82	8.0	5.6-10.4
25-34	1753	1,197,011	1386	82.1	79.2-85.0	367	17.9	15.0-20.8
35-44	1967	1,142,515	1607	86.3	83.9-88.7	360	13.7	11.3-16.1
45-54	2819	1,234,702	2216	81.4	78.3-84.5	603	18.6	15.5-21.7
55-64	4021	1,351,472	3273	83.5	81.0-86.0	748	16.5	14.0-19.0
65+	8548	2,129,875	7812	92.2	90.8-93.6	736	7.8	6.4- 9.2
Less Than H.S.	2051	1,035,187	1616	79.8	76.3-83.3	435	20.2	16.7-23.7
H.S. or G.E.D.	6083	2,293,455	5094	84.3	82.3-86.3	989	15.7	13.7-17.7
Some Post-H.S.	6235	2,709,656	5206	85.6	83.8-87.4	1029	14.4	12.6-16.2
College Graduate	5804	1,974,413	5341	94.5	93.5-95.5	463	5.5	4.5- 6.5
Less than \$15,000	2099	711,746	1569	78.2	74.7-81.7	530	21.8	18.3-25.3
\$15,000- 24,999	3981	1,482,992	3214	81.7	79.3-84.1	767	18.3	15.9-20.7
\$25,000- 34,999	2145	779,345	1791	83.5	80.0-87.0	354	16.5	13.0-20.0
\$35,000- 49,999	2344	936,298	2022	84.5	81.2-87.8	322	15.5	12.2-18.8
\$50,000- 74,999	2131	859,560	1897	88.3	85.2-91.4	234	11.7	8.6-14.8
\$75,000+	3328	1,519,894	3063	93.2	91.6-94.8	265	6.8	5.2- 8.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 10: E-Cigarettes CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 1: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (\_ECIGSTS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35202	15,612,317	496	1.7	1.3- 2.1	853	3.0	2.6- 3.4	4498	15.5	14.7-16.3	29355	79.8	78.8-80.8
Male	14844	7,525,399	263	2.2	1.6- 2.8	386	3.4	2.8- 4.0	2079	17.5	16.3-18.7	12116	76.9	75.5-78.3
Female	20355	8,085,175	233	1.2	0.8- 1.6	467	2.6	2.2- 3.0	2418	13.7	12.7-14.7	17237	82.4	81.2-83.6
White/Non-Hisp	25546	8,882,748	407	2.3	1.9- 2.7	647	3.5	3.1- 3.9	3363	16.9	15.9-17.9	21129	77.4	76.2-78.6
Black or Afr. Am./Non-Hisp	3466	2,111,628	13	0.4	0.0- 0.8	69	2.4	1.2- 3.6	342	12.9	10.4-15.4	3042	84.3	81.6-87.0
Oth. Race/Non-Hisp.	987	560,833	12	0.2	0.0- 0.4	32	2.2	0.8- 3.6	149	7.8	5.4-10.2	794	89.8	87.1-92.5
MultiRacial/Non-Hisp.	432	133,991	13	6.4	0.1-12.7	22	7.2	2.5-11.9	93	26.3	17.7-34.9	304	60.2	50.4-70.0
Hispanic	4173	3,614,541	40	1.3	0.5- 2.1	72	2.1	1.1- 3.1	468	14.1	12.1-16.1	3593	82.5	80.3-84.7
18-24	1774	1,729,459	47	2.7	1.5- 3.9	108	7.0	5.0- 9.0	495	27.1	23.8-30.4	1124	63.2	59.7-66.7
25-34	3280	2,436,726	71	2.2	1.2- 3.2	135	4.7	3.3- 6.1	875	26.5	24.0-29.0	2199	66.6	63.7-69.5
35-44	3518	2,248,850	77	2.2	1.4- 3.0	125	3.1	2.1- 4.1	637	17.3	14.9-19.7	2679	77.4	74.9-79.9
45-54	5017	2,444,222	101	2.1	1.1- 3.1	172	2.8	2.0- 3.6	758	14.8	12.8-16.8	3986	80.3	78.1-82.5
55-64	7009	2,563,377	110	1.4	0.8- 2.0	172	2.5	1.7- 3.3	909	13.0	11.0-15.0	5818	83.1	80.9-85.3
65+	14112	3,908,626	86	0.6	0.4- 0.8	134	0.8	0.6- 1.0	789	5.2	4.4- 6.0	13103	93.4	92.4-94.4
Less Than H.S.	3667	2,104,588	45	0.8	0.4- 1.2	111	3.8	2.4- 5.2	517	16.5	13.6-19.4	2994	78.9	75.8-82.0
H.S. or G.E.D.	10506	4,598,499	182	2.3	1.5- 3.1	302	3.9	3.1- 4.7	1477	16.7	15.3-18.1	8545	77.2	75.4-79.0
Some Post-H.S.	10238	4,930,440	181	2.3	1.7- 2.9	288	3.3	2.5- 4.1	1621	18.3	16.7-19.9	8148	76.2	74.4-78.0
College Graduate	10627	3,894,573	86	0.9	0.5- 1.3	148	1.3	0.9- 1.7	872	10.2	9.0-11.4	9521	87.6	86.2-89.0
Less than \$15,000	3264	1,252,500	55	2.1	0.9- 3.3	139	4.9	3.3- 6.5	550	17.3	14.4-20.2	2520	75.7	72.4-79.0
\$15,000- 24,999	6458	2,704,658	107	1.9	1.1- 2.7	202	3.8	2.8- 4.8	996	17.8	15.8-19.8	5153	76.5	74.3-78.7
\$25,000- 34,999	3672	1,498,648	55	2.2	1.0- 3.4	95	3.6	2.2- 5.0	502	14.2	12.0-16.4	3020	80.0	77.3-82.7
\$35,000- 49,999	4321	1,851,465	69	1.7	0.9- 2.5	111	3.1	1.9- 4.3	587	16.5	14.1-18.9	3554	78.7	76.2-81.2
\$50,000- 74,999	4008	1,766,497	74	2.5	1.3- 3.7	96	3.7	2.3- 5.1	471	16.1	13.6-18.6	3367	77.7	74.8-80.6
\$75,000+	6823	3,433,801	74	1.5	0.7- 2.3	110	2.3	1.5- 3.1	675	13.3	11.5-15.1	5964	82.8	80.8-84.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 2: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (\_ECIGSTS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14844	7,525,399	263	2.2	1.6-2.8	386	3.4	2.8-4.0	2079	17.5	16.3-18.7	12116	76.9	75.5-78.3
White/Non-Hisp	10585	4,303,362	203	2.8	2.2-3.4	270	3.4	2.6-4.2	1476	18.4	16.8-20.0	8636	75.4	73.6-77.2
Black or Afr. Am./Non-Hisp	1390	983,329	8	0.5	0.1-0.9	40	3.6	1.4-5.8	173	16.5	12.4-20.6	1169	79.3	74.8-83.8
Oth. Race/Non-Hisp.	501	260,382	8	0.2	0.0-0.6	15	2.6	0.4-4.8	78	8.9	5.6-12.2	400	88.3	84.4-92.2
MultiRacial/Non-Hisp.	210	60,356	8	6.5	0.0-13.2	14	11.1	3.1-19.1	44	19.0	9.8-28.2	144	63.5	51.0-76.0
Hispanic	1838	1,743,570	27	2.1	0.7-3.5	41	3.0	1.4-4.6	262	16.7	13.8-19.6	1508	78.2	74.9-81.5
18-24	910	886,893	36	4.0	1.8-6.2	67	8.9	5.8-12.0	286	31.0	26.3-35.7	521	56.1	50.8-61.4
25-34	1518	1,232,691	49	3.3	1.5-5.1	65	4.8	2.6-7.0	443	28.5	24.8-32.2	961	63.3	59.2-67.4
35-44	1543	1,095,911	37	2.7	1.5-3.9	71	4.1	2.3-5.9	315	21.0	17.3-24.7	1120	72.2	68.1-76.3
45-54	2195	1,212,917	54	2.1	0.9-3.3	68	3.0	1.8-4.2	322	14.6	11.9-17.3	1751	80.3	77.4-83.2
55-64	2967	1,204,032	50	1.7	0.7-2.7	63	2.1	0.9-3.3	387	14.2	11.1-17.3	2467	81.9	78.6-85.2
65+	5520	1,775,553	36	0.8	0.4-1.2	50	0.6	0.2-1.0	312	5.5	4.1-6.9	5122	93.0	91.6-94.4
Less Than H.S.	1608	1,070,252	19	0.6	0.2-1.0	48	4.3	2.1-6.5	251	18.2	14.1-22.3	1290	76.9	72.4-81.4
H.S. or G.E.D.	4409	2,295,728	98	3.0	1.8-4.2	156	4.6	3.2-6.0	718	19.3	17.1-21.5	3437	73.1	70.6-75.6
Some Post-H.S.	3973	2,209,652	99	3.2	2.2-4.2	116	3.5	2.3-4.7	694	20.7	18.2-23.2	3064	72.6	69.9-75.3
College Graduate	4786	1,907,944	47	1.2	0.6-1.8	64	1.3	0.9-1.7	410	11.3	9.5-13.1	4265	86.2	84.2-88.2
Less than \$15,000	1158	544,940	26	2.0	0.4-3.6	52	5.0	2.6-7.4	213	20.3	15.6-25.0	867	72.7	67.4-78.0
\$15,000- 24,999	2461	1,218,134	51	2.7	1.1-4.3	78	4.0	2.2-5.8	422	19.0	16.1-21.9	1910	74.2	70.9-77.5
\$25,000- 34,999	1517	718,821	26	1.9	0.9-2.9	44	4.4	1.9-6.9	213	14.8	11.5-18.1	1234	78.9	74.8-83.0
\$35,000- 49,999	1969	912,553	34	2.0	0.6-3.4	59	3.1	1.7-4.5	295	16.9	13.6-20.2	1581	77.9	74.2-81.6
\$50,000- 74,999	1871	906,824	42	2.9	1.5-4.3	50	5.1	2.4-7.8	249	18.6	14.9-22.3	1530	73.4	69.1-77.7
\$75,000+	3485	1,908,091	52	2.6	1.4-3.8	60	2.7	1.5-3.9	370	15.3	12.8-17.8	3003	79.5	76.8-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 3: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (\_ECIGSTS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20355	8,085,175	233	1.2	0.8- 1.6	467	2.6	2.2- 3.0	2418	13.7	12.7-14.7	17237	82.4	81.2-83.6
White/Non-Hisp	14959	4,578,241	204	1.8	1.2- 2.4	377	3.5	2.9- 4.1	1886	15.5	14.3-16.7	12492	79.2	77.8-80.6
Black or Afr. Am./Non-Hisp	2075	1,127,701	5	0.3	0.0- 0.7	29	1.3	0.3- 2.3	169	9.8	6.9-12.7	1872	88.6	85.5-91.7
Oth. Race/Non-Hisp.	486	300,452	4	0.2	0.0- 0.4	17	1.8	0.0- 3.6	71	6.8	3.5-10.1	394	91.2	87.5-94.9
MultiRacial/Non-Hisp.	222	73,635	5	6.3	0.0-16.3	8	4.0	0.0- 9.3	49	32.2	18.9-45.5	160	57.5	43.4-71.6
Hispanic	2335	1,870,971	13	0.5	0.0- 1.1	31	1.3	0.3- 2.3	206	11.7	9.0-14.4	2085	86.5	83.8-89.2
18-24	864	842,566	11	1.4	0.4- 2.4	41	5.1	2.7- 7.5	209	22.9	18.6-27.2	603	70.6	65.9-75.3
25-34	1760	1,202,545	22	1.2	0.2- 2.2	70	4.6	2.8- 6.4	431	24.4	20.7-28.1	1237	69.9	66.0-73.8
35-44	1975	1,152,939	40	1.7	0.9- 2.5	54	2.2	1.4- 3.0	322	13.8	11.1-16.5	1559	82.4	79.5-85.3
45-54	2822	1,231,305	47	2.1	0.7- 3.5	104	2.6	1.8- 3.4	436	15.0	12.1-17.9	2235	80.4	77.1-83.7
55-64	4042	1,359,345	60	1.1	0.3- 1.9	109	2.8	1.8- 3.8	522	11.9	9.5-14.3	3351	84.2	81.7-86.7
65+	8591	2,132,821	50	0.4	0.2- 0.6	84	1.0	0.6- 1.4	477	4.9	3.9- 5.9	7980	93.7	92.5-94.9
Less Than H.S.	2058	1,033,739	26	1.1	0.3- 1.9	63	3.2	1.6- 4.8	266	14.8	10.9-18.7	1703	80.9	76.6-85.2
H.S. or G.E.D.	6097	2,302,771	84	1.5	0.7- 2.3	146	3.1	2.1- 4.1	759	14.1	12.1-16.1	5108	81.2	79.0-83.4
Some Post-H.S.	6265	2,720,788	82	1.5	0.7- 2.3	172	3.1	2.1- 4.1	927	16.4	14.4-18.4	5084	79.0	76.8-81.2
College Graduate	5839	1,985,483	39	0.6	0.2- 1.0	84	1.3	0.7- 1.9	461	9.0	7.4-10.6	5255	89.1	87.3-90.9
Less than \$15,000	2106	707,560	29	2.2	0.4- 4.0	87	4.8	2.6- 7.0	337	15.0	11.3-18.7	1653	78.0	73.7-82.3
\$15,000- 24,999	3997	1,486,524	56	1.2	0.6- 1.8	124	3.6	2.4- 4.8	574	16.9	14.4-19.4	3243	78.4	75.7-81.1
\$25,000- 34,999	2154	778,934	29	2.5	0.5- 4.5	51	2.9	1.5- 4.3	288	13.5	10.6-16.4	1786	81.1	77.4-84.8
\$35,000- 49,999	2352	938,912	35	1.4	0.6- 2.2	52	3.1	1.3- 4.9	292	16.1	12.8-19.4	1973	79.4	75.9-82.9
\$50,000- 74,999	2137	859,673	32	2.2	0.4- 4.0	46	2.2	1.2- 3.2	222	13.5	10.4-16.6	1837	82.1	78.6-85.6
\$75,000+	3337	1,525,458	22	0.2	0.0- 0.4	50	1.9	0.9- 2.9	305	10.9	8.7-13.1	2960	87.0	84.6-89.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 10: E-Cigarettes**

**TABLE 4: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECIG)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35202	15,612,317	33853	95.3	94.9-95.7	1349	4.7	4.3- 5.1
Male	14844	7,525,399	14195	94.4	93.6-95.2	649	5.6	4.8- 6.4
Female	20355	8,085,175	19655	96.1	95.5-96.7	700	3.9	3.3- 4.5
White/Non-Hisp	25546	8,882,748	24492	94.3	93.7-94.9	1054	5.7	5.1- 6.3
Black or Afr. Am./Non-Hisp	3466	2,111,628	3384	97.2	96.0-98.4	82	2.8	1.6- 4.0
Oth. Race/Non-Hisp.	987	560,833	943	97.6	96.2-99.0	44	2.4	1.0- 3.8
MultiRacial/Non-Hisp.	432	133,991	397	86.4	79.0-93.8	35	13.6	6.2-21.0
Hispanic	4173	3,614,541	4061	96.6	95.4-97.8	112	3.4	2.2- 4.6
18-24	1774	1,729,459	1619	90.2	87.8-92.6	155	9.8	7.4-12.2
25-34	3280	2,436,726	3074	93.0	91.2-94.8	206	7.0	5.2- 8.8
35-44	3518	2,248,850	3316	94.7	93.5-95.9	202	5.3	4.1- 6.5
45-54	5017	2,444,222	4744	95.2	94.0-96.4	273	4.8	3.6- 6.0
55-64	7009	2,563,377	6727	96.1	95.1-97.1	282	3.9	2.9- 4.9
65+	14112	3,908,626	13892	98.6	98.2-99.0	220	1.4	1.0- 1.8
Less Than H.S.	3667	2,104,588	3511	95.4	94.0-96.8	156	4.6	3.2- 6.0
H.S. or G.E.D.	10506	4,598,499	10022	93.9	92.7-95.1	484	6.1	4.9- 7.3
Some Post-H.S.	10238	4,930,440	9769	94.5	93.5-95.5	469	5.5	4.5- 6.5
College Graduate	10627	3,894,573	10393	97.8	97.4-98.2	234	2.2	1.8- 2.6
Less than \$15,000	3264	1,252,500	3070	93.0	91.0-95.0	194	7.0	5.0- 9.0
\$15,000- 24,999	6458	2,704,658	6149	94.4	93.2-95.6	309	5.6	4.4- 6.8
\$25,000- 34,999	3672	1,498,648	3522	94.2	92.4-96.0	150	5.8	4.0- 7.6
\$35,000- 49,999	4321	1,851,465	4141	95.2	93.8-96.6	180	4.8	3.4- 6.2
\$50,000- 74,999	4008	1,766,497	3838	93.8	92.0-95.6	170	6.2	4.4- 8.0
\$75,000+	6823	3,433,801	6639	96.1	95.1-97.1	184	3.9	2.9- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 5: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECIG)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14844	7,525,399	14195	94.4	93.6-95.2	649	5.6	4.8- 6.4
White/Non-Hisp	10585	4,303,362	10112	93.9	92.9-94.9	473	6.1	5.1- 7.1
Black or Afr. Am./Non-Hisp	1390	983,329	1342	95.8	93.6-98.0	48	4.2	2.0- 6.4
Oth. Race/Non-Hisp.	501	260,382	478	97.2	95.0-99.4	23	2.8	0.6- 5.0
MultiRacial/Non-Hisp.	210	60,356	188	82.5	72.5-92.5	22	17.5	7.5-27.5
Hispanic	1838	1,743,570	1770	94.9	92.9-96.9	68	5.1	3.1- 7.1
18-24	910	886,893	807	87.1	83.4-90.8	103	12.9	9.2-16.6
25-34	1518	1,232,691	1404	91.8	89.3-94.3	114	8.2	5.7-10.7
35-44	1543	1,095,911	1435	93.2	91.0-95.4	108	6.8	4.6- 9.0
45-54	2195	1,212,917	2073	94.9	93.3-96.5	122	5.1	3.5- 6.7
55-64	2967	1,204,032	2854	96.1	94.5-97.7	113	3.9	2.3- 5.5
65+	5520	1,775,553	5434	98.6	98.0-99.2	86	1.4	0.8- 2.0
Less Than H.S.	1608	1,070,252	1541	95.1	92.9-97.3	67	4.9	2.7- 7.1
H.S. or G.E.D.	4409	2,295,728	4155	92.4	90.6-94.2	254	7.6	5.8- 9.4
Some Post-H.S.	3973	2,209,652	3758	93.3	91.7-94.9	215	6.7	5.1- 8.3
College Graduate	4786	1,907,944	4675	97.6	96.8-98.4	111	2.4	1.6- 3.2
Less than \$15,000	1158	544,940	1080	93.0	90.1-95.9	78	7.0	4.1- 9.9
\$15,000- 24,999	2461	1,218,134	2332	93.3	90.9-95.7	129	6.7	4.3- 9.1
\$25,000- 34,999	1517	718,821	1447	93.7	91.2-96.2	70	6.3	3.8- 8.8
\$35,000- 49,999	1969	912,553	1876	94.9	92.9-96.9	93	5.1	3.1- 7.1
\$50,000- 74,999	1871	906,824	1779	92.0	89.1-94.9	92	8.0	5.1-10.9
\$75,000+	3485	1,908,091	3373	94.8	93.2-96.4	112	5.2	3.6- 6.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 6: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECIG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20355	8,085,175	19655	96.1	95.5-96.7	700	3.9	3.3- 4.5
White/Non-Hisp	14959	4,578,241	14378	94.7	93.9-95.5	581	5.3	4.5- 6.1
Black or Afr. Am./Non-Hisp	2075	1,127,701	2041	98.4	97.4-99.4	34	1.6	0.6- 2.6
Oth. Race/Non-Hisp.	486	300,452	465	98.0	96.2-99.8	21	2.0	0.2- 3.8
MultiRacial/Non-Hisp.	222	73,635	209	89.7	78.7- 100	13	10.3	0.0-21.3
Hispanic	2335	1,870,971	2291	98.2	97.2-99.2	44	1.8	0.8- 2.8
18-24	864	842,566	812	93.5	91.0-96.0	52	6.5	4.0- 9.0
25-34	1760	1,202,545	1668	94.3	92.1-96.5	92	5.7	3.5- 7.9
35-44	1975	1,152,939	1881	96.1	94.9-97.3	94	3.9	2.7- 5.1
45-54	2822	1,231,305	2671	95.4	93.6-97.2	151	4.6	2.8- 6.4
55-64	4042	1,359,345	3873	96.1	94.9-97.3	169	3.9	2.7- 5.1
65+	8591	2,132,821	8457	98.6	98.0-99.2	134	1.4	0.8- 2.0
Less Than H.S.	2058	1,033,739	1969	95.7	93.9-97.5	89	4.3	2.5- 6.1
H.S. or G.E.D.	6097	2,302,771	5867	95.4	94.2-96.6	230	4.6	3.4- 5.8
Some Post-H.S.	6265	2,720,788	6011	95.4	94.2-96.6	254	4.6	3.4- 5.8
College Graduate	5839	1,985,483	5716	98.1	97.5-98.7	123	1.9	1.3- 2.5
Less than \$15,000	2106	707,560	1990	93.0	90.3-95.7	116	7.0	4.3- 9.7
\$15,000- 24,999	3997	1,486,524	3817	95.3	94.1-96.5	180	4.7	3.5- 5.9
\$25,000- 34,999	2154	778,934	2074	94.6	92.2-97.0	80	5.4	3.0- 7.8
\$35,000- 49,999	2352	938,912	2265	95.5	93.5-97.5	87	4.5	2.5- 6.5
\$50,000- 74,999	2137	859,673	2059	95.6	93.6-97.6	78	4.4	2.4- 6.4
\$75,000+	3337	1,525,458	3265	97.8	96.8-98.8	72	2.2	1.2- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 11: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34587	15,323,819	16088	52.7	51.5-53.9	18499	47.3	46.1-48.5
Male	14524	7,366,772	7884	59.0	57.4-60.6	6640	41.0	39.4-42.6
Female	20060	7,955,304	8201	46.9	45.3-48.5	11859	53.1	51.5-54.7
White/Non-Hisp	25138	8,748,941	12438	58.9	57.7-60.1	12700	41.1	39.9-42.3
Black or Afr. Am./Non-Hisp	3395	2,084,747	1175	42.7	39.0-46.4	2220	57.3	53.6-61.0
Oth. Race/Non-Hisp.	965	548,251	374	42.9	36.2-49.6	591	57.1	50.4-63.8
MultiRacial/Non-Hisp.	429	132,939	179	53.6	43.8-63.4	250	46.4	36.6-56.2
Hispanic	4088	3,518,788	1662	44.7	42.0-47.4	2426	55.3	52.6-58.0
18-24	1732	1,683,759	837	46.8	43.1-50.5	895	53.2	49.5-56.9
25-34	3220	2,397,727	1874	63.2	60.3-66.1	1346	36.8	33.9-39.7
35-44	3455	2,209,916	1821	56.5	53.4-59.6	1634	43.5	40.4-46.6
45-54	4928	2,388,172	2447	54.0	51.3-56.7	2481	46.0	43.3-48.7
55-64	6903	2,537,486	3201	51.5	48.8-54.2	3702	48.5	45.8-51.2
65+	13879	3,842,009	5715	46.6	44.6-48.6	8164	53.4	51.4-55.4
Less Than H.S.	3594	2,067,916	978	35.2	31.7-38.7	2616	64.8	61.3-68.3
H.S. or G.E.D.	10307	4,496,015	3911	46.2	44.0-48.4	6396	53.8	51.6-56.0
Some Post-H.S.	10074	4,839,932	4926	55.9	53.9-57.9	5148	44.1	42.1-46.1
College Graduate	10457	3,842,286	6228	66.3	64.5-68.1	4229	33.7	31.9-35.5
Less than \$15,000	3203	1,227,155	954	34.0	30.5-37.5	2249	66.0	62.5-69.5
\$15,000- 24,999	6379	2,667,157	2200	41.6	39.1-44.1	4179	58.4	55.9-60.9
\$25,000- 34,999	3622	1,483,611	1565	46.4	42.9-49.9	2057	53.6	50.1-57.1
\$35,000- 49,999	4220	1,813,620	2129	58.2	55.1-61.3	2091	41.8	38.7-44.9
\$50,000- 74,999	3964	1,752,543	2324	66.2	63.3-69.1	1640	33.8	30.9-36.7
\$75,000+	6743	3,393,147	4435	70.8	68.6-73.0	2308	29.2	27.0-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14524	7,366,772	7884	59.0	57.4-60.6	6640	41.0	39.4-42.6
White/Non-Hisp	10376	4,225,802	5840	63.4	61.6-65.2	4536	36.6	34.8-38.4
Black or Afr. Am./Non-Hisp	1352	966,761	602	46.3	40.8-51.8	750	53.7	48.2-59.2
Oth. Race/Non-Hisp.	490	254,277	236	50.4	40.8-60.0	254	49.6	40.0-59.2
MultiRacial/Non-Hisp.	208	60,329	106	61.3	46.8-75.8	102	38.7	24.2-53.2
Hispanic	1795	1,695,436	947	56.4	52.5-60.3	848	43.6	39.7-47.5
18-24	883	858,043	444	47.9	42.4-53.4	439	52.1	46.6-57.6
25-34	1485	1,211,244	984	69.0	64.9-73.1	501	31.0	26.9-35.1
35-44	1512	1,081,876	908	61.5	56.8-66.2	604	38.5	33.8-43.2
45-54	2144	1,178,754	1200	61.9	58.2-65.6	944	38.1	34.4-41.8
55-64	2915	1,192,704	1567	57.4	53.5-61.3	1348	42.6	38.7-46.5
65+	5407	1,737,429	2696	55.0	52.1-57.9	2711	45.0	42.1-47.9
Less Than H.S.	1562	1,045,602	622	44.6	39.3-49.9	940	55.4	50.1-60.7
H.S. or G.E.D.	4299	2,236,895	2028	54.8	51.9-57.7	2271	45.2	42.3-48.1
Some Post-H.S.	3903	2,166,154	2185	60.9	58.0-63.8	1718	39.1	36.2-42.0
College Graduate	4697	1,883,104	3025	69.9	67.5-72.3	1672	30.1	27.7-32.5
Less than \$15,000	1126	530,674	453	41.1	35.0-47.2	673	58.9	52.8-65.0
\$15,000- 24,999	2418	1,198,614	1043	50.4	46.3-54.5	1375	49.6	45.5-53.7
\$25,000- 34,999	1489	712,305	747	52.1	46.6-57.6	742	47.9	42.4-53.4
\$35,000- 49,999	1920	891,533	1046	62.9	58.6-67.2	874	37.1	32.8-41.4
\$50,000- 74,999	1850	900,427	1148	67.1	63.0-71.2	702	32.9	28.8-37.0
\$75,000+	3444	1,888,220	2385	73.0	70.3-75.7	1059	27.0	24.3-29.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20060	7,955,304	8201	46.9	45.3-48.5	11859	53.1	51.5-54.7
White/Non-Hisp	14760	4,521,994	6596	54.7	52.9-56.5	8164	45.3	43.5-47.1
Black or Afr. Am./Non-Hisp	2042	1,117,389	572	39.5	34.4-44.6	1470	60.5	55.4-65.6
Oth. Race/Non-Hisp.	475	293,974	138	36.4	27.0-45.8	337	63.6	54.2-73.0
MultiRacial/Non-Hisp.	221	72,610	73	47.3	33.4-61.2	148	52.7	38.8-66.6
Hispanic	2293	1,823,351	715	33.9	30.4-37.4	1578	66.1	62.6-69.6
18-24	849	825,716	393	45.8	40.5-51.1	456	54.2	48.9-59.5
25-34	1733	1,184,993	888	57.3	53.2-61.4	845	42.7	38.6-46.8
35-44	1943	1,128,040	913	51.7	47.4-56.0	1030	48.3	44.0-52.6
45-54	2784	1,209,418	1247	46.4	42.3-50.5	1537	53.6	49.5-57.7
55-64	3988	1,344,782	1634	46.4	42.7-50.1	2354	53.6	49.9-57.3
65+	8471	2,104,327	3018	39.7	37.3-42.1	5453	60.3	57.9-62.7
Less Than H.S.	2031	1,021,716	355	25.6	20.7-30.5	1676	74.4	69.5-79.3
H.S. or G.E.D.	6008	2,259,120	1883	37.7	34.8-40.6	4125	62.3	59.4-65.2
Some Post-H.S.	6171	2,673,778	2741	51.8	49.3-54.3	3430	48.2	45.7-50.7
College Graduate	5758	1,958,036	3201	62.7	60.2-65.2	2557	37.3	34.8-39.8
Less than \$15,000	2077	696,480	501	28.6	24.3-32.9	1576	71.4	67.1-75.7
\$15,000- 24,999	3961	1,468,543	1157	34.4	31.1-37.7	2804	65.6	62.3-68.9
\$25,000- 34,999	2132	770,412	817	41.0	36.3-45.7	1315	59.0	54.3-63.7
\$35,000- 49,999	2300	922,087	1083	53.6	49.3-57.9	1217	46.4	42.1-50.7
\$50,000- 74,999	2114	852,116	1176	65.3	60.8-69.8	938	34.7	30.2-39.2
\$75,000+	3298	1,504,675	2049	68.0	64.7-71.3	1249	32.0	28.7-35.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION  
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34587	15,323,819	8461	29.9	28.9-30.9	3380	11.5	10.9-12.1	1239	3.6	3.2- 4.0	3008	7.7	7.1- 8.3	18499	47.3	46.1-48.5
Male	14524	7,366,772	3714	31.1	29.5-32.7	1759	13.5	12.5-14.5	699	4.6	4.0- 5.2	1712	9.8	9.0-10.6	6640	41.0	39.4-42.6
Female	20060	7,955,304	4746	28.9	27.5-30.3	1621	9.6	8.8-10.4	539	2.7	2.1- 3.3	1295	5.7	5.1- 6.3	11859	53.1	51.5-54.7
White/Non-Hisp	25138	8,748,941	6129	29.9	28.7-31.1	2648	13.7	12.9-14.5	1061	4.9	4.3- 5.5	2600	10.4	9.6-11.2	12700	41.1	39.9-42.3
Black or Afr. Am./Non-Hisp	3395	2,084,747	767	28.7	25.4-32.0	247	7.6	6.0- 9.2	56	2.2	0.6- 3.8	105	4.1	2.5- 5.7	2220	57.3	53.6-61.0
Oth. Race/Non-Hisp.	965	548,251	205	27.9	21.8-34.0	73	7.3	4.2-10.4	27	2.8	0.8- 4.8	69	4.8	1.7- 7.9	591	57.1	50.4-63.8
MultiRacial/Non-Hisp.	429	132,939	103	29.5	20.3-38.7	42	16.8	10.3-23.3	11	1.5	0.0- 3.1	23	5.8	1.3-10.3	250	46.4	36.6-56.2
Hispanic	4088	3,518,788	1109	30.7	28.2-33.2	333	8.9	7.3-10.5	71	1.7	1.1- 2.3	149	3.4	2.4- 4.4	2426	55.3	52.6-58.0
18-24	1732	1,683,759	560	31.6	28.1-35.1	184	10.0	7.8-12.2	46	3.0	1.8- 4.2	47	2.2	1.2- 3.2	895	53.2	49.5-56.9
25-34	3220	2,397,727	1170	40.2	37.3-43.1	462	15.1	13.1-17.1	105	3.4	2.4- 4.4	137	4.6	3.4- 5.8	1346	36.8	33.9-39.7
35-44	3455	2,209,916	1115	34.4	31.5-37.3	403	12.9	10.9-14.9	123	4.1	2.5- 5.7	180	5.1	3.7- 6.5	1634	43.5	40.4-46.6
45-54	4928	2,388,172	1367	31.0	28.5-33.5	551	12.2	10.4-14.0	193	3.9	2.9- 4.9	336	6.9	5.5- 8.3	2481	46.0	43.3-48.7
55-64	6903	2,537,486	1568	25.0	22.8-27.2	732	11.9	10.3-13.5	287	4.4	3.4- 5.4	614	10.2	8.4-12.0	3702	48.5	45.8-51.2
65+	13879	3,842,009	2568	22.5	20.9-24.1	1019	8.6	7.6- 9.6	474	3.3	2.7- 3.9	1654	12.2	11.2-13.2	8164	53.4	51.4-55.4
Less Than H.S.	3594	2,067,916	559	20.6	17.7-23.5	172	5.7	4.1- 7.3	58	2.6	0.8- 4.4	189	6.3	4.5- 8.1	2616	64.8	61.3-68.3
H.S. or G.E.D.	10307	4,496,015	2217	27.9	25.9-29.9	749	9.8	8.4-11.2	229	2.0	1.6- 2.4	716	6.5	5.5- 7.5	6396	53.8	51.6-56.0
Some Post-H.S.	10074	4,839,932	2699	32.7	30.7-34.7	996	12.0	10.8-13.2	361	3.8	3.2- 4.4	870	7.5	6.5- 8.5	5148	44.1	42.1-46.1
College Graduate	10457	3,842,286	2961	34.1	32.3-35.9	1457	16.2	14.8-17.6	590	5.9	5.1- 6.7	1220	10.1	8.9-11.3	4229	33.7	31.9-35.5
Less than \$15,000	3203	1,227,155	552	20.9	17.8-24.0	180	6.3	4.5- 8.1	58	1.9	0.7- 3.1	164	4.9	3.5- 6.3	2249	66.0	62.5-69.5
\$15,000- 24,999	6379	2,667,157	1218	24.8	22.4-27.2	457	9.4	7.8-11.0	133	1.9	1.3- 2.5	392	5.5	4.3- 6.7	4179	58.4	55.9-60.9
\$25,000- 34,999	3622	1,483,611	900	29.6	26.3-32.9	290	8.3	6.5-10.1	97	2.1	1.5- 2.7	278	6.4	5.0- 7.8	2057	53.6	50.1-57.1
\$35,000- 49,999	4220	1,813,620	1169	34.2	31.1-37.3	430	13.0	11.0-15.0	146	3.5	2.5- 4.5	384	7.5	5.9- 9.1	2091	41.8	38.7-44.9
\$50,000- 74,999	3964	1,752,543	1202	35.7	32.6-38.8	494	15.3	12.9-17.7	198	4.7	3.5- 5.9	430	10.5	8.5-12.5	1640	33.8	30.9-36.7
\$75,000+	6743	3,393,147	2043	35.3	32.9-37.7	1058	17.4	15.6-19.2	463	7.0	5.8- 8.2	871	11.0	9.6-12.4	2308	29.2	27.0-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 11: ALCOHOL CONSUMPTION  
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14524	7,366,772	3714	31.1	29.5-32.7	1759	13.5	12.5-14.5	699	4.6	4.0- 5.2	1712	9.8	9.0-10.6	6640	41.0	39.4-42.6
White/Non-Hisp	10376	4,225,802	2550	29.6	27.8-31.4	1302	14.9	13.5-16.3	578	6.2	5.2- 7.2	1410	12.5	11.3-13.7	4536	36.6	34.8-38.4
Black or Afr. Am./Non-Hisp	1352	966,761	334	27.9	23.2-32.6	156	9.7	7.3-12.1	36	1.7	0.7- 2.7	76	7.0	3.7-10.3	750	53.7	48.2-59.2
Oth. Race/Non-Hisp.	490	254,277	124	32.5	23.9-41.1	44	9.6	4.9-14.3	19	5.1	1.0- 9.2	49	3.2	1.4- 5.0	254	49.6	40.0-59.2
MultiRacial/Non-Hisp.	208	60,329	52	27.8	16.4-39.2	30	26.1	14.5-37.7	8	2.7	0.0- 6.0	16	4.8	0.5- 9.1	102	38.7	24.2-53.2
Hispanic	1795	1,695,436	578	36.0	32.1-39.9	205	12.4	9.9-14.9	51	2.5	1.3- 3.7	113	5.4	3.8- 7.0	848	43.6	39.7-47.5
18-24	883	858,043	282	31.3	26.4-36.2	102	9.9	7.0-12.8	24	3.6	1.4- 5.8	36	3.1	1.5- 4.7	439	52.1	46.6-57.6
25-34	1485	1,211,244	565	41.0	36.7-45.3	261	17.5	14.6-20.4	64	4.3	2.7- 5.9	94	6.1	4.1- 8.1	501	31.0	26.9-35.1
35-44	1512	1,081,876	493	35.2	30.9-39.5	228	14.8	11.9-17.7	70	4.4	2.8- 6.0	117	7.1	4.9- 9.3	604	38.5	33.8-43.2
45-54	2144	1,178,754	599	33.0	29.3-36.7	282	14.1	11.4-16.8	111	5.3	3.7- 6.9	208	9.4	7.0-11.8	944	38.1	34.4-41.8
55-64	2915	1,192,704	680	23.8	20.7-26.9	379	14.5	12.0-17.0	155	5.4	3.4- 7.4	353	13.6	10.9-16.3	1348	42.6	38.7-46.5
65+	5407	1,737,429	1047	24.6	21.9-27.3	493	10.7	8.9-12.5	270	4.7	3.7- 5.7	886	15.0	13.2-16.8	2711	45.0	42.1-47.9
Less Than H.S.	1562	1,045,602	322	25.4	21.1-29.7	122	7.2	4.8- 9.6	40	3.0	0.8- 5.2	138	8.9	6.0-11.8	940	55.4	50.1-60.7
H.S. or G.E.D.	4299	2,236,895	1046	30.3	27.6-33.0	418	13.6	11.4-15.8	128	2.3	1.7- 2.9	436	8.6	7.0-10.2	2271	45.2	42.3-48.1
Some Post-H.S.	3903	2,166,154	1051	32.9	30.0-35.8	490	13.5	11.7-15.3	195	5.1	3.9- 6.3	449	9.3	7.7-10.9	1718	39.1	36.2-42.0
College Graduate	4697	1,883,104	1282	32.9	30.4-35.4	727	17.0	15.0-19.0	335	7.7	6.1- 9.3	681	12.3	10.7-13.9	1672	30.1	27.7-32.5
Less than \$15,000	1126	530,674	217	22.6	17.5-27.7	100	7.7	4.6-10.8	32	3.0	0.8- 5.2	104	7.9	5.2-10.6	673	58.9	52.8-65.0
\$15,000- 24,999	2418	1,198,614	522	27.5	24.0-31.0	221	12.8	10.1-15.5	78	2.2	1.2- 3.2	222	7.9	5.7-10.1	1375	49.6	45.5-53.7
\$25,000- 34,999	1489	712,305	390	30.2	25.5-34.9	160	11.4	8.1-14.7	52	2.7	1.5- 3.9	145	7.8	5.6-10.0	742	47.9	42.4-53.4
\$35,000- 49,999	1920	891,533	532	36.2	31.7-40.7	223	13.8	11.3-16.3	75	3.8	2.4- 5.2	216	9.1	6.6-11.6	874	37.1	32.8-41.4
\$50,000- 74,999	1850	900,427	514	32.1	27.8-36.4	254	15.4	12.1-18.7	116	6.5	4.5- 8.5	264	13.1	10.2-16.0	702	32.9	28.8-37.0
\$75,000+	3444	1,888,220	1000	33.8	30.9-36.7	589	18.4	16.0-20.8	280	8.2	6.4-10.0	516	12.7	10.7-14.7	1059	27.0	24.3-29.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION  
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20060	7,955,304	4746	28.9	27.5-30.3	1621	9.6	8.8-10.4	539	2.7	2.1- 3.3	1295	5.7	5.1- 6.3	11859	53.1	51.5-54.7
White/Non-Hisp	14760	4,521,994	3578	30.1	28.5-31.7	1346	12.5	11.3-13.7	482	3.7	3.1- 4.3	1190	8.3	7.5- 9.1	8164	45.3	43.5-47.1
Black or Afr. Am./Non-Hisp	2042	1,117,389	433	29.4	24.7-34.1	91	5.9	3.7- 8.1	20	2.7	0.2- 5.2	28	1.5	0.7- 2.3	1470	60.5	55.4-65.6
Oth. Race/Non-Hisp.	475	293,974	81	24.0	15.6-32.4	29	5.4	1.5- 9.3	8	0.8	0.0- 1.8	20	6.2	0.5-11.9	337	63.6	54.2-73.0
MultiRacial/Non-Hisp.	221	72,610	51	31.0	17.3-44.7	12	9.2	2.5-15.9	3	0.5	0.0- 1.1	7	6.7	0.0-14.0	148	52.7	38.8-66.6
Hispanic	2293	1,823,351	531	25.8	22.5-29.1	128	5.6	3.8- 7.4	20	0.9	0.1- 1.7	36	1.6	0.4- 2.8	1578	66.1	62.6-69.6
18-24	849	825,716	278	31.8	26.9-36.7	82	10.2	6.9-13.5	22	2.4	1.0- 3.8	11	1.3	0.3- 2.3	456	54.2	48.9-59.5
25-34	1733	1,184,993	605	39.4	35.1-43.7	201	12.5	9.8-15.2	40	2.4	1.2- 3.6	42	2.9	1.5- 4.3	845	42.7	38.6-46.8
35-44	1943	1,128,040	622	33.5	29.4-37.6	175	11.1	8.4-13.8	53	3.8	1.3- 6.3	63	3.3	1.7- 4.9	1030	48.3	44.0-52.6
45-54	2784	1,209,418	768	29.0	25.3-32.7	269	10.3	8.3-12.3	82	2.6	1.6- 3.6	128	4.5	2.9- 6.1	1537	53.6	49.5-57.7
55-64	3988	1,344,782	888	26.0	22.9-29.1	353	9.5	7.5-11.5	132	3.6	2.6- 4.6	261	7.2	5.2- 9.2	2354	53.6	49.9-57.3
65+	8471	2,104,327	1520	20.8	18.8-22.8	526	6.9	5.7- 8.1	204	2.1	1.5- 2.7	768	9.8	8.4-11.2	5453	60.3	57.9-62.7
Less Than H.S.	2031	1,021,716	237	15.7	11.8-19.6	50	4.2	2.2- 6.2	18	2.2	0.0- 4.9	50	3.6	1.6- 5.6	1676	74.4	69.5-79.3
H.S. or G.E.D.	6008	2,259,120	1171	25.5	22.8-28.2	331	6.0	4.6- 7.4	101	1.8	1.2- 2.4	280	4.5	3.5- 5.5	4125	62.3	59.4-65.2
Some Post-H.S.	6171	2,673,778	1648	32.4	29.9-34.9	506	10.7	9.1-12.3	166	2.7	1.9- 3.5	421	5.9	4.7- 7.1	3430	48.2	45.7-50.7
College Graduate	5758	1,958,036	1678	35.2	32.7-37.7	730	15.4	13.4-17.4	254	4.1	3.1- 5.1	539	8.0	6.6- 9.4	2557	37.3	34.8-39.8
Less than \$15,000	2077	696,480	335	19.6	15.9-23.3	80	5.2	3.2- 7.2	26	1.1	0.0- 2.3	60	2.6	1.2- 4.0	1576	71.4	67.1-75.7
\$15,000- 24,999	3961	1,468,543	696	22.7	19.8-25.6	236	6.6	4.8- 8.4	55	1.6	0.8- 2.4	170	3.5	2.5- 4.5	2804	65.6	62.3-68.9
\$25,000- 34,999	2132	770,412	510	29.1	24.6-33.6	130	5.4	3.8- 7.0	44	1.4	0.8- 2.0	133	5.0	3.4- 6.6	1315	59.0	54.3-63.7
\$35,000- 49,999	2300	922,087	637	32.3	28.0-36.6	207	12.2	9.5-14.9	71	3.2	2.0- 4.4	168	6.0	4.0- 8.0	1217	46.4	42.1-50.7
\$50,000- 74,999	2114	852,116	688	39.6	34.9-44.3	240	15.1	11.6-18.6	82	2.8	1.8- 3.8	166	7.8	5.6-10.0	938	34.7	30.2-39.2
\$75,000+	3298	1,504,675	1042	37.3	33.8-40.8	469	16.2	13.7-18.7	183	5.6	4.2- 7.0	355	8.9	7.1-10.7	1249	32.0	28.7-35.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34089	15,065,013	30029	84.5	83.7-85.3	4060	15.5	14.7-16.3	
Male	14275	7,230,907	11896	79.9	78.5-81.3	2379	20.1	18.7-21.5	
Female	19811	7,832,363	18132	88.7	87.7-89.7	1679	11.3	10.3-12.3	
White/Non-Hisp	24821	8,629,869	21788	82.8	81.8-83.8	3033	17.2	16.2-18.2	
Black or Afr. Am./Non-Hisp	3325	2,025,706	3051	89.4	87.0-91.8	274	10.6	8.2-13.0	
Oth. Race/Non-Hisp.	948	537,138	837	88.9	85.4-92.4	111	11.1	7.6-14.6	
MultiRacial/Non-Hisp.	421	127,374	368	77.8	69.4-86.2	53	22.2	13.8-30.6	
Hispanic	4018	3,460,276	3484	85.1	83.1-87.1	534	14.9	12.9-16.9	
18-24	1705	1,655,894	1361	80.7	77.8-83.6	344	19.3	16.4-22.2	
25-34	3170	2,358,484	2403	74.1	71.6-76.6	767	25.9	23.4-28.4	
35-44	3402	2,178,028	2756	79.4	76.9-81.9	646	20.6	18.1-23.1	
45-54	4854	2,350,996	4090	83.3	81.3-85.3	764	16.7	14.7-18.7	
55-64	6794	2,497,413	6016	86.9	85.1-88.7	778	13.1	11.3-14.9	
65+	13704	3,779,385	12981	94.5	93.7-95.3	723	5.5	4.7- 6.3	
Less Than H.S.	3528	2,038,463	3174	86.6	84.1-89.1	354	13.4	10.9-15.9	
H.S. or G.E.D.	10142	4,411,752	8979	85.2	83.6-86.8	1163	14.8	13.2-16.4	
Some Post-H.S.	9937	4,750,580	8698	83.8	82.4-85.2	1239	16.2	14.8-17.6	
College Graduate	10332	3,787,389	9041	83.2	81.6-84.8	1291	16.8	15.2-18.4	
Less than \$15,000	3158	1,210,230	2846	88.1	85.6-90.6	312	11.9	9.4-14.4	
\$15,000- 24,999	6300	2,631,909	5667	85.7	83.7-87.7	633	14.3	12.3-16.3	
\$25,000- 34,999	3581	1,464,928	3164	87.0	84.8-89.2	417	13.0	10.8-15.2	
\$35,000- 49,999	4165	1,771,149	3588	82.8	80.4-85.2	577	17.2	14.8-19.6	
\$50,000- 74,999	3900	1,712,304	3348	81.2	78.7-83.7	552	18.8	16.3-21.3	
\$75,000+	6666	3,349,230	5579	78.3	76.3-80.3	1087	21.7	19.7-23.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14275	7,230,907	11896	79.9	78.5-81.3	2379	20.1	18.7-21.5
White/Non-Hisp	10232	4,171,577	8531	78.5	76.9-80.1	1701	21.5	19.9-23.1
Black or Afr. Am./Non-Hisp	1319	937,637	1154	87.1	83.6-90.6	165	12.9	9.4-16.4
Oth. Race/Non-Hisp.	479	250,154	401	84.7	78.8-90.6	78	15.3	9.4-21.2
MultiRacial/Non-Hisp.	203	56,558	168	71.8	59.5-84.1	35	28.2	15.9-40.5
Hispanic	1750	1,654,418	1389	78.3	75.0-81.6	361	21.7	18.4-25.0
18-24	871	847,361	668	79.6	75.5-83.7	203	20.4	16.3-24.5
25-34	1454	1,186,672	1005	68.6	64.7-72.5	449	31.4	27.5-35.3
35-44	1484	1,063,824	1100	74.3	70.6-78.0	384	25.7	22.0-29.4
45-54	2112	1,161,225	1650	76.6	73.3-79.9	462	23.4	20.1-26.7
55-64	2858	1,168,991	2399	80.8	77.5-84.1	459	19.2	15.9-22.5
65+	5322	1,698,042	4920	92.8	91.6-94.0	402	7.2	6.0- 8.4
Less Than H.S.	1521	1,031,786	1265	81.1	77.2-85.0	256	18.9	15.0-22.8
H.S. or G.E.D.	4209	2,180,070	3480	79.3	76.9-81.7	729	20.7	18.3-23.1
Some Post-H.S.	3843	2,125,134	3164	79.4	77.0-81.8	679	20.6	18.2-23.0
College Graduate	4642	1,859,099	3934	80.4	78.2-82.6	708	19.6	17.4-21.8
Less than \$15,000	1107	526,090	924	82.4	77.7-87.1	183	17.6	12.9-22.3
\$15,000- 24,999	2383	1,186,175	2030	81.0	77.9-84.1	353	19.0	15.9-22.1
\$25,000- 34,999	1465	701,160	1227	82.6	78.9-86.3	238	17.4	13.7-21.1
\$35,000- 49,999	1893	870,437	1553	78.0	74.5-81.5	340	22.0	18.5-25.5
\$50,000- 74,999	1815	873,765	1488	75.9	72.0-79.8	327	24.1	20.2-28.0
\$75,000+	3403	1,860,786	2728	75.2	72.5-77.9	675	24.8	22.1-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19811	7,832,363	18132	88.7	87.7-89.7	1679	11.3	10.3-12.3
White/Non-Hisp	14587	4,457,147	13256	86.9	85.7-88.1	1331	13.1	11.9-14.3
Black or Afr. Am./Non-Hisp	2005	1,087,473	1897	91.5	88.2-94.8	108	8.5	5.2-11.8
Oth. Race/Non-Hisp.	469	286,984	436	92.5	88.2-96.8	33	7.5	3.2-11.8
MultiRacial/Non-Hisp.	218	70,816	200	82.6	70.8-94.4	18	17.4	5.6-29.2
Hispanic	2268	1,805,858	2095	91.3	89.1-93.5	173	8.7	6.5-10.9
18-24	834	808,533	693	81.9	77.8-86.0	141	18.1	14.0-22.2
25-34	1714	1,170,322	1398	79.7	76.2-83.2	316	20.3	16.8-23.8
35-44	1918	1,114,204	1656	84.2	80.7-87.7	262	15.8	12.3-19.3
45-54	2742	1,189,771	2440	89.8	87.6-92.0	302	10.2	8.0-12.4
55-64	3936	1,328,421	3617	92.2	90.4-94.0	319	7.8	6.0- 9.6
65+	8381	2,081,091	8060	95.8	94.8-96.8	321	4.2	3.2- 5.2
Less Than H.S.	2006	1,006,079	1909	92.2	88.7-95.7	97	7.8	4.3-11.3
H.S. or G.E.D.	5933	2,231,682	5499	91.1	89.5-92.7	434	8.9	7.3-10.5
Some Post-H.S.	6094	2,625,446	5534	87.3	85.5-89.1	560	12.7	10.9-14.5
College Graduate	5688	1,927,144	5106	86.0	84.0-88.0	582	14.0	12.0-16.0
Less than \$15,000	2051	684,140	1922	92.5	90.1-94.9	129	7.5	5.1- 9.9
\$15,000- 24,999	3917	1,445,734	3637	89.5	87.1-91.9	280	10.5	8.1-12.9
\$25,000- 34,999	2115	762,874	1937	91.2	88.8-93.6	178	8.8	6.4-11.2
\$35,000- 49,999	2272	900,712	2035	87.4	84.5-90.3	237	12.6	9.7-15.5
\$50,000- 74,999	2085	838,539	1860	86.7	83.8-89.6	225	13.3	10.4-16.2
\$75,000+	3262	1,488,193	2850	82.1	79.2-85.0	412	17.9	15.0-20.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34109	15,060,181	5201	17.6	16.8-18.4	1893	6.8	6.2- 7.4	3028	10.6	10.0-11.2	2736	8.6	8.0- 9.2	2752	8.2	7.6- 8.8	18499	48.1	46.9-49.3
Male	14271	7,227,429	2034	16.7	15.5-17.9	836	6.7	5.9- 7.5	1459	12.1	11.1-13.1	1466	10.6	9.6-11.6	1836	12.2	11.2-13.2	6640	41.8	40.2-43.4
Female	19835	7,831,009	3166	18.4	17.2-19.6	1057	7.0	6.2- 7.8	1569	9.3	8.5-10.1	1270	6.9	6.1- 7.7	914	4.6	4.0- 5.2	11859	53.9	52.3-55.5
White/Non-Hisp	24845	8,619,382	3843	17.8	16.8-18.8	1412	7.3	6.5- 8.1	2367	12.0	11.2-12.8	2258	10.7	9.9-11.5	2265	10.5	9.7-11.3	12700	41.8	40.6-43.0
Black or Afr. Am./Non-Hisp	3328	2,039,641	476	17.9	15.0-20.8	161	6.8	5.0- 8.6	220	7.4	5.4- 9.4	134	4.6	3.4- 5.8	117	4.7	2.7- 6.7	2220	58.6	54.9-62.3
Oth. Race/Non-Hisp.	953	539,073	133	17.8	12.5-23.1	37	5.3	2.4- 8.2	62	7.5	4.4-10.6	61	7.3	3.6-11.0	69	4.1	1.7- 6.5	591	58.0	51.3-64.7
MultiRacial/Non-Hisp.	420	127,566	60	14.4	7.3-21.5	21	5.5	1.8- 9.2	31	16.7	8.7-24.7	30	7.4	3.1-11.7	28	7.7	3.0-12.4	250	48.3	38.3-58.3
Hispanic	4006	3,449,883	593	16.5	14.3-18.7	228	6.1	4.7- 7.5	317	9.3	7.7-10.9	220	6.3	4.9- 7.7	222	5.3	4.1- 6.5	2426	56.4	53.7-59.1
18-24	1683	1,628,297	250	14.5	11.8-17.2	120	7.2	5.2- 9.2	181	9.6	7.6-11.6	122	7.0	5.0- 9.0	115	6.7	4.9- 8.5	895	55.0	51.3-58.7
25-34	3166	2,352,847	598	22.3	19.6-25.0	273	8.3	6.7- 9.9	402	14.4	12.2-16.6	288	9.7	8.1-11.3	259	7.9	6.3- 9.5	1346	37.5	34.6-40.4
35-44	3397	2,183,073	621	18.9	16.5-21.3	242	8.3	6.5-10.1	364	11.6	9.6-13.6	266	9.1	7.3-10.9	270	8.1	6.1-10.1	1634	44.1	41.0-47.2
45-54	4865	2,354,116	779	18.1	15.7-20.5	312	6.8	5.4- 8.2	468	10.4	8.8-12.0	379	8.5	7.1- 9.9	446	9.7	8.1-11.3	2481	46.6	43.9-49.3
55-64	6820	2,497,489	1014	15.8	14.0-17.6	357	6.7	5.3- 8.1	615	10.2	8.8-11.6	508	8.2	6.8- 9.6	624	9.9	8.3-11.5	3702	49.2	46.5-51.9
65+	13721	3,788,585	1863	15.8	14.4-17.2	565	5.0	4.0- 6.0	969	8.6	7.6- 9.6	1139	8.8	7.8- 9.8	1021	7.6	6.8- 8.4	8164	54.2	52.2-56.2
Less Than H.S.	3526	2,017,687	311	11.9	9.5-14.3	104	4.2	2.6- 5.8	144	4.4	3.2- 5.6	141	5.5	3.9- 7.1	210	7.6	5.4- 9.8	2616	66.4	62.9-69.9
H.S. or G.E.D.	10143	4,407,745	1356	16.5	14.9-18.1	406	5.7	4.5- 6.9	641	8.2	7.0- 9.4	591	6.5	5.5- 7.5	753	8.3	7.1- 9.5	6396	54.8	52.6-57.0
Some Post-H.S.	9956	4,772,069	1680	18.7	17.1-20.3	603	7.8	6.8- 8.8	911	11.8	10.4-13.2	818	9.0	8.0-10.0	796	7.9	6.9- 8.9	5148	44.8	42.8-46.8
College Graduate	10336	3,786,015	1838	20.4	18.8-22.0	777	8.4	7.4- 9.4	1325	15.3	13.9-16.7	1181	12.6	11.2-14.0	986	9.0	8.0-10.0	4229	34.2	32.4-36.0
Less than \$15,000	3160	1,205,583	339	12.1	9.9-14.3	97	3.9	2.3- 5.5	147	5.8	4.0- 7.6	152	4.8	3.2- 6.4	176	6.2	4.2- 8.2	2249	67.2	63.7-70.7
\$15,000- 24,999	6300	2,621,659	760	15.8	13.8-17.8	259	3.8	2.8- 4.8	366	7.8	6.4- 9.2	318	6.1	4.9- 7.3	418	7.1	5.7- 8.5	4179	59.4	56.9-61.9
\$25,000- 34,999	3586	1,465,906	567	17.3	14.6-20.0	177	7.2	5.2- 9.2	268	7.8	6.0- 9.6	249	6.8	5.4- 8.2	268	6.6	5.2- 8.0	2057	54.3	50.8-57.8
\$35,000- 49,999	4161	1,783,973	710	18.8	16.4-21.2	246	7.4	5.6- 9.2	390	12.6	10.2-15.0	387	9.4	7.8-11.0	337	9.3	7.3-11.3	2091	42.5	39.4-45.6
\$50,000- 74,999	3910	1,725,979	749	20.4	17.7-23.1	256	8.2	6.2-10.2	478	15.8	13.4-18.2	397	10.6	8.6-12.6	390	10.7	8.7-12.7	1640	34.3	31.2-37.4
\$75,000+	6684	3,338,623	1202	19.7	17.7-21.7	558	10.1	8.5-11.7	948	14.9	13.3-16.5	862	14.2	12.6-15.8	806	11.4	10.0-12.8	2308	29.7	27.5-31.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14271	7,227,429	2034	16.7	15.5-17.9	836	6.7	5.9- 7.5	1459	12.1	11.1-13.1	1466	10.6	9.6-11.6	1836	12.2	11.2-13.2	6640	41.8	40.2-43.4
White/Non-Hisp	10234	4,161,776	1421	15.7	14.3-17.1	591	7.0	6.0- 8.0	1078	13.1	11.9-14.3	1152	12.1	10.9-13.3	1456	14.8	13.6-16.0	4536	37.2	35.4-39.0
Black or Afr. Am./Non-Hisp	1320	946,962	193	17.4	13.3-21.5	82	6.8	4.3- 9.3	110	7.0	4.6- 9.4	93	6.5	4.3- 8.7	92	7.5	4.2-10.8	750	54.8	49.3-60.3
Oth. Race/Non-Hisp.	479	248,093	74	18.2	11.3-25.1	22	8.7	2.6-14.8	41	9.3	4.0-14.6	35	6.6	3.3- 9.9	53	6.4	2.1-10.7	254	50.8	41.2-60.4
MultiRacial/Non-Hisp.	202	56,927	26	10.9	4.0-17.8	11	7.6	1.7-13.5	20	18.7	7.9-29.5	20	8.7	2.4-15.0	23	13.0	5.0-21.0	102	41.0	26.1-55.9
Hispanic	1742	1,653,929	273	18.1	15.0-21.2	115	5.7	3.9- 7.5	190	12.5	9.8-15.2	146	9.7	7.2-12.2	170	9.2	7.0-11.4	848	44.7	40.6-48.8
18-24	859	839,927	113	14.3	10.4-18.2	52	5.5	3.3- 7.7	95	9.5	6.6-12.4	76	8.7	5.8-11.6	84	8.8	5.9-11.7	439	53.3	47.8-58.8
25-34	1452	1,187,116	251	21.6	17.9-25.3	125	7.7	5.5- 9.9	209	15.0	12.1-17.9	186	12.7	10.0-15.4	180	11.4	8.7-14.1	501	31.6	27.5-35.7
35-44	1478	1,064,957	238	17.8	14.5-21.1	101	7.0	4.8- 9.2	183	14.0	10.9-17.1	150	10.7	8.2-13.2	202	11.4	8.9-13.9	604	39.1	34.4-43.8
45-54	2113	1,161,510	286	16.6	13.7-19.5	139	7.0	4.8- 9.2	235	12.6	10.1-15.1	209	10.8	8.3-13.3	300	14.3	11.6-17.0	944	38.7	35.0-42.4
55-64	2861	1,163,183	395	13.7	11.2-16.2	158	6.1	4.1- 8.1	285	11.5	9.1-13.9	268	9.3	7.3-11.3	407	15.8	12.9-18.7	1348	43.7	39.8-47.6
65+	5335	1,705,061	718	15.0	13.0-17.0	253	6.7	4.9- 8.5	440	10.5	8.5-12.5	561	10.5	8.9-12.1	652	11.4	9.8-13.0	2711	45.9	43.0-48.8
Less Than H.S.	1517	1,014,397	160	12.4	9.5-15.3	58	5.7	2.8- 8.6	96	6.5	4.3- 8.7	97	7.1	4.7- 9.5	166	11.2	8.1-14.3	940	57.1	51.8-62.4
H.S. or G.E.D.	4210	2,183,106	551	16.4	14.0-18.8	206	6.2	4.6- 7.8	313	9.6	7.8-11.4	330	8.5	6.9-10.1	539	13.1	11.1-15.1	2271	46.3	43.2-49.4
Some Post-H.S.	3850	2,143,662	585	17.1	14.7-19.5	230	6.7	5.3- 8.1	424	14.4	12.2-16.6	406	11.1	9.3-12.9	487	11.3	9.7-12.9	1718	39.6	36.7-42.5
College Graduate	4636	1,851,612	730	18.7	16.5-20.9	340	7.9	6.5- 9.3	623	15.5	13.5-17.5	631	14.6	12.6-16.6	640	12.8	11.0-14.6	1672	30.6	28.2-33.0
Less than \$15,000	1102	525,765	121	12.8	8.9-16.7	37	3.6	1.8- 5.4	59	6.6	3.5- 9.7	87	5.4	3.0- 7.8	125	12.1	8.0-16.2	673	59.4	53.3-65.5
\$15,000- 24,999	2379	1,176,577	283	15.4	12.5-18.3	117	4.2	2.8- 5.6	164	10.5	8.0-13.0	156	7.4	5.4- 9.4	284	11.9	9.4-14.4	1375	50.5	46.4-54.6
\$25,000- 34,999	1467	699,432	206	15.2	11.7-18.7	84	8.3	5.4-11.2	132	8.4	5.7-11.1	138	9.6	6.9-12.3	165	9.8	7.3-12.3	742	48.8	43.3-54.3
\$35,000- 49,999	1893	871,377	292	18.6	15.1-22.1	102	6.1	4.1- 8.1	188	13.6	10.3-16.9	219	11.6	9.1-14.1	218	12.2	9.3-15.1	874	37.9	33.6-42.2
\$50,000- 74,999	1820	887,535	294	16.3	13.0-19.6	105	6.1	3.6- 8.6	249	18.0	14.3-21.7	205	11.4	8.5-14.3	265	14.8	11.7-17.9	702	33.4	29.3-37.5
\$75,000+	3411	1,859,431	527	17.9	15.4-20.4	272	8.9	7.1-10.7	502	14.9	12.7-17.1	493	15.6	13.4-17.8	558	15.3	13.1-17.5	1059	27.4	24.7-30.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19835	7,831,009	3166	18.4	17.2-19.6	1057	7.0	6.2- 7.8	1569	9.3	8.5-10.1	1270	6.9	6.1- 7.7	914	4.6	4.0- 5.2	11859	53.9	52.3-55.5
White/Non-Hisp	14609	4,456,461	2421	19.7	18.3-21.1	821	7.5	6.5- 8.5	1289	11.0	10.0-12.0	1106	9.4	8.4-10.4	808	6.4	5.6- 7.2	8164	46.0	44.2-47.8
Black or Afr. Am./Non-Hisp	2007	1,092,082	283	18.4	14.3-22.5	79	6.7	4.2- 9.2	110	7.8	5.1-10.5	41	2.8	1.4- 4.2	24	2.3	0.0- 4.8	1470	61.9	56.8-67.0
Oth. Race/Non-Hisp.	474	290,980	59	17.3	9.3-25.3	15	2.4	0.6- 4.2	21	6.1	2.2-10.0	26	7.8	1.7-13.9	16	2.2	0.0- 4.6	337	64.2	54.8-73.6
MultiRacial/Non-Hisp.	218	70,639	34	17.1	5.9-28.3	10	3.8	0.0- 8.3	11	15.1	3.5-26.7	10	6.4	0.3-12.5	5	3.4	0.0- 8.9	148	54.2	40.1-68.3
Hispanic	2264	1,795,954	320	15.0	12.3-17.7	113	6.6	4.4- 8.8	127	6.4	4.6- 8.2	74	3.2	2.0- 4.4	52	1.7	0.7- 2.7	1578	67.1	63.6-70.6
18-24	824	788,370	137	14.8	11.3-18.3	68	9.0	5.9-12.1	86	9.7	7.0-12.4	46	5.2	2.8- 7.6	31	4.5	2.1- 6.9	456	56.8	51.5-62.1
25-34	1712	1,164,240	347	23.0	19.1-26.9	148	9.0	6.5-11.5	193	13.8	10.7-16.9	102	6.7	4.9- 8.5	77	4.1	2.5- 5.7	845	43.5	39.2-47.8
35-44	1919	1,118,116	383	19.9	16.6-23.2	141	9.5	6.8-12.2	181	9.3	7.1-11.5	116	7.6	5.4- 9.8	68	4.9	2.0- 7.8	1030	48.8	44.5-53.1
45-54	2752	1,192,605	493	19.5	16.2-22.8	173	6.5	4.9- 8.1	233	8.2	6.4-10.0	170	6.2	4.6- 7.8	146	5.1	3.3- 6.9	1537	54.4	50.3-58.5
55-64	3959	1,334,306	619	17.6	14.9-20.3	199	7.3	5.1- 9.5	330	9.0	7.2-10.8	240	7.3	5.3- 9.3	217	4.8	3.6- 6.0	2354	54.1	50.4-57.8
65+	8385	2,083,272	1144	16.5	14.7-18.3	312	3.6	2.6- 4.6	529	7.0	5.8- 8.2	578	7.4	6.2- 8.6	369	4.5	3.5- 5.5	5453	60.9	58.5-63.3
Less Than H.S.	2008	1,002,693	151	11.4	7.7-15.1	46	2.7	1.3- 4.1	48	2.4	1.4- 3.4	44	3.8	2.0- 5.6	43	3.9	0.8- 7.0	1676	75.8	70.9-80.7
H.S. or G.E.D.	5933	2,224,639	805	16.7	14.3-19.1	200	5.2	3.6- 6.8	328	6.8	5.2- 8.4	261	4.5	3.5- 5.5	214	3.6	2.8- 4.4	4125	63.2	60.3-66.1
Some Post-H.S.	6106	2,628,407	1095	20.0	17.8-22.2	373	8.8	7.2-10.4	487	9.8	8.2-11.4	412	7.2	6.0- 8.4	309	5.2	4.0- 6.4	3430	49.0	46.5-51.5
College Graduate	5698	1,933,257	1107	22.0	19.6-24.4	437	8.9	7.3-10.5	702	15.2	13.2-17.2	550	10.8	9.0-12.6	345	5.3	4.1- 6.5	2557	37.8	35.3-40.3
Less than \$15,000	2058	679,817	218	11.5	9.0-14.0	60	4.1	1.7- 6.5	88	5.2	3.2- 7.2	65	4.3	2.1- 6.5	51	1.7	0.7- 2.7	1576	73.1	69.0-77.2
\$15,000- 24,999	3921	1,445,082	477	16.1	13.4-18.8	142	3.5	2.3- 4.7	202	5.6	4.2- 7.0	162	5.0	3.6- 6.4	134	3.1	1.9- 4.3	2804	66.7	63.4-70.0
\$25,000- 34,999	2118	765,580	361	19.3	15.2-23.4	93	6.2	3.8- 8.6	136	7.2	5.0- 9.4	111	4.3	2.9- 5.7	102	3.6	2.2- 5.0	1315	59.4	54.7-64.1
\$35,000- 49,999	2268	912,597	418	19.0	15.7-22.3	144	8.6	5.9-11.3	202	11.7	8.6-14.8	168	7.2	5.4- 9.0	119	6.6	4.1- 9.1	1217	46.8	42.3-51.3
\$50,000- 74,999	2090	838,444	455	24.6	20.3-28.9	151	10.3	7.2-13.4	229	13.5	10.6-16.4	192	9.8	7.3-12.3	125	6.5	4.3- 8.7	938	35.3	30.8-39.8
\$75,000+	3272	1,478,939	674	21.9	19.0-24.8	286	11.6	9.1-14.1	446	14.9	12.4-17.4	369	12.5	10.1-14.9	248	6.5	4.9- 8.1	1249	32.5	29.2-35.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34106	15,058,438	31793	93.2	92.6-93.8	2313	6.8	6.2- 7.4
Male	14271	7,227,429	13187	92.7	91.9-93.5	1084	7.3	6.5- 8.1
Female	19835	7,831,009	18606	93.6	92.8-94.4	1229	6.4	5.6- 7.2
White/Non-Hisp	24843	8,618,236	22943	91.5	90.9-92.1	1900	8.5	7.9- 9.1
Black or Afr. Am./Non-Hisp	3327	2,039,044	3232	95.6	93.6-97.6	95	4.4	2.4- 6.4
Oth. Race/Non-Hisp.	953	539,073	892	96.4	94.2-98.6	61	3.6	1.4- 5.8
MultiRacial/Non-Hisp.	420	127,566	400	94.8	90.9-98.7	20	5.2	1.3- 9.1
Hispanic	4006	3,449,883	3807	95.5	94.5-96.5	199	4.5	3.5- 5.5
18-24	1683	1,628,297	1581	94.8	93.2-96.4	102	5.2	3.6- 6.8
25-34	3164	2,351,356	2925	92.5	90.9-94.1	239	7.5	5.9- 9.1
35-44	3397	2,183,073	3156	92.6	90.8-94.4	241	7.4	5.6- 9.2
45-54	4865	2,354,116	4446	91.7	90.3-93.1	419	8.3	6.9- 9.7
55-64	6820	2,497,489	6293	92.0	90.6-93.4	527	8.0	6.6- 9.4
65+	13720	3,788,332	12949	94.7	93.9-95.5	771	5.3	4.5- 6.1
Less Than H.S.	3525	2,017,090	3350	93.6	91.4-95.8	175	6.4	4.2- 8.6
H.S. or G.E.D.	10143	4,407,745	9511	93.5	92.5-94.5	632	6.5	5.5- 7.5
Some Post-H.S.	9956	4,772,069	9247	92.8	91.8-93.8	709	7.2	6.2- 8.2
College Graduate	10334	3,784,869	9544	93.0	92.0-94.0	790	7.0	6.0- 8.0
Less than \$15,000	3160	1,205,583	3000	94.8	93.0-96.6	160	5.2	3.4- 7.0
\$15,000- 24,999	6300	2,621,659	5930	93.7	92.5-94.9	370	6.3	5.1- 7.5
\$25,000- 34,999	3585	1,465,012	3355	94.3	92.9-95.7	230	5.7	4.3- 7.1
\$35,000- 49,999	4161	1,783,973	3872	91.7	89.7-93.7	289	8.3	6.3-10.3
\$50,000- 74,999	3910	1,725,979	3583	91.9	90.3-93.5	327	8.1	6.5- 9.7
\$75,000+	6683	3,338,370	6050	91.1	89.9-92.3	633	8.9	7.7-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV5)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14271	7,227,429	13187	92.7	91.9-93.5	1084	7.3	6.5- 8.1
White/Non-Hisp	10234	4,161,776	9396	91.6	90.6-92.6	838	8.4	7.4- 9.4
Black or Afr. Am./Non-Hisp	1320	946,962	1264	94.7	91.6-97.8	56	5.3	2.2- 8.4
Oth. Race/Non-Hisp.	479	248,093	443	95.9	92.4-99.4	36	4.1	0.6- 7.6
MultiRacial/Non-Hisp.	202	56,927	188	92.8	86.9-98.7	14	7.2	1.3-13.1
Hispanic	1742	1,653,929	1628	93.9	92.1-95.7	114	6.1	4.3- 7.9
18-24	859	839,927	808	95.7	94.1-97.3	51	4.3	2.7- 5.9
25-34	1452	1,187,116	1334	92.1	89.7-94.5	118	7.9	5.5-10.3
35-44	1478	1,064,957	1349	92.3	90.1-94.5	129	7.7	5.5- 9.9
45-54	2113	1,161,510	1902	90.5	88.3-92.7	211	9.5	7.3-11.7
55-64	2861	1,163,183	2618	90.3	87.8-92.8	243	9.7	7.2-12.2
65+	5335	1,705,061	5008	94.8	93.8-95.8	327	5.2	4.2- 6.2
Less Than H.S.	1517	1,014,397	1395	91.8	88.9-94.7	122	8.2	5.3-11.1
H.S. or G.E.D.	4210	2,183,106	3848	91.6	90.0-93.2	362	8.4	6.8-10.0
Some Post-H.S.	3850	2,143,662	3562	93.5	92.3-94.7	288	6.5	5.3- 7.7
College Graduate	4636	1,851,612	4328	93.7	92.5-94.9	308	6.3	5.1- 7.5
Less than \$15,000	1102	525,765	1013	91.4	87.9-94.9	89	8.6	5.1-12.1
\$15,000- 24,999	2379	1,176,577	2184	92.0	89.8-94.2	195	8.0	5.8-10.2
\$25,000- 34,999	1467	699,432	1368	93.4	91.2-95.6	99	6.6	4.4- 8.8
\$35,000- 49,999	1893	871,377	1765	92.5	90.0-95.0	128	7.5	5.0-10.0
\$50,000- 74,999	1820	887,535	1667	92.6	90.6-94.6	153	7.4	5.4- 9.4
\$75,000+	3411	1,859,431	3123	91.8	90.0-93.6	288	8.2	6.4-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19835	7,831,009	18606	93.6	92.8-94.4	1229	6.4	5.6- 7.2
White/Non-Hisp	14609	4,456,461	13547	91.4	90.4-92.4	1062	8.6	7.6- 9.6
Black or Afr. Am./Non-Hisp	2007	1,092,082	1968	96.5	93.8-99.2	39	3.5	0.8- 6.2
Oth. Race/Non-Hisp.	474	290,980	449	96.7	94.2-99.2	25	3.3	0.8- 5.8
MultiRacial/Non-Hisp.	218	70,639	212	96.4	90.9- 100	6	3.6	0.0- 9.1
Hispanic	2264	1,795,954	2179	96.9	95.7-98.1	85	3.1	1.9- 4.3
18-24	824	788,370	773	93.8	91.3-96.3	51	6.2	3.7- 8.7
25-34	1712	1,164,240	1591	92.9	90.9-94.9	121	7.1	5.1- 9.1
35-44	1919	1,118,116	1807	92.8	89.9-95.7	112	7.2	4.3-10.1
45-54	2752	1,192,605	2544	92.9	90.9-94.9	208	7.1	5.1- 9.1
55-64	3959	1,334,306	3675	93.5	92.1-94.9	284	6.5	5.1- 7.9
65+	8385	2,083,272	7941	94.6	93.6-95.6	444	5.4	4.4- 6.4
Less Than H.S.	2008	1,002,693	1955	95.5	92.4-98.6	53	4.5	1.4- 7.6
H.S. or G.E.D.	5933	2,224,639	5663	95.5	94.5-96.5	270	4.5	3.5- 5.5
Some Post-H.S.	6106	2,628,407	5685	92.3	90.9-93.7	421	7.7	6.3- 9.1
College Graduate	5698	1,933,257	5216	92.3	90.9-93.7	482	7.7	6.3- 9.1
Less than \$15,000	2058	679,817	1987	97.4	96.2-98.6	71	2.6	1.4- 3.8
\$15,000- 24,999	3921	1,445,082	3746	95.1	93.7-96.5	175	4.9	3.5- 6.3
\$25,000- 34,999	2118	765,580	1987	95.2	93.6-96.8	131	4.8	3.2- 6.4
\$35,000- 49,999	2268	912,597	2107	90.9	88.2-93.6	161	9.1	6.4-11.8
\$50,000- 74,999	2090	838,444	1916	91.3	88.9-93.7	174	8.7	6.3-11.1
\$75,000+	3272	1,478,939	2927	90.2	88.4-92.0	345	9.8	8.0-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 12: IMMUNIZATION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	129
2	MALES ONLY	130
3	FEMALES ONLY	131
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	132
5	MALES ONLY	133
6	FEMALES ONLY	134



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13934	3,854,776	8130	57.6	55.6-59.6	5804	42.4	40.4-44.4
Male	5442	1,746,811	3235	58.5	55.6-61.4	2207	41.5	38.6-44.4
Female	8491	2,107,713	4894	56.9	54.4-59.4	3597	43.1	40.6-45.6
White/Non-Hisp	11666	2,812,848	6962	60.5	58.5-62.5	4704	39.5	37.5-41.5
Black or Afr. Am./Non-Hisp	967	329,723	491	46.3	38.1-54.5	476	53.7	45.5-61.9
Oth. Race/Non-Hisp.	255	78,851	132	53.2	36.0-70.4	123	46.8	29.6-64.0
MultiRacial/Non-Hisp.	145	15,109	79	66.8	48.4-85.2	66	33.2	14.8-51.6
Hispanic	688	558,276	352	51.3	44.4-58.2	336	48.7	41.8-55.6
65+	13934	3,854,776	8130	57.6	55.6-59.6	5804	42.4	40.4-44.4
Less Than H.S.	1358	557,492	733	55.2	48.3-62.1	625	44.8	37.9-51.7
H.S. or G.E.D.	4208	1,111,010	2338	55.6	52.1-59.1	1870	44.4	40.9-47.9
Some Post-H.S.	3967	1,200,530	2332	57.1	53.8-60.4	1635	42.9	39.6-46.2
College Graduate	4333	964,505	2693	62.4	59.5-65.3	1640	37.6	34.7-40.5
Less than \$15,000	1175	313,862	586	46.9	39.5-54.3	589	53.1	45.7-60.5
\$15,000- 24,999	2689	678,986	1516	55.5	50.8-60.2	1173	44.5	39.8-49.2
\$25,000- 34,999	1584	399,046	915	59.2	53.5-64.9	669	40.8	35.1-46.5
\$35,000- 49,999	1791	492,836	1049	58.4	53.1-63.7	742	41.6	36.3-46.9
\$50,000- 74,999	1516	434,423	922	57.0	51.5-62.5	594	43.0	37.5-48.5
\$75,000+	2042	609,023	1324	63.4	59.3-67.5	718	36.6	32.5-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5442	1,746,811	3235	58.5	55.6-61.4	2207	41.5	38.6-44.4
White/Non-Hisp	4559	1,283,980	2765	61.1	58.2-64.0	1794	38.9	36.0-41.8
Black or Afr. Am./Non-Hisp	342	152,750	176	47.9	34.4-61.4	166	52.1	38.6-65.6
Oth. Race/Non-Hisp.	121	38,798	64	50.6	25.9-75.3	57	49.4	24.7-74.1
MultiRacial/Non-Hisp.	62	5,726	35	73.8	56.7-90.9	27	26.2	9.1-43.3
Hispanic	247	232,417	134	51.3	40.1-62.5	113	48.7	37.5-59.9
65+	5442	1,746,811	3235	58.5	55.6-61.4	2207	41.5	38.6-44.4
Less Than H.S.	499	249,398	269	57.7	46.7-68.7	230	42.3	31.3-53.3
H.S. or G.E.D.	1378	439,591	751	53.8	47.9-59.7	627	46.2	40.3-52.1
Some Post-H.S.	1434	514,277	863	59.3	54.0-64.6	571	40.7	35.4-46.0
College Graduate	2106	537,168	1342	62.1	58.2-66.0	764	37.9	34.0-41.8
Less than \$15,000	340	116,230	166	52.9	40.2-65.6	174	47.1	34.4-59.8
\$15,000- 24,999	914	279,352	522	59.1	51.8-66.4	392	40.9	33.6-48.2
\$25,000- 34,999	609	174,046	366	62.4	53.4-71.4	243	37.6	28.6-46.6
\$35,000- 49,999	797	240,932	468	58.7	50.5-66.9	329	41.3	33.1-49.5
\$50,000- 74,999	769	247,301	461	54.1	46.5-61.7	308	45.9	38.3-53.5
\$75,000+	1127	386,924	755	64.5	59.0-70.0	372	35.5	30.0-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8491	2,107,713	4894	56.9	54.4-59.4	3597	43.1	40.6-45.6
White/Non-Hisp	7106	1,528,616	4196	60.0	57.5-62.5	2910	40.0	37.5-42.5
Black or Afr. Am./Non-Hisp	625	176,973	315	45.0	35.0-55.0	310	55.0	45.0-65.0
Oth. Race/Non-Hisp.	134	40,053	68	55.6	31.9-79.3	66	44.4	20.7-68.1
MultiRacial/Non-Hisp.	83	9,383	44	62.5	35.3-89.7	39	37.5	10.3-64.7
Hispanic	441	325,859	218	51.2	42.4-60.0	223	48.8	40.0-57.6
65+	8491	2,107,713	4894	56.9	54.4-59.4	3597	43.1	40.6-45.6
Less Than H.S.	859	308,094	464	53.1	44.5-61.7	395	46.9	38.3-55.5
H.S. or G.E.D.	2830	671,419	1587	56.7	52.2-61.2	1243	43.3	38.8-47.8
Some Post-H.S.	2533	686,253	1469	55.4	51.3-59.5	1064	44.6	40.5-48.7
College Graduate	2226	427,085	1350	62.7	58.6-66.8	876	37.3	33.2-41.4
Less than \$15,000	835	197,632	420	43.3	34.5-52.1	415	56.7	47.9-65.5
\$15,000- 24,999	1775	399,633	994	53.0	47.1-58.9	781	47.0	41.1-52.9
\$25,000- 34,999	975	225,001	549	56.7	49.6-63.8	426	43.3	36.2-50.4
\$35,000- 49,999	994	251,904	581	58.0	51.1-64.9	413	42.0	35.1-48.9
\$50,000- 74,999	747	187,122	461	60.8	53.2-68.4	286	39.2	31.6-46.8
\$75,000+	914	221,846	568	61.6	55.5-67.7	346	38.4	32.3-44.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13542	3,690,440	9364	65.6	63.6-67.6	4178	34.4	32.4-36.4
Male	5227	1,650,095	3542	63.9	61.0-66.8	1685	36.1	33.2-39.0
Female	8314	2,040,093	5821	67.0	64.5-69.5	2493	33.0	30.5-35.5
White/Non-Hisp	11371	2,706,194	8118	71.2	69.4-73.0	3253	28.8	27.0-30.6
Black or Afr. Am./Non-Hisp	923	314,265	526	46.0	37.6-54.4	397	54.0	45.6-62.4
Oth. Race/Non-Hisp.	250	75,386	158	68.0	52.7-83.3	92	32.0	16.7-47.3
MultiRacial/Non-Hisp.	139	14,723	91	84.6	76.0-93.2	48	15.4	6.8-24.0
Hispanic	650	521,361	339	48.2	41.1-55.3	311	51.8	44.7-58.9
65+	13542	3,690,440	9364	65.6	63.6-67.6	4178	34.4	32.4-36.4
Less Than H.S.	1304	518,858	813	54.0	46.7-61.3	491	46.0	38.7-53.3
H.S. or G.E.D.	4099	1,071,749	2768	65.2	61.7-68.7	1331	34.8	31.3-38.3
Some Post-H.S.	3864	1,152,486	2753	68.1	65.0-71.2	1111	31.9	28.8-35.0
College Graduate	4212	927,341	2990	69.5	66.8-72.2	1222	30.5	27.8-33.2
Less than \$15,000	1143	293,219	716	55.9	48.5-63.3	427	44.1	36.7-51.5
\$15,000- 24,999	2613	656,538	1772	62.2	57.5-66.9	841	37.8	33.1-42.5
\$25,000- 34,999	1533	386,615	1044	61.9	55.4-68.4	489	38.1	31.6-44.6
\$35,000- 49,999	1751	476,563	1221	68.0	62.9-73.1	530	32.0	26.9-37.1
\$50,000- 74,999	1476	422,736	1077	69.3	64.0-74.6	399	30.7	25.4-36.0
\$75,000+	1992	589,190	1455	71.4	67.3-75.5	537	28.6	24.5-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5227	1,650,095	3542	63.9	61.0-66.8	1685	36.1	33.2-39.0
White/Non-Hisp	4393	1,218,728	3074	70.3	67.6-73.0	1319	29.7	27.0-32.4
Black or Afr. Am./Non-Hisp	324	143,308	181	43.2	29.7-56.7	143	56.8	43.3-70.3
Oth. Race/Non-Hisp.	118	38,616	74	60.9	36.6-85.2	44	39.1	14.8-63.4
MultiRacial/Non-Hisp.	57	5,390	39	83.2	70.9-95.5	18	16.8	4.5-29.1
Hispanic	227	211,970	102	40.1	28.9-51.3	125	59.9	48.7-71.1
65+	5227	1,650,095	3542	63.9	61.0-66.8	1685	36.1	33.2-39.0
Less Than H.S.	476	230,444	269	49.6	37.8-61.4	207	50.4	38.6-62.2
H.S. or G.E.D.	1326	419,844	856	62.5	56.4-68.6	470	37.5	31.4-43.6
Some Post-H.S.	1375	485,327	977	68.4	63.3-73.5	398	31.6	26.5-36.7
College Graduate	2027	508,775	1425	67.3	63.4-71.2	602	32.7	28.8-36.6
Less than \$15,000	323	102,276	181	49.1	36.0-62.2	142	50.9	37.8-64.0
\$15,000- 24,999	879	271,594	574	62.4	55.1-69.7	305	37.6	30.3-44.9
\$25,000- 34,999	584	165,321	389	57.6	46.4-68.8	195	42.4	31.2-53.6
\$35,000- 49,999	764	226,618	530	68.3	60.7-75.9	234	31.7	24.1-39.3
\$50,000- 74,999	740	237,559	537	67.9	60.3-75.5	203	32.1	24.5-39.7
\$75,000+	1091	371,767	790	68.9	63.4-74.4	301	31.1	25.6-36.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8314	2,040,093	5821	67.0	64.6-69.4	2493	33.0	30.6-35.4
White/Non-Hisp	6977	1,487,213	5043	71.9	69.7-74.1	1934	28.1	25.9-30.3
Black or Afr. Am./Non-Hisp	599	170,956	345	48.4	37.8-59.0	254	51.6	41.0-62.2
Oth. Race/Non-Hisp.	132	36,769	84	75.4	59.9-90.9	48	24.6	9.1-40.1
MultiRacial/Non-Hisp.	82	9,333	52	85.4	73.8-97.0	30	14.6	3.0-26.2
Hispanic	423	309,390	237	53.8	44.8-62.8	186	46.2	37.2-55.2
65+	8314	2,040,093	5821	67.0	64.6-69.4	2493	33.0	30.6-35.4
Less Than H.S.	828	288,414	544	57.6	48.6-66.6	284	42.4	33.4-51.4
H.S. or G.E.D.	2773	651,905	1912	67.0	62.7-71.3	861	33.0	28.7-37.3
Some Post-H.S.	2489	667,159	1776	67.9	63.8-72.0	713	32.1	28.0-36.2
College Graduate	2184	418,313	1564	72.2	68.3-76.1	620	27.8	23.9-31.7
Less than \$15,000	820	190,943	535	59.5	50.7-68.3	285	40.5	31.7-49.3
\$15,000- 24,999	1734	384,944	1198	62.0	55.7-68.3	536	38.0	31.7-44.3
\$25,000- 34,999	949	221,295	655	65.2	58.1-72.3	294	34.8	27.7-41.9
\$35,000- 49,999	987	249,945	691	67.7	61.0-74.4	296	32.3	25.6-39.0
\$50,000- 74,999	736	185,177	540	71.0	63.4-78.6	196	29.0	21.4-36.6
\$75,000+	900	217,171	664	75.6	70.3-80.9	236	24.4	19.1-29.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 14: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34568	15,300,143	32855	95.0	94.4-95.6	1713	5.0	4.4- 5.6
Male	14565	7,394,552	13559	93.2	92.4-94.0	1006	6.8	6.0- 7.6
Female	20000	7,903,848	19294	96.7	96.1-97.3	706	3.3	2.7- 3.9
White/Non-Hisp	25140	8,752,092	23977	95.4	94.8-96.0	1163	4.6	4.0- 5.2
Black or Afr. Am./Non-Hisp	3355	2,038,810	3113	92.3	90.3-94.3	242	7.7	5.7- 9.7
Oth. Race/Non-Hisp.	959	542,749	908	96.6	94.4-98.8	51	3.4	1.2- 5.6
MultiRacial/Non-Hisp.	425	130,432	386	87.5	81.0-94.0	39	12.5	6.0-19.0
Hispanic	4103	3,532,331	3923	95.8	94.8-96.8	180	4.2	3.2- 5.2
18-24	1731	1,696,832	1582	92.5	90.7-94.3	149	7.5	5.7- 9.3
25-34	3210	2,377,661	2965	92.3	90.5-94.1	245	7.7	5.9- 9.5
35-44	3467	2,205,271	3244	93.6	92.0-95.2	223	6.4	4.8- 8.0
45-54	4910	2,390,095	4695	96.4	95.4-97.4	215	3.6	2.6- 4.6
55-64	6882	2,515,212	6582	97.0	96.2-97.8	300	3.0	2.2- 3.8
65+	13889	3,839,642	13328	96.4	95.6-97.2	561	3.6	2.8- 4.4
Less Than H.S.	3592	2,068,678	3304	92.2	90.4-94.0	288	7.8	6.0- 9.6
H.S. or G.E.D.	10287	4,487,330	9654	94.5	93.5-95.5	633	5.5	4.5- 6.5
Some Post-H.S.	10065	4,832,637	9603	95.3	94.5-96.1	462	4.7	3.9- 5.5
College Graduate	10463	3,827,623	10143	96.8	96.0-97.6	320	3.2	2.4- 4.0
Less than \$15,000	3210	1,244,405	3000	94.5	92.9-96.1	210	5.5	3.9- 7.1
\$15,000- 24,999	6325	2,636,629	5934	93.7	92.5-94.9	391	6.3	5.1- 7.5
\$25,000- 34,999	3603	1,452,612	3402	94.4	92.8-96.0	201	5.6	4.0- 7.2
\$35,000- 49,999	4256	1,813,725	4070	95.6	94.2-97.0	186	4.4	3.0- 5.8
\$50,000- 74,999	3959	1,735,803	3792	95.2	93.6-96.8	167	4.8	3.2- 6.4
\$75,000+	6726	3,372,074	6475	95.8	94.8-96.8	251	4.2	3.2- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14565	7,394,552	13559	93.2	92.4-94.0	1006	6.8	6.0- 7.6
White/Non-Hisp	10422	4,252,139	9714	93.5	92.5-94.5	708	6.5	5.5- 7.5
Black or Afr. Am./Non-Hisp	1335	956,748	1211	88.9	85.2-92.6	124	11.1	7.4-14.8
Oth. Race/Non-Hisp.	488	250,558	456	94.6	90.5-98.7	32	5.4	1.3- 9.5
MultiRacial/Non-Hisp.	205	58,113	181	89.8	82.4-97.2	24	10.2	2.8-17.6
Hispanic	1802	1,705,495	1706	95.3	93.7-96.9	96	4.7	3.1- 6.3
18-24	887	872,825	796	90.4	87.5-93.3	91	9.6	6.7-12.5
25-34	1484	1,202,947	1340	89.9	87.0-92.8	144	10.1	7.2-13.0
35-44	1520	1,084,908	1383	91.4	88.7-94.1	137	8.6	5.9-11.3
45-54	2149	1,193,042	2017	94.8	93.2-96.4	132	5.2	3.6- 6.8
55-64	2912	1,186,352	2736	96.5	95.3-97.7	176	3.5	2.3- 4.7
65+	5423	1,736,710	5108	94.8	93.4-96.2	315	5.2	3.8- 6.6
Less Than H.S.	1572	1,053,602	1393	90.0	87.3-92.7	179	10.0	7.3-12.7
H.S. or G.E.D.	4311	2,247,213	3926	92.3	90.5-94.1	385	7.7	5.9- 9.5
Some Post-H.S.	3902	2,174,215	3664	93.6	92.0-95.2	238	6.4	4.8- 8.0
College Graduate	4714	1,877,447	4514	95.6	94.4-96.8	200	4.4	3.2- 5.6
Less than \$15,000	1134	540,452	1026	92.6	89.7-95.5	108	7.4	4.5-10.3
\$15,000- 24,999	2403	1,188,110	2194	92.1	89.9-94.3	209	7.9	5.7-10.1
\$25,000- 34,999	1495	706,419	1389	93.0	90.5-95.5	106	7.0	4.5- 9.5
\$35,000- 49,999	1938	896,289	1825	93.8	91.3-96.3	113	6.2	3.7- 8.7
\$50,000- 74,999	1846	887,230	1725	92.2	89.3-95.1	121	7.8	4.9-10.7
\$75,000+	3434	1,879,562	3255	94.9	93.5-96.3	179	5.1	3.7- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20000	7,903,848	19294	96.7	96.1-97.3	706	3.3	2.7- 3.9
White/Non-Hisp	14716	4,498,808	14261	97.2	96.6-97.8	455	2.8	2.2- 3.4
Black or Afr. Am./Non-Hisp	2019	1,081,464	1902	95.4	93.8-97.0	117	4.6	3.0- 6.2
Oth. Race/Non-Hisp.	471	292,191	452	98.4	96.2- 100	19	1.6	0.0- 3.8
MultiRacial/Non-Hisp.	220	72,319	205	85.6	75.8-95.4	15	14.4	4.6-24.2
Hispanic	2301	1,826,836	2217	96.3	94.9-97.7	84	3.7	2.3- 5.1
18-24	844	824,007	786	94.8	93.0-96.6	58	5.2	3.4- 7.0
25-34	1724	1,173,223	1624	94.8	92.8-96.8	100	5.2	3.2- 7.2
35-44	1947	1,120,362	1861	95.8	94.0-97.6	86	4.2	2.4- 6.0
45-54	2761	1,197,053	2678	98.0	97.0-99.0	83	2.0	1.0- 3.0
55-64	3970	1,328,860	3846	97.5	96.3-98.7	124	2.5	1.3- 3.7
65+	8465	2,102,680	8219	97.6	96.8-98.4	246	2.4	1.6- 3.2
Less Than H.S.	2019	1,014,479	1911	94.7	92.3-97.1	108	5.3	2.9- 7.7
H.S. or G.E.D.	5976	2,240,118	5728	96.7	95.9-97.5	248	3.3	2.5- 4.1
Some Post-H.S.	6163	2,658,422	5939	96.6	95.6-97.6	224	3.4	2.4- 4.4
College Graduate	5747	1,949,030	5627	98.0	97.2-98.8	120	2.0	1.2- 2.8
Less than \$15,000	2076	703,953	1974	96.0	94.2-97.8	102	4.0	2.2- 5.8
\$15,000- 24,999	3922	1,448,520	3740	95.0	93.6-96.4	182	5.0	3.6- 6.4
\$25,000- 34,999	2107	745,299	2012	95.6	93.6-97.6	95	4.4	2.4- 6.4
\$35,000- 49,999	2318	917,436	2245	97.5	96.3-98.7	73	2.5	1.3- 3.7
\$50,000- 74,999	2113	848,573	2067	98.4	97.4-99.4	46	1.6	0.6- 2.6
\$75,000+	3291	1,492,259	3219	96.8	95.0-98.6	72	3.2	1.4- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 14: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34568	15,300,143	31101	90.1	89.5-90.7	3467	9.9	9.3-10.5
Male	14565	7,394,552	12591	86.8	85.6-88.0	1974	13.2	12.0-14.4
Female	20000	7,903,848	18508	93.3	92.5-94.1	1492	6.7	5.9- 7.5
White/Non-Hisp	25140	8,752,092	22731	90.3	89.5-91.1	2409	9.7	8.9-10.5
Black or Afr. Am./Non-Hisp	3355	2,038,810	2898	87.2	84.8-89.6	457	12.8	10.4-15.2
Oth. Race/Non-Hisp.	959	542,749	875	95.3	92.9-97.7	84	4.7	2.3- 7.1
MultiRacial/Non-Hisp.	425	130,432	356	83.7	77.0-90.4	69	16.3	9.6-23.0
Hispanic	4103	3,532,331	3721	91.4	89.8-93.0	382	8.6	7.0-10.2
18-24	1731	1,696,832	1408	83.5	80.8-86.2	323	16.5	13.8-19.2
25-34	3210	2,377,661	2686	85.2	82.8-87.6	524	14.8	12.4-17.2
35-44	3467	2,205,271	3034	87.3	85.1-89.5	433	12.7	10.5-14.9
45-54	4910	2,390,095	4444	92.6	91.4-93.8	466	7.4	6.2- 8.6
55-64	6882	2,515,212	6283	93.4	92.0-94.8	599	6.6	5.2- 8.0
65+	13889	3,839,642	12798	93.8	93.0-94.6	1091	6.2	5.4- 7.0
Less Than H.S.	3592	2,068,678	3118	87.2	84.8-89.6	474	12.8	10.4-15.2
H.S. or G.E.D.	10287	4,487,330	9091	89.2	87.8-90.6	1196	10.8	9.4-12.2
Some Post-H.S.	10065	4,832,637	9061	90.1	88.9-91.3	1004	9.9	8.7-11.1
College Graduate	10463	3,827,623	9686	93.1	92.1-94.1	777	6.9	5.9- 7.9
Less than \$15,000	3210	1,244,405	2846	89.4	87.0-91.8	364	10.6	8.2-13.0
\$15,000- 24,999	6325	2,636,629	5651	89.7	88.1-91.3	674	10.3	8.7-11.9
\$25,000- 34,999	3603	1,452,612	3207	89.1	86.9-91.3	396	10.9	8.7-13.1
\$35,000- 49,999	4256	1,813,725	3838	90.6	88.8-92.4	418	9.4	7.6-11.2
\$50,000- 74,999	3959	1,735,803	3555	88.6	86.4-90.8	404	11.4	9.2-13.6
\$75,000+	6726	3,372,074	6154	91.3	89.9-92.7	572	8.7	7.3-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	14565	7,394,552	12591	86.8	85.6-88.0	1974	13.2	12.0-14.4
White/Non-Hisp	10422	4,252,139	9017	86.9	85.5-88.3	1405	13.1	11.7-14.5
Black or Afr. Am./Non-Hisp	1335	956,748	1108	82.3	78.0-86.6	227	17.7	13.4-22.0
Oth. Race/Non-Hisp.	488	250,558	435	92.9	88.6-97.2	53	7.1	2.8-11.4
MultiRacial/Non-Hisp.	205	58,113	168	85.9	77.7-94.1	37	14.1	5.9-22.3
Hispanic	1802	1,705,495	1589	88.9	86.4-91.4	213	11.1	8.6-13.6
18-24	887	872,825	698	80.0	75.7-84.3	189	20.0	15.7-24.3
25-34	1484	1,202,947	1186	80.2	76.5-83.9	298	19.8	16.1-23.5
35-44	1520	1,084,908	1252	82.2	78.7-85.7	268	17.8	14.3-21.3
45-54	2149	1,193,042	1873	89.5	87.3-91.7	276	10.5	8.3-12.7
55-64	2912	1,186,352	2574	92.7	90.9-94.5	338	7.3	5.5- 9.1
65+	5423	1,736,710	4834	91.4	89.8-93.0	589	8.6	7.0-10.2
Less Than H.S.	1572	1,053,602	1275	82.9	79.2-86.6	297	17.1	13.4-20.8
H.S. or G.E.D.	4311	2,247,213	3641	86.2	84.0-88.4	670	13.8	11.6-16.0
Some Post-H.S.	3902	2,174,215	3372	85.9	83.7-88.1	530	14.1	11.9-16.3
College Graduate	4714	1,877,447	4247	90.7	88.9-92.5	467	9.3	7.5-11.1
Less than \$15,000	1134	540,452	950	85.0	80.9-89.1	184	15.0	10.9-19.1
\$15,000- 24,999	2403	1,188,110	2057	87.4	84.9-89.9	346	12.6	10.1-15.1
\$25,000- 34,999	1495	706,419	1293	86.1	82.4-89.8	202	13.9	10.2-17.6
\$35,000- 49,999	1938	896,289	1693	88.6	85.7-91.5	245	11.4	8.5-14.3
\$50,000- 74,999	1846	887,230	1588	82.7	79.0-86.4	258	17.3	13.6-21.0
\$75,000+	3434	1,879,562	3032	89.1	87.1-91.1	402	10.9	8.9-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20000	7,903,848	18508	93.3	92.5-94.1	1492	6.7	5.9- 7.5
White/Non-Hisp	14716	4,498,808	13712	93.5	92.5-94.5	1004	6.5	5.5- 7.5
Black or Afr. Am./Non-Hisp	2019	1,081,464	1790	91.6	89.6-93.6	229	8.4	6.4-10.4
Oth. Race/Non-Hisp.	471	292,191	440	97.4	94.9-99.9	31	2.6	0.1- 5.1
MultiRacial/Non-Hisp.	220	72,319	188	82.0	71.8-92.2	32	18.0	7.8-28.2
Hispanic	2301	1,826,836	2132	93.8	92.0-95.6	169	6.2	4.4- 8.0
18-24	844	824,007	710	87.3	84.2-90.4	134	12.7	9.6-15.8
25-34	1724	1,173,223	1499	90.4	88.0-92.8	225	9.6	7.2-12.0
35-44	1947	1,120,362	1782	92.3	89.8-94.8	165	7.7	5.2-10.2
45-54	2761	1,197,053	2571	95.7	94.5-96.9	190	4.3	3.1- 5.5
55-64	3970	1,328,860	3709	94.1	92.3-95.9	261	5.9	4.1- 7.7
65+	8465	2,102,680	7963	95.8	94.8-96.8	502	4.2	3.2- 5.2
Less Than H.S.	2019	1,014,479	1843	91.7	89.0-94.4	176	8.3	5.6-11.0
H.S. or G.E.D.	5976	2,240,118	5450	92.2	90.8-93.6	526	7.8	6.4- 9.2
Some Post-H.S.	6163	2,658,422	5689	93.4	92.0-94.8	474	6.6	5.2- 8.0
College Graduate	5747	1,949,030	5437	95.4	94.2-96.6	310	4.6	3.4- 5.8
Less than \$15,000	2076	703,953	1896	92.8	90.3-95.3	180	7.2	4.7- 9.7
\$15,000- 24,999	3922	1,448,520	3594	91.7	89.7-93.7	328	8.3	6.3-10.3
\$25,000- 34,999	2107	745,299	1913	91.9	89.5-94.3	194	8.1	5.7-10.5
\$35,000- 49,999	2318	917,436	2145	92.6	90.4-94.8	173	7.4	5.2- 9.6
\$50,000- 74,999	2113	848,573	1967	94.8	92.8-96.8	146	5.2	3.2- 7.2
\$75,000+	3291	1,492,259	3121	94.0	91.8-96.2	170	6.0	3.8- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DRINKING AND DRIVING (_DRNKDRV)	
1	MALES AND FEMALES	143
2	MALES ONLY	144
3	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 15: DRINKING AND DRIVING  
 TABLE 1: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	16144	8,075,898	476	3.4	2.8- 4.0	15668	96.6	96.0-97.2
Male	7898	4,343,884	327	4.5	3.7- 5.3	7571	95.5	94.7-96.3
Female	8243	3,730,271	148	2.1	1.5- 2.7	8095	97.9	97.3-98.5
White/Non-Hisp	12450	5,131,561	358	3.5	2.9- 4.1	12092	96.5	95.9-97.1
Black or Afr. Am./Non-Hisp	1181	873,792	41	3.3	1.5- 5.1	1140	96.7	94.9-98.5
Oth. Race/Non-Hisp.	375	234,083	11	2.9	0.7- 5.1	364	97.1	94.9-99.3
MultiRacial/Non-Hisp.	176	67,204	4	3.6	0.0- 8.1	172	96.4	91.9- 100
Hispanic	1683	1,591,743	53	3.0	1.8- 4.2	1630	97.0	95.8-98.2
18-24	836	790,246	44	3.5	2.1- 4.9	792	96.5	95.1-97.9
25-34	1861	1,496,290	75	3.5	2.1- 4.9	1786	96.5	95.1-97.9
35-44	1829	1,250,886	75	3.7	2.5- 4.9	1754	96.3	95.1-97.5
45-54	2430	1,299,855	88	5.3	3.5- 7.1	2342	94.7	92.9-96.5
55-64	3191	1,278,965	100	3.6	2.4- 4.8	3091	96.4	95.2-97.6
65+	5783	1,804,584	87	1.6	1.0- 2.2	5696	98.4	97.8-99.0
Less Than H.S.	997	730,564	34	4.2	1.8- 6.6	963	95.8	93.4-98.2
H.S. or G.E.D.	3956	2,093,031	117	3.2	2.2- 4.2	3839	96.8	95.8-97.8
Some Post-H.S.	4929	2,698,344	125	2.5	1.7- 3.3	4804	97.5	96.7-98.3
College Graduate	6212	2,522,900	194	4.1	3.1- 5.1	6018	95.9	94.9-96.9
Less than \$15,000	954	419,759	36	4.4	1.9- 6.9	918	95.6	93.1-98.1
\$15,000- 24,999	2192	1,091,871	70	3.5	1.9- 5.1	2122	96.5	94.9-98.1
\$25,000- 34,999	1559	677,281	43	2.2	1.2- 3.2	1516	97.8	96.8-98.8
\$35,000- 49,999	2173	1,054,945	64	2.9	1.7- 4.1	2109	97.1	95.9-98.3
\$50,000- 74,999	2299	1,141,199	66	3.6	2.4- 4.8	2233	96.4	95.2-97.6
\$75,000+	4403	2,375,722	147	3.9	2.9- 4.9	4256	96.1	95.1-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 15: DRINKING AND DRIVING  
 TABLE 2: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7898	4,343,884	327	4.5	3.7- 5.3	7571	95.5	94.7-96.3
White/Non-Hisp	5851	2,679,512	239	4.6	3.6- 5.6	5612	95.4	94.4-96.4
Black or Afr. Am./Non-Hisp	600	440,548	28	5.2	1.7- 8.7	572	94.8	91.3-98.3
Oth. Race/Non-Hisp.	232	123,871	9	3.5	0.6- 6.4	223	96.5	93.6-99.4
MultiRacial/Non-Hisp.	102	34,706	4	6.9	0.0-15.5	98	93.1	84.5- 100
Hispanic	950	955,254	39	3.5	1.7- 5.3	911	96.5	94.7-98.3
18-24	447	416,157	31	4.0	1.8- 6.2	416	96.0	93.8-98.2
25-34	972	823,806	50	4.3	2.3- 6.3	922	95.7	93.7-97.7
35-44	909	663,506	50	5.3	3.3- 7.3	859	94.7	92.7-96.7
45-54	1201	741,831	62	7.1	4.4- 9.8	1139	92.9	90.2-95.6
55-64	1558	668,476	71	4.8	2.8- 6.8	1487	95.2	93.2-97.2
65+	2710	953,439	58	2.0	1.0- 3.0	2652	98.0	97.0-99.0
Less Than H.S.	629	464,675	28	5.5	2.2- 8.8	601	94.5	91.2-97.8
H.S. or G.E.D.	2047	1,232,346	86	4.3	2.9- 5.7	1961	95.7	94.3-97.1
Some Post-H.S.	2170	1,314,531	89	3.8	2.4- 5.2	2081	96.2	94.8-97.6
College Graduate	3023	1,306,928	120	4.9	3.5- 6.3	2903	95.1	93.7-96.5
Less than \$15,000	449	218,094	22	5.8	1.3-10.3	427	94.2	89.7-98.7
\$15,000- 24,999	1042	598,981	47	5.1	2.6- 7.6	995	94.9	92.4-97.4
\$25,000- 34,999	745	360,624	25	2.7	1.1- 4.3	720	97.3	95.7-98.9
\$35,000- 49,999	1063	559,291	41	3.8	2.0- 5.6	1022	96.2	94.4-98.0
\$50,000- 74,999	1134	589,657	49	5.3	3.3- 7.3	1085	94.7	92.7-96.7
\$75,000+	2364	1,363,282	112	4.6	3.2- 6.0	2252	95.4	94.0-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 15: DRINKING AND DRIVING  
 TABLE 3: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8243	3,730,271	148	2.1	1.5- 2.7	8095	97.9	97.3-98.5
White/Non-Hisp	6597	2,450,904	119	2.2	1.6- 2.8	6478	97.8	97.2-98.4
Black or Afr. Am./Non-Hisp	580	432,647	12	1.1	0.1- 2.1	568	98.9	97.9-99.9
Oth. Race/Non-Hisp.	143	110,211	2	2.3	0.0- 5.6	141	97.7	94.4- 100
MultiRacial/Non-Hisp.	74	32,498				74	100.0	100.0- 100
Hispanic	733	636,489	14	2.3	0.3- 4.3	719	97.7	95.7-99.7
18-24	389	374,090	13	2.9	0.9- 4.9	376	97.1	95.1-99.1
25-34	887	670,993	24	2.3	0.7- 3.9	863	97.7	96.1-99.3
35-44	920	587,380	25	1.9	0.9- 2.9	895	98.1	97.1-99.1
45-54	1229	558,025	26	2.9	0.9- 4.9	1203	97.1	95.1-99.1
55-64	1633	610,490	29	2.3	0.7- 3.9	1604	97.7	96.1-99.3
65+	3072	850,893	29	1.0	0.4- 1.6	3043	99.0	98.4-99.6
Less Than H.S.	367	265,292	5	1.6	0.0- 4.0	362	98.4	96.0- 100
H.S. or G.E.D.	1909	860,685	31	1.7	0.9- 2.5	1878	98.3	97.5-99.1
Some Post-H.S.	2759	1,383,812	36	1.3	0.5- 2.1	2723	98.7	97.9-99.5
College Graduate	3187	1,214,826	74	3.2	2.0- 4.4	3113	96.8	95.6-98.0
Less than \$15,000	505	201,666	14	2.9	0.7- 5.1	491	97.1	94.9-99.3
\$15,000- 24,999	1150	492,890	23	1.4	0.4- 2.4	1127	98.6	97.6-99.6
\$25,000- 34,999	813	315,763	18	1.6	0.6- 2.6	795	98.4	97.4-99.4
\$35,000- 49,999	1110	495,654	23	2.0	0.8- 3.2	1087	98.0	96.8-99.2
\$50,000- 74,999	1165	551,542	17	1.8	0.4- 3.2	1148	98.2	96.8-99.6
\$75,000+	2038	1,012,187	35	2.9	1.3- 4.5	2003	97.1	95.5-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 16: BREAST/CERVICAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	147
2	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021) FEMALES ONLY	148
3	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33) FEMALES ONLY	149

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_RFMAM2Y)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 40 years old  
Denominator excludes: Respondents who are male**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	15914	5,100,196	11791	76.9	75.5-78.3	4123	23.1	21.7-24.5
White/Non-Hisp	12408	3,225,178	9121	75.3	73.7-76.9	3287	24.7	23.1-26.3
Black or Afr. Am./Non-Hisp	1440	577,713	1194	80.8	75.7-85.9	246	19.2	14.1-24.3
Oth. Race/Non-Hisp.	345	155,375	224	74.8	65.2-84.4	121	25.2	15.6-34.8
MultiRacial/Non-Hisp.	160	32,817	112	65.6	49.5-81.7	48	34.4	18.3-50.5
Hispanic	1371	1,045,546	1008	80.3	76.4-84.2	363	19.7	15.8-23.6
40-44	999	566,897	563	58.2	52.3-64.1	436	41.8	35.9-47.7
45-54	2725	1,175,777	1921	77.7	74.8-80.6	804	22.3	19.4-25.2
55-64	3914	1,305,650	2991	79.2	76.3-82.1	923	20.8	17.9-23.7
65+	8276	2,051,872	6316	80.1	78.1-82.1	1960	19.9	17.9-21.9
Less Than H.S.	1599	681,828	1074	71.4	65.7-77.1	525	28.6	22.9-34.3
H.S. or G.E.D.	4817	1,467,043	3470	74.2	71.3-77.1	1347	25.8	22.9-28.7
Some Post-H.S.	4806	1,653,119	3551	77.2	74.8-79.6	1255	22.8	20.4-25.2
College Graduate	4625	1,267,403	3648	82.5	80.3-84.7	977	17.5	15.3-19.7
Less than \$15,000	1668	462,507	1088	66.1	60.4-71.8	580	33.9	28.2-39.6
\$15,000- 24,999	3066	930,677	2101	72.7	68.8-76.6	965	27.3	23.4-31.2
\$25,000- 34,999	1659	459,826	1173	72.7	68.0-77.4	486	27.3	22.6-32.0
\$35,000- 49,999	1837	592,954	1382	80.2	76.5-83.9	455	19.8	16.1-23.5
\$50,000- 74,999	1695	543,256	1352	79.2	75.1-83.3	343	20.8	16.7-24.9
\$75,000+	2713	1,006,280	2258	83.8	81.3-86.3	455	16.2	13.7-18.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM5021)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old  
Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	9996	3,090,389	7821	81.7	80.1-83.3	2175	18.3	16.7-19.9
White/Non-Hisp	7867	2,031,378	6104	79.9	78.1-81.7	1763	20.1	18.3-21.9
Black or Afr. Am./Non-Hisp	919	318,574	802	87.3	82.0-92.6	117	12.7	7.4-18.0
Oth. Race/Non-Hisp.	220	106,970	147	79.7	69.3-90.1	73	20.3	9.9-30.7
MultiRacial/Non-Hisp.	107	17,630	79	67.6	48.0-87.2	28	32.4	12.8-52.0
Hispanic	766	573,797	607	85.8	80.9-90.7	159	14.2	9.3-19.1
50-54	1558	668,969	1129	79.0	75.3-82.7	429	21.0	17.3-24.7
55-64	3914	1,305,650	2991	79.2	76.3-82.1	923	20.8	17.9-23.7
65+	4524	1,115,769	3701	86.4	84.2-88.6	823	13.6	11.4-15.8
Less Than H.S.	903	351,841	643	75.0	67.7-82.3	260	25.0	17.7-32.3
H.S. or G.E.D.	2976	912,457	2271	79.5	76.2-82.8	705	20.5	17.2-23.8
Some Post-H.S.	3121	1,048,126	2423	81.9	79.4-84.4	698	18.1	15.6-20.6
College Graduate	2958	761,834	2452	87.1	84.7-89.5	506	12.9	10.5-15.3
Less than \$15,000	1068	278,044	735	75.2	69.1-81.3	333	24.8	18.7-30.9
\$15,000- 24,999	1869	532,586	1359	78.3	74.4-82.2	510	21.7	17.8-25.6
\$25,000- 34,999	1003	288,546	743	79.0	74.1-83.9	260	21.0	16.1-25.9
\$35,000- 49,999	1173	382,606	939	83.8	79.3-88.3	234	16.2	11.7-20.7
\$50,000- 74,999	1153	365,353	976	83.7	78.6-88.8	177	16.3	11.2-21.4
\$75,000+	1879	611,938	1604	86.8	84.1-89.5	275	13.2	10.5-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP33)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old  
Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8271	4,278,781	6434	78.7	76.9-80.5	1837	21.3	19.5-23.1
White/Non-Hisp	5418	2,159,159	4154	78.5	76.5-80.5	1264	21.5	19.5-23.5
Black or Afr. Am./Non-Hisp	968	655,955	818	82.0	76.7-87.3	150	18.0	12.7-23.3
Oth. Race/Non-Hisp.	250	210,296	171	67.0	56.0-78.0	79	33.0	22.0-44.0
MultiRacial/Non-Hisp.	99	49,109	69	66.5	48.1-84.9	30	33.5	15.1-51.9
Hispanic	1434	1,144,898	1145	80.0	76.1-83.9	289	20.0	16.1-23.9
18-24	471	441,029	312	60.9	53.6-68.2	159	39.1	31.8-46.4
25-34	1535	1,058,166	1260	79.1	75.2-83.0	275	20.9	17.0-24.8
35-44	1625	962,131	1339	83.7	80.4-87.0	286	16.3	13.0-19.6
45-54	1901	876,528	1492	82.8	79.7-85.9	409	17.2	14.1-20.3
55-64	2469	878,440	1838	77.9	74.4-81.4	631	22.1	18.6-25.6
65+	270	62,487	193	76.3	66.9-85.7	77	23.7	14.3-33.1
Less Than H.S.	835	505,512	593	76.9	71.2-82.6	242	23.1	17.4-28.8
H.S. or G.E.D.	2144	1,104,643	1563	71.9	67.8-76.0	581	28.1	24.0-32.2
Some Post-H.S.	2537	1,416,971	1951	77.6	74.7-80.5	586	22.4	19.5-25.3
College Graduate	2732	1,237,931	2308	86.8	84.4-89.2	424	13.2	10.8-15.6
Less than \$15,000	861	347,186	606	75.0	69.5-80.5	255	25.0	19.5-30.5
\$15,000- 24,999	1570	804,885	1133	75.7	71.6-79.8	437	24.3	20.2-28.4
\$25,000- 34,999	826	393,594	614	74.6	68.3-80.9	212	25.4	19.1-31.7
\$35,000- 49,999	1000	507,445	776	76.7	71.2-82.2	224	23.3	17.8-28.8
\$50,000- 74,999	985	490,129	795	78.2	72.7-83.7	190	21.8	16.3-27.3
\$75,000+	1747	981,330	1562	90.1	87.6-92.6	185	9.9	7.4-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 17: PROSTATE CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
1 MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) 1 MALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (\_RFPSA21)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10360	4,330,276	5313	46.2	44.2-48.2	5047	53.8	51.8-55.8
White/Non-Hisp	7966	2,780,259	4286	51.0	48.8-53.2	3680	49.0	46.8-51.2
Black or Afr. Am./Non-Hisp	858	444,578	383	40.1	33.2-47.0	475	59.9	53.0-66.8
Oth. Race/Non-Hisp.	281	126,662	109	28.4	15.3-41.5	172	71.6	58.5-84.7
MultiRacial/Non-Hisp.	125	19,284	55	37.5	18.5-56.5	70	62.5	43.5-81.5
Hispanic	947	884,643	380	37.3	31.8-42.8	567	62.7	57.2-68.2
40-44	749	521,015	104	13.5	9.4-17.6	645	86.5	82.4-90.6
45-54	2007	1,124,400	637	30.7	27.2-34.2	1370	69.3	65.8-72.8
55-64	2680	1,097,867	1324	50.3	46.2-54.4	1356	49.7	45.6-53.8
65+	4924	1,586,995	3248	65.1	62.2-68.0	1676	34.9	32.0-37.8
Less Than H.S.	1065	668,794	335	28.5	22.0-35.0	730	71.5	65.0-78.0
H.S. or G.E.D.	2905	1,165,729	1264	42.7	39.0-46.4	1641	57.3	53.6-61.0
Some Post-H.S.	2715	1,238,872	1437	49.3	45.6-53.0	1278	50.7	47.0-54.4
College Graduate	3642	1,249,395	2263	55.9	52.8-59.0	1379	44.1	41.0-47.2
Less than \$15,000	810	338,780	253	29.1	22.2-36.0	557	70.9	64.0-77.8
\$15,000- 24,999	1659	690,373	661	35.4	30.5-40.3	998	64.6	59.7-69.5
\$25,000- 34,999	1033	401,203	472	36.5	30.4-42.6	561	63.5	57.4-69.6
\$35,000- 49,999	1386	518,292	769	50.8	45.3-56.3	617	49.2	43.7-54.7
\$50,000- 74,999	1363	527,103	804	55.4	50.1-60.7	559	44.6	39.3-49.9
\$75,000+	2662	1,259,167	1630	54.7	51.0-58.4	1032	45.3	41.6-49.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 18: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFLD3)	
1	MALES AND FEMALES	153
2	MALES ONLY	154
3	FEMALES ONLY	155
	RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)	
4	MALES AND FEMALES	156
5	MALES ONLY	157
6	FEMALES ONLY	158
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)	
7	MALES AND FEMALES	159
8	MALES ONLY	160
9	FEMALES ONLY	161
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)	
10	MALES AND FEMALES	162
11	MALES ONLY	163
12	FEMALES ONLY	164
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)	
13	MALES AND FEMALES	165
14	MALES ONLY	166
15	FEMALES ONLY	167
	RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
16	MALES AND FEMALES	168
17	MALES ONLY	169
18	FEMALES ONLY	170



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	17422	5,982,638	2687	15.2	14.0-16.4	14735	84.8	83.6-86.0
Male	7238	2,844,256	1096	14.4	12.6-16.2	6142	85.6	83.8-87.4
Female	10183	3,138,130	1591	15.9	14.3-17.5	8592	84.1	82.5-85.7
White/Non-Hisp	13701	4,002,744	2112	15.5	14.3-16.7	11589	84.5	83.3-85.7
Black or Afr. Am./Non-Hisp	1511	592,933	268	16.3	12.0-20.6	1243	83.7	79.4-88.0
Oth. Race/Non-Hisp.	407	181,818	62	17.3	6.9-27.7	345	82.7	72.3-93.1
MultiRacial/Non-Hisp.	194	28,013	30	20.1	7.8-32.4	164	79.9	67.6-92.2
Hispanic	1357	1,082,820	173	12.9	9.6-16.2	1184	87.1	83.8-90.4
50-54	2719	1,280,565	200	7.1	5.1- 9.1	2519	92.9	90.9-94.9
55-64	6697	2,444,172	859	12.5	10.7-14.3	5838	87.5	85.7-89.3
65+	8006	2,257,901	1628	22.7	20.5-24.9	6378	77.3	75.1-79.5
Less Than H.S.	1631	760,696	235	16.5	12.0-21.0	1396	83.5	79.0-88.0
H.S. or G.E.D.	5135	1,730,407	810	14.5	12.3-16.7	4325	85.5	83.3-87.7
Some Post-H.S.	5121	1,898,634	842	16.7	14.5-18.9	4279	83.3	81.1-85.5
College Graduate	5468	1,563,896	791	13.5	11.7-15.3	4677	86.5	84.7-88.3
Less than \$15,000	1723	536,773	289	18.6	14.3-22.9	1434	81.4	77.1-85.7
\$15,000- 24,999	3079	976,212	553	16.8	13.7-19.9	2526	83.2	80.1-86.3
\$25,000- 34,999	1720	542,518	270	16.6	12.5-20.7	1450	83.4	79.3-87.5
\$35,000- 49,999	2136	713,025	351	16.7	13.4-20.0	1785	83.3	80.0-86.6
\$50,000- 74,999	2086	707,525	301	15.7	12.0-19.4	1785	84.3	80.6-88.0
\$75,000+	3795	1,477,793	471	11.0	9.0-13.0	3324	89.0	87.0-91.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7238	2,844,256	1096	14.4	12.6-16.2	6142	85.6	83.8-87.4
White/Non-Hisp	5661	1,922,187	862	14.5	12.7-16.3	4799	85.5	83.7-87.3
Black or Afr. Am./Non-Hisp	587	277,271	98	14.9	9.2-20.6	489	85.1	79.4-90.8
Oth. Race/Non-Hisp.	193	79,619	27	17.3	1.4-33.2	166	82.7	66.8-98.6
MultiRacial/Non-Hisp.	87	10,819	12	6.9	0.0-14.3	75	93.1	85.7- 100
Hispanic	580	503,219	72	13.9	8.4-19.4	508	86.1	80.6-91.6
50-54	1174	627,174	79	5.1	2.9- 7.3	1095	94.9	92.7-97.1
55-64	2839	1,159,311	352	11.6	9.2-14.0	2487	88.4	86.0-90.8
65+	3225	1,057,770	665	22.9	19.6-26.2	2560	77.1	73.8-80.4
Less Than H.S.	718	407,952	101	14.7	8.8-20.6	617	85.3	79.4-91.2
H.S. or G.E.D.	2075	782,326	298	12.6	9.7-15.5	1777	87.4	84.5-90.3
Some Post-H.S.	1922	830,093	317	16.3	13.2-19.4	1605	83.7	80.6-86.8
College Graduate	2496	813,327	377	14.2	11.5-16.9	2119	85.8	83.1-88.5
Less than \$15,000	642	266,476	102	12.9	7.8-18.0	540	87.1	82.0-92.2
\$15,000- 24,999	1154	427,645	179	15.3	10.8-19.8	975	84.7	80.2-89.2
\$25,000- 34,999	684	245,442	106	10.1	7.0-13.2	578	89.9	86.8-93.0
\$35,000- 49,999	939	329,089	168	17.7	12.6-22.8	771	82.3	77.2-87.4
\$50,000- 74,999	910	329,879	134	16.4	11.1-21.7	776	83.6	78.3-88.9
\$75,000+	1930	879,934	254	12.3	9.6-15.0	1676	87.7	85.0-90.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	10183	3,138,130	1591	15.9	14.3-17.5	8592	84.1	82.5-85.7
White/Non-Hisp	8039	2,080,304	1250	16.4	14.6-18.2	6789	83.6	81.8-85.4
Black or Afr. Am./Non-Hisp	924	315,661	170	17.5	11.2-23.8	754	82.5	76.2-88.8
Oth. Race/Non-Hisp.	214	102,199	35	17.4	3.7-31.1	179	82.6	68.9-96.3
MultiRacial/Non-Hisp.	107	17,194	18	28.5	10.3-46.7	89	71.5	53.3-89.7
Hispanic	777	579,601	101	12.0	7.9-16.1	676	88.0	83.9-92.1
50-54	1545	653,391	121	9.1	6.0-12.2	1424	90.9	87.8-94.0
55-64	3858	1,284,861	507	13.2	10.7-15.7	3351	86.8	84.3-89.3
65+	4780	1,199,878	963	22.4	19.7-25.1	3817	77.6	74.9-80.3
Less Than H.S.	913	352,744	134	18.6	11.7-25.5	779	81.4	74.5-88.3
H.S. or G.E.D.	3060	948,081	512	16.2	13.3-19.1	2548	83.8	80.9-86.7
Some Post-H.S.	3199	1,068,541	525	17.0	14.3-19.7	2674	83.0	80.3-85.7
College Graduate	2971	750,317	414	12.7	10.3-15.1	2557	87.3	84.9-89.7
Less than \$15,000	1081	270,297	187	24.2	17.5-30.9	894	75.8	69.1-82.5
\$15,000- 24,999	1925	548,567	374	17.9	13.4-22.4	1551	82.1	77.6-86.6
\$25,000- 34,999	1036	297,077	164	22.0	15.3-28.7	872	78.0	71.3-84.7
\$35,000- 49,999	1197	383,935	183	15.8	11.5-20.1	1014	84.2	79.9-88.5
\$50,000- 74,999	1176	377,646	167	15.2	10.1-20.3	1009	84.8	79.7-89.9
\$75,000+	1864	597,607	217	9.2	6.8-11.6	1647	90.8	88.4-93.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (\_COL10YR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	17009	5,840,108	11114	62.2	60.6-63.8	5895	37.8	36.2-39.4
Male	7026	2,751,387	4501	61.3	58.9-63.7	2525	38.7	36.3-41.1
Female	9982	3,088,469	6613	63.0	60.6-65.4	3369	37.0	34.6-39.4
White/Non-Hisp	13433	3,926,860	9035	67.0	65.2-68.8	4398	33.0	31.2-34.8
Black or Afr. Am./Non-Hisp	1443	576,511	948	58.4	52.1-64.7	495	41.6	35.3-47.9
Oth. Race/Non-Hisp.	405	185,612	227	47.4	34.3-60.5	178	52.6	39.5-65.7
MultiRacial/Non-Hisp.	193	26,753	129	72.9	60.6-85.2	64	27.1	14.8-39.4
Hispanic	1288	1,029,156	631	49.2	44.1-54.3	657	50.8	45.7-55.9
50-54	2665	1,257,576	1169	40.5	36.8-44.2	1496	59.5	55.8-63.2
55-64	6513	2,360,000	4074	61.8	59.1-64.5	2439	38.2	35.5-40.9
65+	7831	2,222,532	5871	74.9	72.7-77.1	1960	25.1	22.9-27.3
Less Than H.S.	1552	731,490	713	46.8	40.7-52.9	839	53.2	47.1-59.3
H.S. or G.E.D.	5004	1,676,546	3101	59.4	56.3-62.5	1903	40.6	37.5-43.7
Some Post-H.S.	5010	1,851,637	3349	66.2	63.5-68.9	1661	33.8	31.1-36.5
College Graduate	5380	1,552,505	3919	68.2	65.5-70.9	1461	31.8	29.1-34.5
Less than \$15,000	1672	510,751	809	44.0	38.1-49.9	863	56.0	50.1-61.9
\$15,000- 24,999	2970	951,074	1723	55.0	50.9-59.1	1247	45.0	40.9-49.1
\$25,000- 34,999	1670	529,727	1024	57.1	51.8-62.4	646	42.9	37.6-48.2
\$35,000- 49,999	2097	687,677	1396	64.1	59.6-68.6	701	35.9	31.4-40.4
\$50,000- 74,999	2059	704,876	1506	70.0	65.7-74.3	553	30.0	25.7-34.3
\$75,000+	3755	1,466,098	2805	69.4	66.3-72.5	950	30.6	27.5-33.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 5: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (\_COL10YR)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7026	2,751,387	4501	61.3	58.9-63.7	2525	38.7	36.3-41.1
White/Non-Hisp	5512	1,867,081	3697	66.7	64.2-69.2	1815	33.3	30.8-35.8
Black or Afr. Am./Non-Hisp	559	269,475	333	58.8	50.4-67.2	226	41.2	32.8-49.6
Oth. Race/Non-Hisp.	193	80,002	105	52.4	30.6-74.2	88	47.6	25.8-69.4
MultiRacial/Non-Hisp.	88	10,849	56	77.4	60.5-94.3	32	22.6	5.7-39.5
Hispanic	548	472,880	236	43.7	36.3-51.1	312	56.3	48.9-63.7
50-54	1148	609,499	457	36.6	31.5-41.7	691	63.4	58.3-68.5
55-64	2736	1,102,004	1652	60.8	56.9-64.7	1084	39.2	35.3-43.1
65+	3142	1,039,884	2392	76.2	73.1-79.3	750	23.8	20.7-26.9
Less Than H.S.	673	388,706	269	43.5	34.7-52.3	404	56.5	47.7-65.3
H.S. or G.E.D.	2026	759,180	1171	58.3	53.8-62.8	855	41.7	37.2-46.2
Some Post-H.S.	1871	794,656	1236	63.2	58.9-67.5	635	36.8	32.5-41.1
College Graduate	2432	798,350	1813	71.2	67.7-74.7	619	28.8	25.3-32.3
Less than \$15,000	612	245,665	244	37.3	28.7-45.9	368	62.7	54.1-71.3
\$15,000- 24,999	1108	412,310	591	51.7	45.4-58.0	517	48.3	42.0-54.6
\$25,000- 34,999	661	236,475	404	54.8	46.6-63.0	257	45.2	37.0-53.4
\$35,000- 49,999	915	310,797	581	58.1	51.2-65.0	334	41.9	35.0-48.8
\$50,000- 74,999	890	325,415	657	71.9	66.0-77.8	233	28.1	22.2-34.0
\$75,000+	1896	866,584	1418	70.3	66.0-74.6	478	29.7	25.4-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (\_COL10YR)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	9982	3,088,469	6613	63.0	60.6-65.4	3369	37.0	34.6-39.4
White/Non-Hisp	7920	2,059,527	5338	67.2	65.0-69.4	2582	32.8	30.6-35.0
Black or Afr. Am./Non-Hisp	884	307,036	615	58.2	49.2-67.2	269	41.8	32.8-50.8
Oth. Race/Non-Hisp.	212	105,610	122	43.6	27.1-60.1	90	56.4	39.9-72.9
MultiRacial/Non-Hisp.	105	15,904	73	69.9	52.8-87.0	32	30.1	13.0-47.2
Hispanic	740	556,276	395	54.0	46.9-61.1	345	46.0	38.9-53.1
50-54	1517	648,077	712	44.2	39.1-49.3	805	55.8	50.7-60.9
55-64	3777	1,257,996	2422	62.6	58.9-66.3	1355	37.4	33.7-41.1
65+	4688	1,182,395	3479	73.8	70.9-76.7	1209	26.2	23.3-29.1
Less Than H.S.	879	342,784	444	50.5	42.1-58.9	435	49.5	41.1-57.9
H.S. or G.E.D.	2978	917,365	1930	60.3	55.8-64.8	1048	39.7	35.2-44.2
Some Post-H.S.	3139	1,056,981	2113	68.4	64.9-71.9	1026	31.6	28.1-35.1
College Graduate	2947	753,902	2106	65.1	61.2-69.0	841	34.9	31.0-38.8
Less than \$15,000	1060	265,086	565	50.2	42.4-58.0	495	49.8	42.0-57.6
\$15,000- 24,999	1862	538,764	1132	57.6	51.9-63.3	730	42.4	36.7-48.1
\$25,000- 34,999	1009	293,252	620	59.0	51.9-66.1	389	41.0	33.9-48.1
\$35,000- 49,999	1182	376,879	815	69.0	62.9-75.1	367	31.0	24.9-37.1
\$50,000- 74,999	1169	379,460	849	68.3	62.0-74.6	320	31.7	25.4-38.0
\$75,000+	1858	599,262	1387	68.1	63.4-72.8	471	31.9	27.2-36.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (\_HFOB3YR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	17422	5,982,638	4209	22.6	21.2-24.0	13213	77.4	76.0-78.8
Male	7238	2,844,256	1700	21.5	19.5-23.5	5538	78.5	76.5-80.5
Female	10183	3,138,130	2509	23.5	21.5-25.5	7674	76.5	74.5-78.5
White/Non-Hisp	13701	4,002,744	3332	23.0	21.6-24.4	10369	77.0	75.6-78.4
Black or Afr. Am./Non-Hisp	1511	592,933	419	25.3	20.2-30.4	1092	74.7	69.6-79.8
Oth. Race/Non-Hisp.	407	181,818	100	27.1	15.1-39.1	307	72.9	60.9-84.9
MultiRacial/Non-Hisp.	194	28,013	48	26.4	13.3-39.5	146	73.6	60.5-86.7
Hispanic	1357	1,082,820	245	18.7	14.8-22.6	1112	81.3	77.4-85.2
50-54	2719	1,280,565	351	12.2	9.8-14.6	2368	87.8	85.4-90.2
55-64	6697	2,444,172	1399	19.9	17.7-22.1	5298	80.1	77.9-82.3
65+	8006	2,257,901	2459	31.4	29.0-33.8	5547	68.6	66.2-71.0
Less Than H.S.	1631	760,696	344	22.4	17.3-27.5	1287	77.6	72.5-82.7
H.S. or G.E.D.	5135	1,730,407	1262	22.2	19.7-24.7	3873	77.8	75.3-80.3
Some Post-H.S.	5121	1,898,634	1302	23.8	21.4-26.2	3819	76.2	73.8-78.6
College Graduate	5468	1,563,896	1289	21.7	19.5-23.9	4179	78.3	76.1-80.5
Less than \$15,000	1723	536,773	410	24.1	19.4-28.8	1313	75.9	71.2-80.6
\$15,000- 24,999	3079	976,212	826	24.8	21.3-28.3	2253	75.2	71.7-78.7
\$25,000- 34,999	1720	542,518	424	23.9	19.4-28.4	1296	76.1	71.6-80.6
\$35,000- 49,999	2136	713,025	559	23.8	19.9-27.7	1577	76.2	72.3-80.1
\$50,000- 74,999	2086	707,525	494	23.9	20.0-27.8	1592	76.1	72.2-80.0
\$75,000+	3795	1,477,793	818	19.2	16.7-21.7	2977	80.8	78.3-83.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (\_HFOB3YR)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7238	2,844,256	1700	21.5	19.5-23.5	5538	78.5	76.5-80.5
White/Non-Hisp	5661	1,922,187	1329	21.6	19.6-23.6	4332	78.4	76.4-80.4
Black or Afr. Am./Non-Hisp	587	277,271	163	25.2	17.4-33.0	424	74.8	67.0-82.6
Oth. Race/Non-Hisp.	193	79,619	49	26.4	8.2-44.6	144	73.6	55.4-91.8
MultiRacial/Non-Hisp.	87	10,819	24	19.9	3.2-36.6	63	80.1	63.4-96.8
Hispanic	580	503,219	97	18.5	12.6-24.4	483	81.5	75.6-87.4
50-54	1174	627,174	135	8.1	5.6-10.6	1039	91.9	89.4-94.4
55-64	2839	1,159,311	574	19.4	16.5-22.3	2265	80.6	77.7-83.5
65+	3225	1,057,770	991	31.9	28.4-35.4	2234	68.1	64.6-71.6
Less Than H.S.	718	407,952	144	21.1	14.0-28.2	574	78.9	71.8-86.0
H.S. or G.E.D.	2075	782,326	464	19.4	15.9-22.9	1611	80.6	77.1-84.1
Some Post-H.S.	1922	830,093	490	23.2	19.7-26.7	1432	76.8	73.3-80.3
College Graduate	2496	813,327	597	22.1	19.0-25.2	1899	77.9	74.8-81.0
Less than \$15,000	642	266,476	138	18.6	12.5-24.7	504	81.4	75.3-87.5
\$15,000- 24,999	1154	427,645	293	25.0	19.5-30.5	861	75.0	69.5-80.5
\$25,000- 34,999	684	245,442	172	16.6	12.3-20.9	512	83.4	79.1-87.7
\$35,000- 49,999	939	329,089	252	24.2	18.5-29.9	687	75.8	70.1-81.5
\$50,000- 74,999	910	329,879	209	24.5	18.6-30.4	701	75.5	69.6-81.4
\$75,000+	1930	879,934	423	20.3	16.8-23.8	1507	79.7	76.2-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (\_HFOB3YR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	10183	3,138,130	2509	23.5	21.5-25.5	7674	76.5	74.5-78.5
White/Non-Hisp	8039	2,080,304	2003	24.2	22.2-26.2	6036	75.8	73.8-77.8
Black or Afr. Am./Non-Hisp	924	315,661	256	25.4	18.5-32.3	668	74.6	67.7-81.5
Oth. Race/Non-Hisp.	214	102,199	51	27.7	11.8-43.6	163	72.3	56.4-88.2
MultiRacial/Non-Hisp.	107	17,194	24	30.5	12.3-48.7	83	69.5	51.3-87.7
Hispanic	777	579,601	148	18.8	13.5-24.1	629	81.2	75.9-86.5
50-54	1545	653,391	216	16.1	12.0-20.2	1329	83.9	79.8-88.0
55-64	3858	1,284,861	825	20.3	17.4-23.2	3033	79.7	76.8-82.6
65+	4780	1,199,878	1468	31.0	28.1-33.9	3312	69.0	66.1-71.9
Less Than H.S.	913	352,744	200	23.9	16.8-31.0	713	76.1	69.0-83.2
H.S. or G.E.D.	3060	948,081	798	24.6	20.9-28.3	2262	75.4	71.7-79.1
Some Post-H.S.	3199	1,068,541	812	24.2	21.1-27.3	2387	75.8	72.7-78.9
College Graduate	2971	750,317	692	21.3	18.2-24.4	2279	78.7	75.6-81.8
Less than \$15,000	1081	270,297	272	29.5	22.6-36.4	809	70.5	63.6-77.4
\$15,000- 24,999	1925	548,567	533	24.7	20.0-29.4	1392	75.3	70.6-80.0
\$25,000- 34,999	1036	297,077	252	29.9	22.8-37.0	784	70.1	63.0-77.2
\$35,000- 49,999	1197	383,935	307	23.5	18.2-28.8	890	76.5	71.2-81.8
\$50,000- 74,999	1176	377,646	285	23.4	17.9-28.9	891	76.6	71.1-82.1
\$75,000+	1864	597,607	395	17.7	14.4-21.0	1469	82.3	79.0-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FS5YR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8046	2,881,480	255	2.4	1.8- 3.0	7791	97.6	97.0-98.2
Male	3386	1,375,175	113	3.1	2.1- 4.1	3273	96.9	95.9-97.9
Female	4659	1,506,053	142	1.8	1.0- 2.6	4517	98.2	97.4-99.0
White/Non-Hisp	6205	1,821,363	201	2.5	1.9- 3.1	6004	97.5	96.9-98.1
Black or Afr. Am./Non-Hisp	637	286,625	26	1.2	0.4- 2.0	611	98.8	98.0-99.6
Oth. Race/Non-Hisp.	217	120,257	1	0.3	0.0- 0.9	216	99.7	99.1- 100
MultiRacial/Non-Hisp.	84	11,229				84	100.0	100.0- 100
Hispanic	771	587,893	23	3.2	0.8- 5.6	748	96.8	94.4-99.2
50-54	1645	816,945	31	1.8	0.4- 3.2	1614	98.2	96.8-99.6
55-64	3345	1,214,857	85	1.7	0.9- 2.5	3260	98.3	97.5-99.1
65+	3056	849,678	139	4.0	2.8- 5.2	2917	96.0	94.8-97.2
Less Than H.S.	952	438,679	17	1.7	0.3- 3.1	935	98.3	96.9-99.7
H.S. or G.E.D.	2466	855,416	73	1.9	0.9- 2.9	2393	98.1	97.1-99.1
Some Post-H.S.	2328	847,369	81	2.8	1.4- 4.2	2247	97.2	95.8-98.6
College Graduate	2264	722,054	83	2.9	1.9- 3.9	2181	97.1	96.1-98.1
Less than \$15,000	1020	332,965	25	2.5	0.3- 4.7	995	97.5	95.3-99.7
\$15,000- 24,999	1579	509,512	50	2.6	1.2- 4.0	1529	97.4	96.0-98.8
\$25,000- 34,999	850	299,682	27	2.4	0.4- 4.4	823	97.6	95.6-99.6
\$35,000- 49,999	995	347,222	37	4.0	0.9- 7.1	958	96.0	92.9-99.1
\$50,000- 74,999	832	297,408	21	1.3	0.3- 2.3	811	98.7	97.7-99.7
\$75,000+	1493	645,155	53	2.3	1.3- 3.3	1440	97.7	96.7-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FS5YR)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3386	1,375,175	113	3.1	2.1- 4.1	3273	96.9	95.9-97.9
White/Non-Hisp	2532	856,982	93	3.5	2.3- 4.7	2439	96.5	95.3-97.7
Black or Afr. Am./Non-Hisp	269	126,427	7	0.9	0.0- 1.9	262	99.1	98.1- 100
Oth. Race/Non-Hisp.	109	54,529				109	100.0	100.0- 100
Hispanic	367	303,271	10	3.6	0.7- 6.5	357	96.4	93.5-99.3
50-54	751	414,679	14	1.9	0.1- 3.7	737	98.1	96.3-99.9
55-64	1445	576,881	29	2.0	0.8- 3.2	1416	98.0	96.8-99.2
65+	1190	383,615	70	6.0	3.6- 8.4	1120	94.0	91.6-96.4
Less Than H.S.	461	245,659	8	2.2	0.0- 4.6	453	97.8	95.4- 100
H.S. or G.E.D.	1052	387,999	24	2.9	0.7- 5.1	1028	97.1	94.9-99.3
Some Post-H.S.	873	380,202	31	2.8	1.2- 4.4	842	97.2	95.6-98.8
College Graduate	985	354,451	50	4.4	2.4- 6.4	935	95.6	93.6-97.6
Less than \$15,000	429	171,208	11	3.4	0.0- 7.3	418	96.6	92.7- 100
\$15,000- 24,999	604	231,111	18	4.1	1.2- 7.0	586	95.9	93.0-98.8
\$25,000- 34,999	341	138,903	12	4.8	0.9- 8.7	329	95.2	91.3-99.1
\$35,000- 49,999	458	172,430	13	2.5	0.5- 4.5	445	97.5	95.5-99.5
\$50,000- 74,999	346	128,170	13	2.3	0.1- 4.5	333	97.7	95.5-99.9
\$75,000+	761	371,960	31	2.6	1.2- 4.0	730	97.4	96.0-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FS5YR)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4659	1,506,053	142	1.8	1.0- 2.6	4517	98.2	97.4-99.0
White/Non-Hisp	3672	964,129	108	1.7	1.1- 2.3	3564	98.3	97.7-98.9
Black or Afr. Am./Non-Hisp	368	160,198	19	1.5	0.3- 2.7	349	98.5	97.3-99.7
Oth. Race/Non-Hisp.	108	65,728	1	0.6	0.0- 1.8	107	99.4	98.2- 100
Hispanic	404	284,623	13	2.7	0.0- 6.2	391	97.3	93.8- 100
50-54	894	402,266	17	1.7	0.0- 4.1	877	98.3	95.9- 100
55-64	1900	637,976	56	1.4	0.6- 2.2	1844	98.6	97.8-99.4
65+	1865	465,811	69	2.3	1.3- 3.3	1796	97.7	96.7-98.7
Less Than H.S.	491	193,020	9	1.1	0.0- 2.3	482	98.9	97.7- 100
H.S. or G.E.D.	1414	467,417	49	1.1	0.3- 1.9	1365	98.9	98.1-99.7
Some Post-H.S.	1455	467,167	50	2.9	0.5- 5.3	1405	97.1	94.7-99.5
College Graduate	1278	367,351	33	1.6	0.8- 2.4	1245	98.4	97.6-99.2
Less than \$15,000	591	161,757	14	1.6	0.2- 3.0	577	98.4	97.0-99.8
\$15,000- 24,999	975	278,400	32	1.4	0.4- 2.4	943	98.6	97.6-99.6
\$25,000- 34,999	509	160,778	15	0.4	0.0- 0.8	494	99.6	99.2- 100
\$35,000- 49,999	537	174,792	24	5.5	0.0-11.2	513	94.5	88.8- 100
\$50,000- 74,999	486	169,238	8	0.6	0.0- 1.2	478	99.4	98.8- 100
\$75,000+	731	272,942	22	1.8	0.6- 3.0	709	98.2	97.0-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FOBTFS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	14990	5,187,172	91	0.4	0.2- 0.6	14899	99.6	99.4-99.8
Male	6207	2,455,174	39	0.5	0.1- 0.9	6168	99.5	99.1-99.9
Female	8782	2,731,745	52	0.3	0.1- 0.5	8730	99.7	99.5-99.9
White/Non-Hisp	11797	3,450,756	73	0.3	0.1- 0.5	11724	99.7	99.5-99.9
Black or Afr. Am./Non-Hisp	1242	504,027	9	0.1	0.0- 0.3	1233	99.9	99.7- 100
Oth. Race/Non-Hisp.	353	164,988				353	100.0	100.0- 100
MultiRacial/Non-Hisp.	164	23,330				164	100.0	100.0- 100
Hispanic	1209	960,110	7	0.6	0.0- 1.2	1202	99.4	98.8- 100
50-54	2542	1,205,814	2	0.0	0.0- 0.0	2540	100.0	100.0- 100
55-64	5949	2,172,347	30	0.3	0.1- 0.5	5919	99.7	99.5-99.9
65+	6499	1,809,011	59	0.6	0.2- 1.0	6440	99.4	99.0-99.8
Less Than H.S.	1453	661,696	8	0.5	0.0- 1.3	1445	99.5	98.7- 100
H.S. or G.E.D.	4427	1,504,265	23	0.4	0.2- 0.6	4404	99.6	99.4-99.8
Some Post-H.S.	4352	1,614,940	34	0.4	0.2- 0.6	4318	99.6	99.4-99.8
College Graduate	4698	1,380,313	25	0.3	0.1- 0.5	4673	99.7	99.5-99.9
Less than \$15,000	1538	476,011	10	0.1	0.0- 0.3	1528	99.9	99.7- 100
\$15,000- 24,999	2622	840,157	20	0.8	0.0- 1.6	2602	99.2	98.4- 100
\$25,000- 34,999	1486	478,137	12	0.9	0.0- 1.9	1474	99.1	98.1- 100
\$35,000- 49,999	1803	617,307	15	0.3	0.1- 0.5	1788	99.7	99.5-99.9
\$50,000- 74,999	1770	595,672	7	0.1	0.1- 0.1	1763	99.9	99.9-99.9
\$75,000+	3284	1,291,868	12	0.2	0.0- 0.4	3272	99.8	99.6- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FOBTFS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6207	2,455,174	39	0.5	0.1- 0.9	6168	99.5	99.1-99.9
White/Non-Hisp	4859	1,649,159	33	0.4	0.2- 0.6	4826	99.6	99.4-99.8
Black or Afr. Am./Non-Hisp	476	229,695	1	0.0	0.0- 0.0	475	100.0	100.0- 100
Oth. Race/Non-Hisp.	166	70,052				166	100.0	100.0- 100
MultiRacial/Non-Hisp.	72	8,897				72	100.0	100.0- 100
Hispanic	525	451,437	3	1.0	0.0- 2.4	522	99.0	97.6- 100
50-54	1108	602,456	1	0.0	0.0- 0.0	1107	100.0	100.0- 100
55-64	2514	1,022,373	10	0.4	0.0- 1.0	2504	99.6	99.0- 100
65+	2585	830,346	28	1.0	0.4- 1.6	2557	99.0	98.4-99.6
Less Than H.S.	643	360,474	2	0.7	0.0- 2.1	641	99.3	97.9- 100
H.S. or G.E.D.	1812	689,115	11	0.5	0.0- 1.1	1801	99.5	98.9- 100
Some Post-H.S.	1614	697,119	11	0.4	0.0- 0.8	1603	99.6	99.2- 100
College Graduate	2115	700,439	15	0.4	0.0- 1.0	2100	99.6	99.0- 100
Less than \$15,000	581	239,706	4	0.1	0.0- 0.3	577	99.9	99.7- 100
\$15,000- 24,999	982	362,223	7	1.1	0.0- 2.5	975	98.9	97.5- 100
\$25,000- 34,999	585	225,862	7	1.9	0.0- 4.1	578	98.1	95.9- 100
\$35,000- 49,999	787	285,987	4	0.4	0.0- 1.0	783	99.6	99.0- 100
\$50,000- 74,999	764	277,521	4	0.1	0.0- 0.3	760	99.9	99.7- 100
\$75,000+	1656	748,799	6	0.1	0.1- 0.1	1650	99.9	99.9-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FOBTFS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8782	2,731,745	52	0.3	0.1- 0.5	8730	99.7	99.5-99.9
White/Non-Hisp	6937	1,801,344	40	0.3	0.1- 0.5	6897	99.7	99.5-99.9
Black or Afr. Am./Non-Hisp	766	274,331	8	0.2	0.0- 0.4	758	99.8	99.6- 100
Oth. Race/Non-Hisp.	187	94,936				187	100.0	100.0- 100
MultiRacial/Non-Hisp.	92	14,433				92	100.0	100.0- 100
Hispanic	684	508,673	4	0.3	0.0- 0.9	680	99.7	99.1- 100
50-54	1434	603,358	1	0.0	0.0- 0.0	1433	100.0	100.0- 100
55-64	3435	1,149,974	20	0.3	0.0- 0.7	3415	99.7	99.3- 100
65+	3913	978,413	31	0.3	0.1- 0.5	3882	99.7	99.5-99.9
Less Than H.S.	810	301,222	6	0.2	0.0- 0.6	804	99.8	99.4- 100
H.S. or G.E.D.	2615	815,150	12	0.2	0.0- 0.6	2603	99.8	99.4- 100
Some Post-H.S.	2738	917,821	23	0.4	0.0- 0.8	2715	99.6	99.2- 100
College Graduate	2582	679,622	10	0.1	0.1- 0.1	2572	99.9	99.9-99.9
Less than \$15,000	957	236,305	6	0.2	0.0- 0.4	951	99.8	99.6- 100
\$15,000- 24,999	1640	477,934	13	0.5	0.0- 1.1	1627	99.5	98.9- 100
\$25,000- 34,999	901	252,275	5	0.1	0.1- 0.1	896	99.9	99.9-99.9
\$35,000- 49,999	1016	331,320	11	0.2	0.0- 0.4	1005	99.8	99.6- 100
\$50,000- 74,999	1006	318,150	3	0.0	0.0- 0.0	1003	100.0	100.0- 100
\$75,000+	1627	542,817	6	0.3	0.0- 0.7	1621	99.7	99.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	17122	5,869,019	12061	67.3	65.7-68.9	5061	32.7	31.1-34.3
Male	7081	2,771,255	4874	65.7	63.3-68.1	2207	34.3	31.9-36.7
Female	10040	3,097,511	7187	68.7	66.5-70.9	2853	31.3	29.1-33.5
White/Non-Hisp	13514	3,941,628	9767	71.4	69.8-73.0	3747	28.6	27.0-30.2
Black or Afr. Am./Non-Hisp	1462	582,066	1040	66.1	60.2-72.0	422	33.9	28.0-39.8
Oth. Race/Non-Hisp.	408	183,345	251	54.1	40.6-67.6	157	45.9	32.4-59.4
MultiRacial/Non-Hisp.	193	27,826	138	78.3	67.3-89.3	55	21.7	10.7-32.7
Hispanic	1299	1,039,913	701	55.1	50.0-60.2	598	44.9	39.8-50.0
50-54	2664	1,254,279	1264	44.3	40.6-48.0	1400	55.7	52.0-59.4
55-64	6559	2,380,376	4420	66.4	63.9-68.9	2139	33.6	31.1-36.1
65+	7899	2,234,364	6377	81.3	79.3-83.3	1522	18.7	16.7-20.7
Less Than H.S.	1567	736,694	828	53.2	47.1-59.3	739	46.8	40.7-52.9
H.S. or G.E.D.	5038	1,688,317	3432	64.8	61.7-67.9	1606	35.2	32.1-38.3
Some Post-H.S.	5049	1,866,052	3621	71.2	68.5-73.9	1428	28.8	26.1-31.5
College Graduate	5405	1,550,233	4146	72.5	70.0-75.0	1259	27.5	25.0-30.0
Less than \$15,000	1687	513,449	958	53.2	47.1-59.3	729	46.8	40.7-52.9
\$15,000- 24,999	2999	960,273	1957	61.9	57.8-66.0	1042	38.1	34.0-42.2
\$25,000- 34,999	1681	533,779	1136	64.2	59.1-69.3	545	35.8	30.7-40.9
\$35,000- 49,999	2114	693,883	1507	70.5	66.2-74.8	607	29.5	25.2-33.8
\$50,000- 74,999	2072	706,869	1591	73.8	69.7-77.9	481	26.2	22.1-30.3
\$75,000+	3767	1,466,022	2908	71.5	68.4-74.6	859	28.5	25.4-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7081	2,771,255	4874	65.7	63.3-68.1	2207	34.3	31.9-36.7
White/Non-Hisp	5557	1,878,286	3985	70.4	68.0-72.8	1572	29.6	27.2-32.0
Black or Afr. Am./Non-Hisp	564	271,222	365	64.3	56.5-72.1	199	35.7	27.9-43.5
Oth. Race/Non-Hisp.	192	78,045	112	54.7	32.4-77.0	80	45.3	23.0-67.6
MultiRacial/Non-Hisp.	87	10,835	60	78.6	61.9-95.3	27	21.4	4.7-38.1
Hispanic	553	482,675	267	50.8	43.4-58.2	286	49.2	41.8-56.6
50-54	1146	607,619	497	39.8	34.5-45.1	649	60.2	54.9-65.5
55-64	2765	1,116,952	1797	65.0	61.1-68.9	968	35.0	31.1-38.9
65+	3170	1,046,684	2580	81.6	78.7-84.5	590	18.4	15.5-21.3
Less Than H.S.	683	391,692	322	49.7	41.1-58.3	361	50.3	41.7-58.9
H.S. or G.E.D.	2040	765,985	1295	62.5	58.0-67.0	745	37.5	33.0-42.0
Some Post-H.S.	1889	804,289	1336	67.8	63.5-72.1	553	32.2	27.9-36.5
College Graduate	2445	798,795	1909	75.0	71.7-78.3	536	25.0	21.7-28.3
Less than \$15,000	622	247,114	299	43.5	34.5-52.5	323	56.5	47.5-65.5
\$15,000- 24,999	1120	417,269	673	58.0	51.9-64.1	447	42.0	35.9-48.1
\$25,000- 34,999	669	240,958	444	58.7	50.7-66.7	225	41.3	33.3-49.3
\$35,000- 49,999	925	319,794	638	65.4	58.9-71.9	287	34.6	28.1-41.1
\$50,000- 74,999	897	326,984	693	76.3	71.0-81.6	204	23.7	18.4-29.0
\$75,000+	1901	865,117	1466	72.6	68.5-76.7	435	27.4	23.3-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	10040	3,097,511	7187	68.7	66.5-70.9	2853	31.3	29.1-33.5
White/Non-Hisp	7956	2,063,089	5782	72.3	70.1-74.5	2174	27.7	25.5-29.9
Black or Afr. Am./Non-Hisp	898	310,845	675	67.7	58.7-76.7	223	32.3	23.3-41.3
Oth. Race/Non-Hisp.	216	105,300	139	53.7	36.6-70.8	77	46.3	29.2-63.4
MultiRacial/Non-Hisp.	106	16,991	78	78.1	63.6-92.6	28	21.9	7.4-36.4
Hispanic	746	557,238	434	58.7	51.8-65.6	312	41.3	34.4-48.2
50-54	1518	646,660	767	48.5	43.2-53.8	751	51.5	46.2-56.8
55-64	3794	1,263,424	2623	67.5	64.0-71.0	1171	32.5	29.0-36.0
65+	4728	1,187,427	3797	81.0	78.5-83.5	931	19.0	16.5-21.5
Less Than H.S.	884	345,002	506	57.1	48.7-65.5	378	42.9	34.5-51.3
H.S. or G.E.D.	2998	922,333	2137	66.7	62.4-71.0	861	33.3	29.0-37.6
Some Post-H.S.	3160	1,061,762	2285	73.8	70.5-77.1	875	26.2	22.9-29.5
College Graduate	2959	751,186	2237	69.9	66.0-73.8	722	30.1	26.2-34.0
Less than \$15,000	1065	266,335	659	62.2	54.2-70.2	406	37.8	29.8-45.8
\$15,000- 24,999	1879	543,004	1284	64.9	59.4-70.4	595	35.1	29.6-40.6
\$25,000- 34,999	1012	292,821	692	68.8	62.3-75.3	320	31.2	24.7-37.7
\$35,000- 49,999	1189	374,089	869	74.8	69.1-80.5	320	25.2	19.5-30.9
\$50,000- 74,999	1175	379,886	898	71.7	65.4-78.0	277	28.3	22.0-34.6
\$75,000+	1865	600,653	1442	69.9	65.2-74.6	423	30.1	25.4-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 19: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	172
2	MALES ONLY	173
3	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 19: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	32379	14,437,303	13027	46.9	45.7-48.1	19352	53.1	51.9-54.3
Male	13626	7,018,787	5630	45.8	44.0-47.6	7996	54.2	52.4-56.0
Female	18750	7,416,774	7396	48.0	46.4-49.6	11354	52.0	50.4-53.6
White/Non-Hisp	23429	8,208,537	8191	39.4	38.0-40.8	15238	60.6	59.2-62.0
Black or Afr. Am./Non-Hisp	3202	1,963,688	1945	64.9	61.2-68.6	1257	35.1	31.4-38.8
Oth. Race/Non-Hisp.	903	526,172	389	35.8	28.9-42.7	514	64.2	57.3-71.1
MultiRacial/Non-Hisp.	405	125,547	200	54.8	44.4-65.2	205	45.2	34.8-55.6
Hispanic	3907	3,334,963	2071	56.0	53.3-58.7	1836	44.0	41.3-46.7
18-24	1666	1,631,920	622	36.4	32.7-40.1	1044	63.6	59.9-67.3
25-34	3097	2,296,583	1996	64.5	61.6-67.4	1101	35.5	32.6-38.4
35-44	3340	2,117,588	2294	70.4	67.7-73.1	1046	29.6	26.9-32.3
45-54	4678	2,293,980	2715	58.9	56.2-61.6	1963	41.1	38.4-43.8
55-64	6482	2,355,878	2603	42.3	39.6-45.0	3879	57.7	55.0-60.4
65+	12695	3,500,641	2631	21.7	19.9-23.5	10064	78.3	76.5-80.1
Less Than H.S.	3359	1,929,342	1424	48.9	45.0-52.8	1935	51.1	47.2-55.0
H.S. or G.E.D.	9589	4,223,939	3484	43.1	40.9-45.3	6105	56.9	54.7-59.1
Some Post-H.S.	9434	4,570,177	4029	48.5	46.5-50.5	5405	51.5	49.5-53.5
College Graduate	9858	3,637,488	4044	48.5	46.5-50.5	5814	51.5	49.5-53.5
Less than \$15,000	3012	1,166,666	1451	55.2	51.3-59.1	1561	44.8	40.9-48.7
\$15,000- 24,999	5938	2,486,439	2550	51.5	48.8-54.2	3388	48.5	45.8-51.2
\$25,000- 34,999	3392	1,373,595	1367	47.0	43.3-50.7	2025	53.0	49.3-56.7
\$35,000- 49,999	4013	1,730,948	1617	44.6	41.5-47.7	2396	55.4	52.3-58.5
\$50,000- 74,999	3746	1,644,218	1472	46.7	43.4-50.0	2274	53.3	50.0-56.6
\$75,000+	6367	3,211,535	2582	46.6	44.2-49.0	3785	53.4	51.0-55.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13626	7,018,787	5630	45.8	44.0-47.6	7996	54.2	52.4-56.0
White/Non-Hisp	9688	4,000,252	3576	39.6	37.6-41.6	6112	60.4	58.4-62.4
Black or Afr. Am./Non-Hisp	1278	925,706	798	60.9	55.2-66.6	480	39.1	33.4-44.8
Oth. Race/Non-Hisp.	458	244,767	199	39.4	29.4-49.4	259	60.6	50.6-70.6
MultiRacial/Non-Hisp.	195	56,181	94	49.3	34.8-63.8	101	50.7	36.2-65.2
Hispanic	1730	1,638,415	843	53.1	49.0-57.2	887	46.9	42.8-51.0
18-24	860	844,060	252	29.2	24.1-34.3	608	70.8	65.7-75.9
25-34	1442	1,183,509	794	58.5	54.2-62.8	648	41.5	37.2-45.8
35-44	1465	1,041,294	885	64.0	59.7-68.3	580	36.0	31.7-40.3
45-54	2043	1,142,308	1165	59.4	55.7-63.1	878	40.6	36.9-44.3
55-64	2735	1,124,750	1180	43.3	39.4-47.2	1555	56.7	52.8-60.6
65+	4916	1,578,647	1281	25.8	23.3-28.3	3635	74.2	71.7-76.7
Less Than H.S.	1473	992,277	588	43.8	38.3-49.3	885	56.2	50.7-61.7
H.S. or G.E.D.	4021	2,137,993	1601	43.9	40.8-47.0	2420	56.1	53.0-59.2
Some Post-H.S.	3650	2,065,817	1611	48.4	45.3-51.5	2039	51.6	48.5-54.7
College Graduate	4427	1,785,238	1812	46.7	44.0-49.4	2615	53.3	50.6-56.0
Less than \$15,000	1072	525,672	526	55.1	48.8-61.4	546	44.9	38.6-51.2
\$15,000- 24,999	2253	1,124,205	984	52.5	48.4-56.6	1269	47.5	43.4-51.6
\$25,000- 34,999	1399	667,502	589	44.5	39.0-50.0	810	55.5	50.0-61.0
\$35,000- 49,999	1824	861,290	721	41.8	37.3-46.3	1103	58.2	53.7-62.7
\$50,000- 74,999	1736	841,936	696	46.7	42.2-51.2	1040	53.3	48.8-57.8
\$75,000+	3247	1,806,932	1331	45.1	42.0-48.2	1916	54.9	51.8-58.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	18750	7,416,774	7396	48.0	46.4-49.6	11354	52.0	50.4-53.6
White/Non-Hisp	13739	4,207,139	4614	39.3	37.5-41.1	9125	60.7	58.9-62.5
Black or Afr. Am./Non-Hisp	1923	1,037,385	1147	68.5	63.8-73.2	776	31.5	26.8-36.2
Oth. Race/Non-Hisp.	445	281,405	190	32.7	23.7-41.7	255	67.3	58.3-76.3
MultiRacial/Non-Hisp.	210	69,367	106	59.3	45.0-73.6	104	40.7	26.4-55.0
Hispanic	2177	1,696,548	1228	58.9	55.2-62.6	949	41.1	37.4-44.8
18-24	806	787,861	370	44.2	38.7-49.7	436	55.8	50.3-61.3
25-34	1653	1,111,583	1202	71.1	67.2-75.0	451	28.9	25.0-32.8
35-44	1875	1,076,294	1409	76.6	73.3-79.9	466	23.4	20.1-26.7
45-54	2635	1,151,672	1550	58.5	54.4-62.6	1085	41.5	37.4-45.6
55-64	3747	1,231,128	1423	41.4	37.7-45.1	2324	58.6	54.9-62.3
65+	7778	1,921,742	1349	18.3	16.1-20.5	6429	81.7	79.5-83.9
Less Than H.S.	1885	936,467	836	54.3	49.0-59.6	1049	45.7	40.4-51.0
H.S. or G.E.D.	5568	2,085,946	1883	42.3	39.4-45.2	3685	57.7	54.8-60.6
Some Post-H.S.	5784	2,504,360	2418	48.6	46.1-51.1	3366	51.4	48.9-53.9
College Graduate	5429	1,851,104	2231	50.4	47.7-53.1	3198	49.6	46.9-52.3
Less than \$15,000	1940	640,994	925	55.3	50.2-60.4	1015	44.7	39.6-49.8
\$15,000- 24,999	3685	1,362,235	1566	50.7	47.0-54.4	2119	49.3	45.6-53.0
\$25,000- 34,999	1992	705,200	778	49.4	44.5-54.3	1214	50.6	45.7-55.5
\$35,000- 49,999	2189	869,658	896	47.5	43.0-52.0	1293	52.5	48.0-57.0
\$50,000- 74,999	2010	802,282	776	46.7	41.8-51.6	1234	53.3	48.4-58.2
\$75,000+	3119	1,404,351	1250	48.6	45.1-52.1	1869	51.4	47.9-54.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
FLORIDA CALCULATED VARIABLE DATA REPORT, 2016**

End of Calculated Variable Data Report