2020 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Book

Florida Department of Health
Division of Community Health Promotion
Public Health Research Section

Joseph A. Ladapo, MD, PhD
State Surgeon General

Ron DeSantis
Governor

October 2021

Florida
HEALTH

Introduction

The Florida Department of Health is pleased to release the 2020 Florida Behavioral Risk Factor Surveillance System (BRFSS) State Data. The Florida BRFSS has been collecting and reporting health behavior data since 1986. The 2020 BRFSS Survey interviewed 11,799 Florida adults aged 18 years and older.

This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults. These data can be used to: (1) determine priority health issues and identify populations at risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practices. Each indicator was analyzed by sex, race/ethnicity, age, education, income, and marital status.

Since BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the CIs overlap between subpopulations (e.g., males compared to females), there is no statistically significant difference in the prevalence rates. However, if the CIs do not overlap, there is a statistically significant difference. For example, if the CI for men is 21.4% - 24.5% and the CI for women is 29.4% - 32.5%, then there is a statistically higher prevalence of women having that particular indicator compared to men as the two CIs do not overlap.

The CIs are determined by many factors, sample size in particular. As the data are divided for analysis by race/ethnicity, age, etc., the sample size for each group becomes smaller, the CIs become larger, and the estimates become less reliable. The significance of measures with very wide CIs should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2020 may not be comparable to data collected before 2011.

2020 Florida BRFSS Data Report
Table of Contents

Arthritis

Percentage of adults who have been told they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		Measure	95% CI
ALL	Overall	24.0	22.6 - 25.5
SEX	Men	20.1	18.2 - 22.0
	Women	27.7	25.5 - 29.9
RACE/ETHNICITY	Non-Hisp. White	30.1	28.4 - 31.9
	Non-Hisp. Black	16.3	12.6 - 19.9
	Hispanic	15.9	12.4 - 19.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.7	23.3 - 28.1
	Non-Hisp. White Women	34.3	31.8 - 36.9
	Non-Hisp. Black Men	15.8	10.6 - 21.0
	Non-Hisp. Black Women	16.7	11.5 - 21.9
	Hispanic Men	10.0	6.1 - 14.0
	Hispanic Women	21.4	15.9 - 26.9
AGE GROUP	18-44	7.4	6.0 - 8.8
	45-64	28.0	24.9 - 31.0
	65 & Older	45.0	42.2 - 47.8
EDUCATION LEVEL	<High School	26.1	20.9 - 31.3
	High School / GED	21.7	19.1 - 24.3
	>High School	24.8	23.0 - 26.6
ANNUAL INCOME	<$25,000	29.2	25.7 - 32.8
	$25,000-$49,999	23.6	20.6 - 26.5
	$50,000 or More	21.5	19.1 - 23.8
MARITAL STATUS	Married/Couple	23.5	21.7 - 25.4
	Not Married/Couple	24.7	22.4 - 27.0

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

2020 Florida BRFSS Data

Asthma

Percentage of adults who currently have asthma

		Measure	95% CI
ALL	Overall	7.3	6.4 - 8.2
SEX	Men	5.1	4.0 - 6.1
	Women	9.4	8.0 - 10.8
RACE/ETHNICITY	Non-Hisp. White	7.5	6.4 - 8.6
	Non-Hisp. Black	6.5	4.0 - 9.0
	Hispanic	7.0	4.9 - 9.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.0	3.6 - 6.4
	Non-Hisp. White Women	9.9	8.2 - 11.5
	Non-Hisp. Black Men	4.9	1.5 - 8.3
	Non-Hisp. Black Women	8.0	4.4 - 11.5
	Hispanic Men	5.7	3.5 - 7.9
	Hispanic Women	8.1	4.7 - 11.5
AGE GROUP	18-44	7.2	5.7 - 8.7
	45-64	8.0	6.3 - 9.6
	65 & Older	6.9	5.4 - 8.3
EDUCATION LEVEL	<High School	8.6	5.6 - 11.6
	High School / GED	7.3	5.7 - 8.9
	>High School	7.0	5.9 - 8.1
ANNUAL INCOME	<$25,000	9.9	7.7 - 12.1
	$25,000-$49,999	7.3	5.4 - 9.1
	$50,000 or More	6.3	4.9 - 7.7
MARITAL STATUS	Married/Couple	6.4	5.2 - 7.5
	Not Married/Couple	8.5	7.1 - 9.8

Percentage of adults who have ever been told they have asthma

		Measure	95% CI
ALL	Overall	11.7	10.6 - 12.9
SEX	Men	10.0	8.4 - 11.5
	Women	13.4	11.8 - 15.0
RACE/ETHNICITY	Non-Hisp. White	12.2	10.9 - 13.6
	Non-Hisp. Black	9.7	6.5 - 12.9
	Hispanic	11.6	8.9 - 14.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.1	8.2 - 12.0
	Non-Hisp. White Women	14.2	12.3 - 16.2
	Non-Hisp. Black Men	8.3	3.6 - 13.0
	Non-Hisp. Black Women	11.0	6.7 - 15.3
	Hispanic Men	11.4	7.6 - 15.1
	Hispanic Women	11.8	8.0 - 15.5
AGE GROUP	18-44	12.6	10.7 - 14.6
	45-64	12.2	10.1 - 14.2
	65 & Older	10.1	8.4 - 11.8
EDUCATION LEVEL	<High School	10.6	7.4 - 13.9
	High School / GED	10.7	8.8 - 12.6
	>High School	12.5	11.0 - 14.0
ANNUAL INCOME	<$25,000	13.7	11.2 - 16.1
	$25,000-$49,999	10.6	8.2 - 12.9
	$50,000 or More	11.2	9.2 - 13.1
MARITAL STATUS	Married/Couple	10.3	8.8 - 11.7
	Not Married/Couple	13.6	11.9 - 15.3

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cancer Prevalence

Percentage of adults who have ever been told they had any other type of cancer except skin cancer

		Measure	95% CI
ALL	Overall	6.8	6.1 - 7.6
SEX	Men	6.1	5.1 - 7.1
	Women	7.5	6.4 - 8.7
RACE/ETHNICITY	Non-Hisp. White	9.4	8.4 - 10.4
	Non-Hisp. Black	4.3	2.3 - 6.2
	Hispanic	3.1	1.6 - 4.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.1	6.7 - 9.4
	Non-Hisp. White Women	10.6	9.1 - 12.2
	Non-Hisp. Black Men	6.3	2.6 - 9.9
	Non-Hisp. Black Women	2.4	0.9 - 4.0
	Hispanic Men	2.4	0.7 - 4.0
	Hispanic Women	3.9	1.2 - 6.5
AGE GROUP	18-44	1.2	0.5 - 1.9
	45-64	6.2	4.7 - 7.8
	65 & Older	15.9	14.0 - 17.7
EDUCATION LEVEL	<High School	4.7	2.9 - 6.5
	High School / GED	5.9	4.4 - 7.4
	>High School	7.7	6.7 - 8.7
ANNUAL INCOME	<$25,000	7.8	5.7 - 9.9
	$25,000-$49,999	6.2	4.7 - 7.7
	$50,000 or More	6.6	5.5 - 7.7
MARITAL STATUS	Married/Couple	7.6	6.5 - 8.6
	Not Married/Couple	6.0	4.9 - 7.1

Percentage of adults who have ever been told they have had skin cancer

		Measure	95% CI
ALL	Overall	8.6	7.8 - 9.3
SEX	Men	8.8	7.8 - 9.9
	Women	8.3	7.2 - 9.5
RACE/ETHNICITY	Non-Hisp. White	14.2	12.9 - 15.4
	Non-Hisp. Black	0.7	0.0 - 1.5
	Hispanic	2.1	0.9 - 3.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.4	12.7 - 16.2
	Non-Hisp. White Women	13.9	12.2 - 15.6
	Non-Hisp. Black Men	0.8	0.0 - 1.7
	Non-Hisp. Black Women	0.7	0.0 - 1.9
	Hispanic Men	2.1	0.8 - 3.5
	Hispanic Women	2.1	0.0 - 4.2
AGE GROUP	18-44	0.9	0.3 - 1.5
	45-64	7.7	6.3 - 9.1
	65 & Older	21.8	19.7 - 23.9
EDUCATION LEVEL	<High School	5.1	2.6 - 7.6
	High School / GED	7.6	6.2 - 9.1
	>High School	9.8	8.8 - 10.8
ANNUAL INCOME	<$25,000	6.9	5.2 - 8.5
	$25,000-$49,999	8.0	6.3 - 9.7
	$50,000 or More	10.1	8.7 - 11.4
MARITAL STATUS	Married/Couple	10.5	9.4 - 11.7
	Not Married/Couple	6.4	5.4 - 7.4

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cardiovascular Disease

Percentage of adults who have ever been told they had a stroke

		Measure	95% CI
ALL	Overall	3.6	3.1 - 4.2
SEX	Men	3.8	2.9 - 4.6
	Women	3.5	2.7 - 4.3
RACE/ETHNICITY	Non-Hisp. White	4.0	3.3 - 4.7
	Non-Hisp. Black	4.0	2.3 - 5.6
	Hispanic	2.7	1.2 - 4.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.1	3.2 - 5.0
	Non-Hisp. White Women	3.9	3.0 - 4.9
	Non-Hisp. Black Men	4.3	1.9 - 6.7
	Non-Hisp. Black Women	3.6	1.4 - 5.9
	Hispanic Men	3.0	0.8 - 5.2
	Hispanic Women	2.3	0.5 - 4.1
AGE GROUP	18-44	1.0	0.4 - 1.5
	45-64	3.3	2.4 - 4.1
	65 & Older	8.1	6.5 - 9.8
EDUCATION LEVEL	<High School	6.2	3.5 - 8.8
	High School / GED	3.5	2.6 - 4.4
	>High School	3.1	2.5 - 3.8
ANNUAL INCOME	<$25,000	6.1	4.4 - 7.7
	$25,000-$49,999	4.1	2.9 - 5.3
	$50,000 or More	2.1	1.5 - 2.8
MARITAL STATUS	Married/Couple	3.2	2.4 - 4.0
	Not Married/Couple	4.2	3.4 - 5.1

Percentage of adults who have ever been told they had angina or coronary heart disease

		Measure	95% CI
ALL	Overall	4.8	4.1 - 5.4
SEX	Men	5.9	4.9 - 7.0
	Women	3.7	2.8 - 4.5
RACE/ETHNICITY	Non-Hisp. White	6.3	5.4 - 7.2
	Non-Hisp. Black	1.3	0.6 - 2.1
	Hispanic	3.2	1.4 - 5.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.5	6.9 - 10.0
	Non-Hisp. White Women	4.3	3.4 - 5.1
	Non-Hisp. Black Men	1.8	0.3 - 3.3
	Non-Hisp. Black Women	0.9	0.3 - 1.5
	Hispanic Men	2.6	0.4 - 4.7
	Hispanic Women	3.8	1.0 - 6.5
AGE GROUP	18-44	0.7	0.4 - 1.1
	45-64	4.3	3.0 - 5.6
	65 & Older	11.3	9.5 - 13.2
EDUCATION LEVEL	<High School	5.6	2.5 - 8.8
	High School / GED	4.9	3.7 - 6.2
	>High School	4.5	3.8 - 5.2
ANNUAL INCOME	<$25,000	5.1	3.5 - 6.6
	$25,000-$49,999	6.2	4.2 - 8.1
	$50,000 or More	3.9	3.0 - 4.8
MARITAL STATUS	Married/Couple	5.1	4.1 - 6.1
	Not Married/Couple	4.4	3.5 - 5.3

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cardiovascular Disease

Percentage of adults who have ever been told they had a heart attack

		Measure	95% CI
ALL	Overall	5.2	4.4 - 5.9
SEX	Men	6.9	5.7 - 8.0
	Women	3.6	2.7 - 4.6
RACE/ETHNICITY	Non-Hisp. White	6.8	5.9 - 7.7
	Non-Hisp. Black	3.7	1.1 - 6.4
	Hispanic	2.7	1.3 - 4.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.7	8.1 - 11.3
	Non-Hisp. White Women	4.1	3.1 - 5.0
	Non-Hisp. Black Men	2.3	0.6 - 3.9
	Non-Hisp. Black Women	5.0	0.3 - 9.7
	Hispanic Men	3.7	1.2 - 6.1
	Hispanic Women	1.9	0.4 - 3.3
AGE GROUP	18-44	1.0	0.2 - 1.9
	45-64	4.4	3.3 - 5.5
	65 & Older	12.6	10.6 - 14.5
EDUCATION LEVEL	<High School	8.1	5.1 - 11.1
	High School / GED	5.1	3.9 - 6.3
	>High School	4.6	3.7 - 5.5
ANNUAL INCOME	<$25,000	6.9	5.1 - 8.6
	$25,000-$49,999	5.4	3.8 - 6.9
	$50,000 or More	4.2	3.0 - 5.4
MARITAL STATUS	Married/Couple	5.2	4.1 - 6.3
	Not Married/Couple	5.2	4.2 - 6.2

Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

		Measure	95% CI
ALL	Overall	10.0	9.0 - 11.0
SEX	Men	11.7	10.3 - 13.1
	Women	8.4	7.1 - 9.7
RACE/ETHNICITY	Non-Hisp. White	12.5	11.3 - 13.7
	Non-Hisp. Black	7.8	4.7 - 10.8
	Hispanic	5.9	3.8 - 8.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.9	13.9 - 17.9
	Non-Hisp. White Women	9.3	7.9 - 10.6
	Non-Hisp. Black Men	6.6	3.6 - 9.6
	Non-Hisp. Black Women	8.8	3.7 - 13.9
	Hispanic Men	5.8	3.1 - 8.5
	Hispanic Women	6.0	2.9 - 9.1
AGE GROUP	18-44	2.4	1.3 - 3.4
	45-64	9.1	7.5 - 10.8
	65 & Older	22.5	20.1 - 24.9
EDUCATION LEVEL	<High School	13.5	9.6 - 17.5
	High School / GED	10.4	8.6 - 12.2
	>High School	9.0	7.9 - 10.2
ANNUAL INCOME	<$25,000	12.8	10.6 - 15.1
	$25,000-$49,999	10.9	8.6 - 13.2
	$50,000 or More	8.3	6.7 - 9.8
MARITAL STATUS	Married/Couple	9.9	8.5 - 11.3
	Not Married/Couple	10.2	8.9 - 11.6

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cholesterol Awareness

Percentage of adults who have ever been told that they have high blood cholesterol

		Measure	95% CI
ALL	Overall	31.5	29.5 - 33.4
SEX	Men	30.5	27.7 - 33.3
	Women	32.4	29.7 - 35.1
RACE/ETHNICITY	Non-Hisp. White	35.7	33.6 - 37.8
	Non-Hisp. Black	24.5	19.1 - 29.8
	Hispanic	27.2	22.3 - 32.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	33.8	30.7 - 36.9
	Non-Hisp. White Women	37.4	34.5 - 40.3
	Non-Hisp. Black Men	23.5	15.5 - 31.5
	Non-Hisp. Black Women	25.4	18.3 - 32.5
	Hispanic Men	26.6	19.7 - 33.5
	Hispanic Women	27.7	20.7 - 34.7
AGE GROUP	18-44	12.6	10.3 - 14.9
	45-64	37.0	33.2 - 40.8
	65 & Older	49.2	45.9 - 52.5
EDUCATION LEVEL	<High School	32.6	26.4 - 38.8
	High School / GED	27.5	24.1 - 31.0
	>High School	33.4	30.9 - 35.8
ANNUAL INCOME	<$25,000	32.2	28.0 - 36.4
	$25,000-$49,999	29.7	25.8 - 33.6
	$50,000 or More	32.9	29.4 - 36.3
MARITAL STATUS	Married/Couple	33.7	31.0 - 36.4
	Not Married/Couple	29.0	26.2 - 31.9

Percentage of adults who have had their cholesterol checked in the past five years

		Measure	95% CI
ALL	Overall	90.8	89.3 - 92.3
SEX	Men	88.4	86.2 - 90.6
	Women	93.0	90.9 - 95.1
RACE/ETHNICITY	Non-Hisp. White	91.1	89.7 - 92.6
	Non-Hisp. Black	94.0	90.6 - 97.5
	Hispanic	87.1	82.6 - 91.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	88.6	86.1 - 91.2
	Non-Hisp. White Women	93.4	91.8 - 95.0
	Non-Hisp. Black Men	93.1	88.7 - 97.5
	Non-Hisp. Black Women	95.1	89.5 - 100.0
	Hispanic Men	83.2	77.0 - 89.4
	Hispanic Women	90.5	84.0 - 97.0
AGE GROUP	18-44	84.8	81.7 - 88.0
	45-64	91.5	88.8 - 94.2
	65 & Older	97.3	95.9 - 98.7
EDUCATION LEVEL	<High School	81.2	74.7 - 87.6
	High School / GED	88.4	85.2 - 91.7
	>High School	94.5	93.3 - 95.6
ANNUAL INCOME	<$25,000	85.7	81.3 - 90.2
	$25,000-$49,999	91.8	89.0 - 94.6
	$50,000 or More	93.2	91.4 - 95.0
MARITAL STATUS	Married/Couple	92.3	90.6 - 94.1
	Not Married/Couple	89.0	86.4 - 91.6

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cholesterol Awareness

Percentage of adults who have ever been told that they have high blood cholesterol among adults who had their cholesterol checked within the past five years

		Measure	95% CI
ALL	Overall	35.1	32.9 - 37.2
SEX	Men	35.0	31.8 - 38.2
	Women	35.1	32.2 - 38.0
RACE/ETHNICITY	Non-Hisp. White	40.0	37.6 - 42.3
	Non-Hisp. Black	25.1	19.5 - 30.8
	Hispanic	31.5	25.9 - 37.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.3	35.8 - 42.8
	Non-Hisp. White Women	40.5	37.4 - 43.7
	Non-Hisp. Black Men	23.4	15.1 - 31.7
	Non-Hisp. Black Women	27.0	19.4 - 34.5
	Hispanic Men	33.2	25.1 - 41.3
	Hispanic Women	30.1	22.5 - 37.8
AGE GROUP	18-44	15.4	12.5 - 18.2
	45-64	40.1	36.0 - 44.1
	65 & Older	50.6	47.2 - 53.9
EDUCATION LEVEL	<High School	39.5	32.3 - 46.7
	High School / GED	31.7	27.6 - 35.7
	>High School	35.8	33.1 - 38.5
ANNUAL INCOME	<$25,000	37.5	32.8 - 42.1
	$25,000-$49,999	32.7	28.5 - 37.0
	$50,000 or More	36.0	32.2 - 39.7
MARITAL STATUS	Married/Couple	36.7	33.7 - 39.6
	Not Married/Couple	33.2	30.0 - 36.4

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cholesterol Awareness

Percentage of adults who have had their cholesterol checked in the past two years

		Measure	95% CI
ALL	Overall	84.7	82.9 - 86.4
SEX	Men	81.3	78.7 - 83.9
	Women	87.8	85.4 - 90.1
RACE/ETHNICITY	Non-Hisp. White	85.2	83.4 - 87.0
	Non-Hisp. Black	89.3	84.8 - 93.8
	Hispanic	80.8	76.0 - 85.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.2	80.4 - 86.1
	Non-Hisp. White Women	87.0	84.7 - 89.3
	Non-Hisp. Black Men	87.3	80.6 - 94.0
	Non-Hisp. Black Women	91.4	85.3 - 97.4
	Hispanic Men	73.4	66.5 - 80.3
	Hispanic Women	87.2	80.6 - 93.7
AGE GROUP	18-44	74.9	71.4 - 78.5
	45-64	85.1	82.0 - 88.3
	65 & Older	96.3	94.9 - 97.7
EDUCATION LEVEL	<High School	72.8	66.1 - 79.5
	High School / GED	83.0	79.4 - 86.5
	>High School	88.6	86.8 - 90.3
ANNUAL INCOME	<$25,000	78.6	74.0 - 83.2
	$25,000-$49,999	85.4	82.1 - 88.8
	$50,000 or More	87.6	85.2 - 90.0
MARITAL STATUS	Married/Couple	86.6	84.5 - 88.8
	Not Married/Couple	82.5	79.6 - 85.3

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Chronic Obstructive Pulmonary Disease (COPD)

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

		Measure	95% CI
ALL	Overall	7.5	6.6 - 8.4
SEX	Men	6.8	5.6 - 8.0
	Women	8.2	6.9 - 9.5
RACE/ETHNICITY	Non-Hisp. White	9.5	8.4 - 10.6
	Non-Hisp. Black	4.5	2.6 - 6.4
	Hispanic	4.8	2.4 - 7.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.2	6.6 - 9.8
	Non-Hisp. White Women	10.8	9.3 - 12.3
	Non-Hisp. Black Men	3.8	1.4 - 6.3
	Non-Hisp. Black Women	5.1	2.2 - 8.1
	Hispanic Men	4.3	1.5 - 7.0
	Hispanic Women	5.3	1.5 - 9.0
AGE GROUP	18-44	2.1	1.3 - 2.9
	45-64	8.4	6.5 - 10.3
	65 & Older	14.7	12.6 - 16.7
EDUCATION LEVEL	<High School	11.3	7.6 - 15.1
	High School / GED	7.3	6.0 - 8.7
	>High School	6.8	5.7 - 8.0
ANNUAL INCOME	<$25,000	11.7	9.4 - 14.0
	$25,000-$49,999	7.5	5.6 - 9.4
	$50,000 or More	5.4	3.9 - 6.9
MARITAL STATUS	Married/Couple	5.8	4.8 - 6.8
	Not Married/Couple	9.6	8.0 - 11.2

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Depression

Percentage of adults who have ever been told they had a depressive disorder

		Measure	95% CI
ALL	Overall	14.7	13.4 - 16.0
SEX	Men	9.8	8.4 - 11.1
	Women	19.2	17.1 - 21.4
RACE/ETHNICITY	Non-Hisp. White	17.2	15.7 - 18.6
	Non-Hisp. Black	11.6	7.3 - 16.0
	Hispanic	11.5	8.3 - 14.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.8	9.1 - 12.5
	Non-Hisp. White Women	23.1	20.8 - 25.5
	Non-Hisp. Black Men	6.5	2.8 - 10.2
	Non-Hisp. Black Women	16.2	8.9 - 23.5
	Hispanic Men	9.8	6.5 - 13.1
	Hispanic Women	13.0	7.8 - 18.2
AGE GROUP	18-44	16.2	13.8 - 18.6
	45-64	14.9	12.6 - 17.2
	65 & Older	12.6	11.0 - 14.3
EDUCATION LEVEL	<High School	14.6	10.9 - 18.3
	High School / GED	14.1	11.4 - 16.9
	>High School	15.1	13.5 - 16.7
ANNUAL INCOME	<$25,000	20.2	17.0 - 23.3
	$25,000-$49,999	14.1	11.6 - 16.6
	$50,000 or More	14.2	11.9 - 16.5
MARITAL STATUS	Married/Couple	12.1	10.6 - 13.6
	Not Married/Couple	17.7	15.5 - 19.9

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Diabetes

Percentage of adults that have had a test for high blood sugar or diabetes with in the past 3 years

		Measure	95% CI
ALL	Overall	55.0	52.5 - 57.4
SEX	Men	52.3	48.7 - 55.8
	Women	57.5	54.1 - 61.0
RACE/ETHNICITY	Non-Hisp. White	56.1	53.5 - 58.6
	Non-Hisp. Black	53.4	45.4 - 61.3
	Hispanic	54.3	48.1 - 60.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.1	49.3 - 57.0
	Non-Hisp. White Women	58.6	55.3 - 62.0
	Non-Hisp. Black Men	53.6	41.2 - 65.9
	Non-Hisp. Black Women	53.2	43.2 - 63.2
	Hispanic Men	51.8	44.0 - 59.6
	Hispanic Women	56.6	47.1 - 66.0
AGE GROUP	18-44	44.2	39.9 - 48.5
	45-64	60.8	56.4 - 65.1
	65 & Older	66.3	62.8 - 69.8
EDUCATION LEVEL	<High School	40.7	32.9 - 48.5
	High School / GED	50.5	45.6 - 55.4
	>High School	60.7	57.8 - 63.6
ANNUAL INCOME	<$25,000	51.4	45.9 - 56.8
	$25,000-$49,999	50.6	45.4 - 55.8
	$50,000 or More	58.1	54.0 - 62.2
MARITAL STATUS	Married/Couple	60.6	57.4 - 63.7
	Not Married/Couple	48.9	45.2 - 52.6

Percentage of adults who have ever been told they had pre-diabetes

		Measure	95% CI
ALL	Overall	9.9	8.6 - 11.2
SEX	Men	10.5	8.6 - 12.5
	Women	9.4	7.6 - 11.1
RACE/ETHNICITY	Non-Hisp. White	10.7	9.4 - 12.1
	Non-Hisp. Black	12.8	7.6 - 18.0
	Hispanic	6.6	3.8 - 9.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.7	8.7 - 12.6
	Non-Hisp. White Women	10.8	8.9 - 12.7
	Non-Hisp. Black Men	10.2	4.5 - 15.8
	Non-Hisp. Black Women	15.4	6.8 - 23.9
	Hispanic Men	10.3	5.0 - 15.7
	Hispanic Women	3.3	1.7 - 4.9
AGE GROUP	18-44	6.3	4.2 - 8.3
	45-64	12.7	9.9 - 15.4
	65 & Older	11.5	9.6 - 13.4
EDUCATION LEVEL	<High School	7.3	4.1 - 10.5
	High School / GED	8.5	6.2 - 10.9
	>High School	11.4	9.6 - 13.1
ANNUAL INCOME	<$25,000	8.5	6.6 - 10.4
	$25,000-$49,999	10.2	7.2 - 13.3
	$50,000 or More	12.6	9.8 - 15.5
MARITAL STATUS	Married/Couple	10.0	8.3 - 11.7
	Not Married/Couple	9.9	7.9 - 11.8

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Diabetes

Average age at which diabetes was diagnosed

		Measure	95% CI
ALL	Overall	48.9	46.9 - 50.8
SEX	Men	47.0	44.1 - 50.0
	Women	50.6	48.8 - 52.5
RACE/ETHNICITY	Non-Hisp. White	51.5	50.1 - 53.0
	Non-Hisp. Black	47.3	43.9 - 50.6
	Hispanic	44.0	37.5 - 50.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.7	49.5 - 53.9
	Non-Hisp. White Women	51.3	49.5 - 53.1
	Non-Hisp. Black Men	45.2	43.1 - 47.4
	Non-Hisp. Black Women	49.5	45.1 - 53.8
	Hispanic Men	32.4	24.4 - 40.4
	Hispanic Women	50.6	45.8 - 55.4
AGE GROUP	18-44	25.5	23.1 - 28.0
	45-64	44.6	41.6 - 47.6
	65 & Older	56.1	54.4 - 57.8
EDUCATION LEVEL	<High School	47.6	41.4 - 53.9
	High School / GED	48.4	44.8 - 52.0
	>High School	49.7	48.3 - 51.1
ANNUAL INCOME	<$25,000	46.3	42.2 - 50.3
	$25,000-$49,999	50.2	43.6 - 56.7
	$50,000 or More	49.5	47.4 - 51.6
MARITAL STATUS	Married/Couple	48.0	44.8 - 51.2
	Not Married/Couple	49.8	47.9 - 51.7

Percentage of adults who have ever been told they had diabetes

		Measure	95% CI
ALL	Overall	11.8	10.6 - 12.9
SEX	Men	11.7	10.0 - 13.3
	Women	11.9	10.3 - 13.5
RACE/ETHNICITY	Non-Hisp. White	12.3	11.1 - 13.5
	Non-Hisp. Black	12.9	9.2 - 16.6
	Hispanic	11.4	8.3 - 14.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.2	11.4 - 15.0
	Non-Hisp. White Women	11.4	9.8 - 13.1
	Non-Hisp. Black Men	14.0	8.2 - 19.8
	Non-Hisp. Black Women	11.9	7.2 - 16.5
	Hispanic Men	8.2	4.2 - 12.2
	Hispanic Women	14.4	9.8 - 19.0
AGE GROUP	18-44	2.7	1.7 - 3.6
	45-64	13.6	11.2 - 16.0
	65 & Older	24.0	21.4 - 26.6
EDUCATION LEVEL	<High School	22.5	17.0 - 28.0
	High School / GED	11.0	9.1 - 13.0
	>High School	9.9	8.7 - 11.1
ANNUAL INCOME	<$25,000	16.2	13.1 - 19.2
	$25,000-$49,999	13.0	10.2 - 15.7
	$50,000 or More	7.8	6.5 - 9.1
MARITAL STATUS	Married/Couple	11.9	10.3 - 13.6
	Not Married/Couple	11.8	10.2 - 13.4

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Diabetes

Percentage of adults with diabetes who ever had diabetes self-management education

		Measure	95% CI
ALL	Overall	48.0	42.5 - 53.5
SEX	Men	53.0	44.8 - 61.1
	Women	43.7	36.3 - 51.1
RACE/ETHNICITY	Non-Hisp. White	50.2	44.5 - 55.9
	Non-Hisp. Black	63.9	51.1 - 76.8
	Hispanic	30.0	18.5 - 41.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.8	48.0 - 63.5
	Non-Hisp. White Women	44.6	36.7 - 52.5
	Non-Hisp. Black Men	57.3	38.0 - 76.6
	Non-Hisp. Black Women	72.6	57.4 - 87.9
	Hispanic Men	35.6	10.8 - 60.3
	Hispanic Women	27.5	14.4 - 40.7
AGE GROUP	18-44	57.9	40.7 - 75.0
	45-64	44.1	34.0 - 54.3
	65 & Older	48.4	41.6 - 55.2
EDUCATION LEVEL	<High School	29.9	17.6 - 42.2
	High School / GED	44.7	36.3 - 53.1
	>High School	58.9	51.9 - 65.9
ANNUAL INCOME	<$25,000	37.3	27.4 - 47.3
	$25,000-$49,999	44.7	34.7 - 54.7
	$50,000 or More	69.0	60.8 - 77.2
MARITAL STATUS	Married/Couple	52.6	44.5 - 60.7
	Not Married/Couple	42.4	35.4 - 49.5

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Disability

Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		Measure	95% CI
ALL	Overall	5.8	4.8 - 6.8
SEX	Men	5.6	4.4 - 6.9
	Women	6.0	4.5 - 7.4
RACE/ETHNICITY	Non-Hisp. White	4.3	3.5 - 5.1
	Non-Hisp. Black	5.3	3.2 - 7.4
	Hispanic	9.4	6.2 - 12.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.0	2.8 - 5.3
	Non-Hisp. White Women	4.6	3.5 - 5.6
	Non-Hisp. Black Men	8.0	4.0 - 11.9
	Non-Hisp. Black Women	2.9	1.1 - 4.8
	Hispanic Men	8.0	4.3 - 11.6
	Hispanic Women	10.7	5.7 - 15.8
AGE GROUP	18-44	4.9	3.1 - 6.6
	45-64	6.1	4.6 - 7.6
	65 & Older	7.2	5.4 - 9.0
EDUCATION LEVEL	<High School	12.6	8.1 - 17.2
	High School / GED	7.4	5.1 - 9.7
	>High School	3.7	3.0 - 4.5
ANNUAL INCOME	<$25,000	11.2	8.2 - 14.3
	$25,000-$49,999	5.7	3.8 - 7.7
	$50,000 or More	2.6	1.7 - 3.5
MARITAL STATUS	Married/Couple	4.3	3.2 - 5.4
	Not Married/Couple	7.6	5.9 - 9.3

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Disability

Percentage of adults that have serious difficulty concentrating, remembering or making decisions due to a physical, mental, or emotional condition

		Measure	95% CI
ALL	Overall	11.3	10.0 - 12.6
SEX	Men	9.6	8.1 - 11.2
	Women	12.8	10.8 - 14.8
RACE/ETHNICITY	Non-Hisp. White	10.3	9.0 - 11.6
	Non-Hisp. Black	11.4	7.2 - 15.6
	Hispanic	13.3	9.9 - 16.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.1	7.3 - 10.9
	Non-Hisp. White Women	11.4	9.7 - 13.2
	Non-Hisp. Black Men	11.2	6.0 - 16.4
	Non-Hisp. Black Women	11.6	5.2 - 18.0
	Hispanic Men	10.3	6.7 - 13.9
	Hispanic Women	16.1	10.5 - 21.7
AGE GROUP	18-44	12.9	10.5 - 15.3
	45-64	10.7	8.7 - 12.7
	65 & Older	9.9	7.9 - 11.8
EDUCATION LEVEL	<High School	22.7	17.3 - 28.1
	High School / GED	12.4	9.6 - 15.2
	>High School	8.5	7.3 - 9.7
ANNUAL INCOME	<$25,000	20.2	16.7 - 23.7
	$25,000-$49,999	10.6	8.0 - 13.2
	$50,000 or More	6.3	4.6 - 8.0
MARITAL STATUS	Married/Couple	7.4	6.1 - 8.8
	Not Married/Couple	15.7	13.5 - 17.9

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Disability

Percentage of adults who are deaf or have serious difficulty hearing

		Measure	95% CI
ALL	Overall	6.8	6.0 - 7.7
SEX	Men	8.7	7.3 - 10.1
	Women	5.1	4.1 - 6.1
RACE/ETHNICITY	Non-Hisp. White	8.2	7.2 - 9.1
	Non-Hisp. Black	4.6	2.1 - 7.2
	Hispanic	5.0	3.0 - 7.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.1	8.5 - 11.7
	Non-Hisp. White Women	6.4	5.2 - 7.5
	Non-Hisp. Black Men	8.4	3.2 - 13.6
	Non-Hisp. Black Women	1.3	0.2 - 2.4
	Hispanic Men	6.5	3.3 - 9.8
	Hispanic Women	3.6	1.1 - 6.0
AGE GROUP	18-44	2.5	1.6 - 3.4
	45-64	6.6	4.8 - 8.4
	65 & Older	13.9	12.1 - 15.8
EDUCATION LEVEL	<High School	9.8	6.0 - 13.6
	High School / GED	7.4	5.9 - 9.0
	>High School	6.0	5.0 - 6.9
ANNUAL INCOME	<$25,000	10.2	7.8 - 12.5
	$25,000-$49,999	5.8	4.4 - 7.1
	$50,000 or More	5.3	4.2 - 6.5
MARITAL STATUS	Married/Couple	6.6	5.5 - 7.8
	Not Married/Couple	7.1	5.9 - 8.3

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Disability

Percentage of adults that have difficulty dressing or bathing

		Measure	95% CI
ALL	Overall	3.7	2.9 - 4.6
SEX	Men	3.6	2.5 - 4.8
	Women	3.8	2.6 - 5.0
RACE/ETHNICITY	Non-Hisp. White	3.2	2.6 - 3.8
	Non-Hisp. Black	2.5	1.3 - 3.7
	Hispanic	5.8	2.9 - 8.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.2	2.3 - 4.2
	Non-Hisp. White Women	3.2	2.4 - 4.0
	Non-Hisp. Black Men	2.9	1.0 - 4.7
	Non-Hisp. Black Women	2.2	0.6 - 3.7
	Hispanic Men	4.9	1.3 - 8.5
	Hispanic Women	6.6	2.3 - 10.9
AGE GROUP	18-44	1.6	0.7 - 2.5
	45-64	5.6	3.5 - 7.6
	65 & Older	4.7	3.5 - 5.9
EDUCATION LEVEL	<High School	10.7	5.7 - 15.7
	High School / GED	3.9	2.4 - 5.4
	>High School	2.3	1.8 - 2.9
ANNUAL INCOME	<$25,000	9.0	6.0 - 12.0
	$25,000-$49,999	2.3	1.3 - 3.2
	$50,000 or More	1.2	0.6 - 1.7
MARITAL STATUS	Married/Couple	2.8	1.8 - 3.8
	Not Married/Couple	4.8	3.5 - 6.2

Percentage of adults that have serious difficulty walking or climbing stairs

		Measure	95% CI
ALL	Overall	14.1	12.8 - 15.4
SEX	Men	11.8	10.2 - 13.5
	Women	16.1	14.2 - 18.1
RACE/ETHNICITY	Non-Hisp. White	14.7	13.3 - 16.0
	Non-Hisp. Black	10.7	7.5 - 13.9
	Hispanic	15.1	11.4 - 18.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.7	10.9 - 14.5
	Non-Hisp. White Women	16.5	14.5 - 18.4
	Non-Hisp. Black Men	8.8	5.1 - 12.5
	Non-Hisp. Black Women	12.4	7.4 - 17.3
	Hispanic Men	11.7	7.2 - 16.1
	Hispanic Women	18.3	12.6 - 24.1
AGE GROUP	18-44	4.6	3.2 - 6.0
	45-64	17.8	14.8 - 20.7
	65 & Older	24.4	22.1 - 26.8
EDUCATION LEVEL	<High School	25.5	19.5 - 31.5
	High School / GED	15.1	12.6 - 17.7
	>High School	11.3	10.0 - 12.6
ANNUAL INCOME	<$25,000	26.6	22.6 - 30.5
	$25,000-$49,999	12.0	9.8 - 14.1
	$50,000 or More	7.0	5.6 - 8.3
MARITAL STATUS	Married/Couple	11.7	10.1 - 13.3
	Not Married/Couple	16.9	14.8 - 19.0

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Disability

Percentage of adults that have difficulty doing errands alone such as visiting a doctor's office or shopping

		Measure	95% CI
ALL	Overall	6.1	5.3 - 6.9
SEX	Men	4.9	3.9 - 5.9
	Women	7.3	5.9 - 8.6
RACE/ETHNICITY	Non-Hisp. White	6.1	5.2 - 7.1
	Non-Hisp. Black	5.2	3.1 - 7.3
	Hispanic	6.9	4.5 - 9.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.5	3.4 - 5.7
	Non-Hisp. White Women	7.7	6.3 - 9.1
	Non-Hisp. Black Men	5.6	2.3 - 8.8
	Non-Hisp. Black Women	4.9	2.2 - 7.6
	Hispanic Men	5.5	3.1 - 7.8
	Hispanic Women	8.1	4.2 - 12.1
AGE GROUP	18-44	4.5	3.2 - 5.8
	45-64	6.5	4.9 - 8.1
	65 & Older	8.1	6.6 - 9.6
EDUCATION LEVEL	<High School	13.4	9.5 - 17.4
	High School / GED	6.6	4.9 - 8.3
	>High School	4.5	3.6 - 5.3
ANNUAL INCOME	<$25,000	12.3	9.7 - 14.9
	$25,000-$49,999	4.6	3.3 - 5.8
	$50,000 or More	2.7	1.8 - 3.7
MARITAL STATUS	Married/Couple	4.5	3.5 - 5.5
	Not Married/Couple	7.9	6.5 - 9.3

Percentage of adults who have any disability

		Measure	95% CI
ALL	Overall	27.9	26.2 - 29.6
SEX	Men	26.6	24.2 - 28.9
	Women	29.2	26.6 - 31.7
RACE/ETHNICITY	Non-Hisp. White	28.3	26.5 - 30.1
	Non-Hisp. Black	23.5	18.2 - 28.8
	Hispanic	30.0	25.5 - 34.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	28.1	25.4 - 30.7
	Non-Hisp. White Women	28.5	26.0 - 30.9
	Non-Hisp. Black Men	23.4	16.0 - 30.7
	Non-Hisp. Black Women	23.5	16.0 - 31.1
	Hispanic Men	25.7	20.0 - 31.4
	Hispanic Women	34.1	27.2 - 41.1
AGE GROUP	18-44	19.6	16.9 - 22.4
	45-64	29.2	25.9 - 32.5
	65 & Older	39.6	36.9 - 42.4
EDUCATION LEVEL	<High School	46.1	39.6 - 52.7
	High School / GED	30.9	27.3 - 34.5
	>High School	22.9	21.1 - 24.7
ANNUAL INCOME	<$25,000	45.9	41.5 - 50.3
	$25,000-$49,999	26.1	22.7 - 29.6
	$50,000 or More	17.3	15.0 - 19.5
MARITAL STATUS	Married/Couple	23.1	20.9 - 25.2
	Not Married/Couple	33.7	30.9 - 36.5

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Fall-Related Injury

Percentage of adults 45 years of age and older who had a fall-related injury in the past 12 months

		Measure	95% CI
ALL	Overall	8.1	7.0 - 9.3
SEX	Men	6.7	5.0 - 8.4
	Women	9.3	7.7 - 11.0
RACE/ETHNICITY	Non-Hisp. White	9.2	7.9 - 10.6
	Non-Hisp. Black	4.8	2.3 - 7.2
	Hispanic	6.6	3.2 - 10.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.9	5.9 - 9.8
	Non-Hisp. White Women	10.4	8.5 - 12.2
	Non-Hisp. Black Men	3.4	0.8 - 6.0
	Non-Hisp. Black Women	6.3	1.9 - 10.6
	Hispanic Men	5.5	0.2 - 10.8
	Hispanic Women	7.5	3.0 - 12.1
AGE GROUP	45-64	6.8	5.3 - 8.3
	65 & Older	9.7	7.9 - 11.5
EDUCATION LEVEL	<High School	12.0	6.6 - 17.4
	High School / GED	7.2	5.0 - 9.4
	>High School	7.8	6.5 - 9.0
ANNUAL INCOME	<$25,000	13.2	9.9 - 16.6
	$25,000-$49,999	8.3	5.9 - 10.6
	$50,000 or More	5.2	3.8 - 6.7
MARITAL STATUS	Married/Couple	6.7	5.3 - 8.2
	Not Married/Couple	10.3	8.2 - 12.3

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Hypertension Awareness & Control

Percentage of adults who have ever been told they had hypertension

		Measure	95% CI
ALL	Overall	36.6	34.5 - 38.7
SEX	Men	37.3	34.3 - 40.4
	Women	35.9	33.1 - 38.7
RACE/ETHNICITY	Non-Hisp. White	40.1	37.9 - 42.3
	Non-Hisp. Black	44.5	37.4 - 51.6
	Hispanic	25.4	20.6 - 30.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	41.3	38.0 - 44.5
	Non-Hisp. White Women	39.1	36.1 - 42.0
	Non-Hisp. Black Men	47.3	36.4 - 58.3
	Non-Hisp. Black Women	41.6	32.7 - 50.6
	Hispanic Men	24.9	18.3 - 31.5
	Hispanic Women	25.8	18.9 - 32.8
AGE GROUP	18-44	15.9	12.7 - 19.0
	45-64	40.3	36.5 - 44.2
	65 & Older	59.5	56.3 - 62.6
EDUCATION LEVEL	<High School	42.5	35.7 - 49.4
	High School / GED	36.6	32.4 - 40.7
	>High School	35.0	32.5 - 37.5
ANNUAL INCOME	<$25,000	42.3	37.5 - 47.1
	$25,000-$49,999	35.8	31.6 - 40.0
	$50,000 or More	33.0	29.5 - 36.4
MARITAL STATUS	Married/Couple	36.1	33.3 - 38.9
	Not Married/Couple	37.1	33.9 - 40.3

Percentage of adults with hypertension who currently take high blood pressure medicine

		Measure	95% CI
ALL	Overall	79.3	76.5 - 82.1
SEX	Men	78.5	74.6 - 82.4
	Women	80.1	75.9 - 84.2
RACE/ETHNICITY	Non-Hisp. White	79.4	76.3 - 82.4
	Non-Hisp. Black	77.9	68.1 - 87.7
	Hispanic	82.2	75.7 - 88.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	78.7	74.4 - 83.0
	Non-Hisp. White Women	79.9	75.6 - 84.2
	Non-Hisp. Black Men	82.6	71.7 - 93.6
	Non-Hisp. Black Women	72.3	56.6 - 88.1
	Hispanic Men	76.3	65.4 - 87.3
	Hispanic Women	87.1	79.7 - 94.5
AGE GROUP	18-44	39.7	28.4 - 51.0
	45-64	79.5	75.1 - 84.0
	65 & Older	92.6	90.7 - 94.5
EDUCATION LEVEL	<High School	83.3	76.9 - 89.7
	High School / GED	76.8	70.6 - 82.9
	>High School	79.3	75.9 - 82.8
ANNUAL INCOME	<$25,000	79.9	75.1 - 84.6
	$25,000-$49,999	80.6	75.5 - 85.8
	$50,000 or More	75.7	69.6 - 81.7
MARITAL STATUS	Married/Couple	83.7	80.3 - 87.1
	Not Married/Couple	74.3	69.6 - 78.9

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Kidney Disease

Percentage of adults who have ever been told they had kidney disease

		Measure	95% CI	
ALL	Overall	3.7	3.0 -	4.5
SEX	Men	3.9	2.9 -	5.0
	Women	3.6	2.5 -	4.6
RACE/ETHNICITY	Non-Hisp. White	3.7	3.1 -	4.3
	Non-Hisp. Black	4.9	1.7 -	8.1
	Hispanic	3.9	1.8 -	5.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.1	3.2 -	5.1
	Non-Hisp. White Women	3.3	2.6 -	4.1
	Non-Hisp. Black Men	6.5	0.4 -	12.6
	Non-Hisp. Black Women	3.4	1.2 -	5.7
	Hispanic Men	2.9	1.2 -	4.5
	Hispanic Women	4.8	1.2 -	8.5
AGE GROUP	18-44	1.4	0.3 -	2.6
	45-64	3.3	2.4 -	4.2
	65 & Older	7.9	6.0 -	9.7
EDUCATION LEVEL	<High School	4.7	1.4 -	8.0
	High School / GED	4.2	2.3 -	6.0
	>High School	3.4	2.7 -	4.0
ANNUAL INCOME	<$25,000	6.0	3.9 -	8.2
	$25,000-$49,999	3.3	2.2 -	4.4
	$50,000 or More	2.3	1.7 -	3.0
MARITAL STATUS	Married/Couple	4.0	2.7 -	5.3
	Not Married/Couple	3.5	2.8 -	4.2

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Oral Health

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		Measure	95% CI
ALL	Overall	47.2	45.2 - 49.1
SEX	Men	46.8	44.0 - 49.5
	Women	47.5	44.8 - 50.3
RACE/ETHNICITY	Non-Hisp. White	46.1	44.1 - 48.1
	Non-Hisp. Black	47.9	41.1 - 54.6
	Hispanic	49.9	45.2 - 54.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.3	43.4 - 49.3
	Non-Hisp. White Women	46.0	43.2 - 48.7
	Non-Hisp. Black Men	46.7	36.6 - 56.8
	Non-Hisp. Black Women	48.9	39.8 - 58.0
	Hispanic Men	48.3	41.9 - 54.7
	Hispanic Women	51.4	44.5 - 58.4
AGE GROUP	18-44	28.6	25.4 - 31.8
	45-64	55.4	52.0 - 58.8
	65 & Older	67.7	64.9 - 70.4
EDUCATION LEVEL	<High School	62.0	55.6 - 68.4
	High School / GED	53.9	50.0 - 57.9
	>High School	40.8	38.6 - 43.1
ANNUAL INCOME	<$25,000	61.6	57.2 - 65.9
	$25,000-$49,999	49.0	44.8 - 53.2
	$50,000 or More	38.0	35.0 - 41.1
MARITAL STATUS	Married/Couple	47.0	44.5 - 49.6
	Not Married/Couple	47.6	44.7 - 50.6

Percentage of adults who have seen a dentist in the past year

		Measure	95% CI
ALL	Overall	61.2	59.3 - 63.1
SEX	Men	57.4	54.7 - 60.1
	Women	64.8	62.2 - 67.4
RACE/ETHNICITY	Non-Hisp. White	63.7	61.7 - 65.7
	Non-Hisp. Black	59.5	53.0 - 66.1
	Hispanic	56.7	52.0 - 61.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	61.8	58.9 - 64.6
	Non-Hisp. White Women	65.5	62.8 - 68.2
	Non-Hisp. Black Men	55.7	45.9 - 65.6
	Non-Hisp. Black Women	63.1	54.5 - 71.6
	Hispanic Men	49.1	42.7 - 55.5
	Hispanic Women	63.9	57.1 - 70.6
AGE GROUP	18-44	58.8	55.5 - 62.0
	45-64	60.4	57.0 - 63.8
	65 & Older	65.1	62.3 - 67.9
EDUCATION LEVEL	<High School	39.1	32.7 - 45.4
	High School / GED	57.0	53.2 - 60.7
	>High School	67.8	65.6 - 70.0
ANNUAL INCOME	<$25,000	47.0	42.6 - 51.5
	$25,000-$49,999	58.2	54.0 - 62.3
	$50,000 or More	70.9	68.0 - 73.9
MARITAL STATUS	Married/Couple	65.7	63.3 - 68.1
	Not Married/Couple	55.9	53.0 - 58.8

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Overweight & Obesity

Percentage of adults who are obese

		Measure	95% CI
ALL	Overall	28.4	26.6 - 30.2
SEX	Men	28.9	26.4 - 31.4
	Women	27.9	25.4 - 30.5
RACE/ETHNICITY	Non-Hisp. White	28.6	26.8 - 30.5
	Non-Hisp. Black	34.2	27.6 - 40.8
	Hispanic	27.5	23.1 - 31.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.2	28.4 - 34.0
	Non-Hisp. White Women	26.0	23.5 - 28.5
	Non-Hisp. Black Men	27.2	18.7 - 35.7
	Non-Hisp. Black Women	40.5	30.9 - 50.2
	Hispanic Men	27.9	21.8 - 34.0
	Hispanic Women	27.1	20.8 - 33.3
AGE GROUP	18-44	25.7	22.6 - 28.7
	45-64	33.5	30.2 - 36.8
	65 & Older	27.4	24.6 - 30.2
EDUCATION LEVEL	<High School	38.4	31.6 - 45.1
	High School / GED	29.6	26.0 - 33.1
	>High School	26.0	24.0 - 28.1
ANNUAL INCOME	<$25,000	33.9	29.7 - 38.1
	$25,000-$49,999	29.2	25.4 - 33.0
	$50,000 or More	26.6	23.9 - 29.3
MARITAL STATUS	Married/Couple	29.2	26.8 - 31.6
	Not Married/Couple	27.6	24.9 - 30.3

Percentage of adults who are overweight

		Measure	95% CI
ALL	Overall	35.7	33.8 - 37.6
SEX	Men	41.3	38.5 - 44.1
	Women	30.1	27.5 - 32.7
RACE/ETHNICITY	Non-Hisp. White	34.2	32.2 - 36.2
	Non-Hisp. Black	36.8	30.1 - 43.5
	Hispanic	36.7	31.8 - 41.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	40.0	37.1 - 43.0
	Non-Hisp. White Women	28.3	25.7 - 30.9
	Non-Hisp. Black Men	42.8	32.8 - 52.8
	Non-Hisp. Black Women	31.4	22.6 - 40.2
	Hispanic Men	42.5	35.6 - 49.3
	Hispanic Women	30.7	23.8 - 37.7
AGE GROUP	18-44	32.2	28.8 - 35.5
	45-64	38.3	34.7 - 41.8
	65 & Older	37.1	34.4 - 39.8
EDUCATION LEVEL	<High School	29.9	23.8 - 35.9
	High School / GED	34.0	30.3 - 37.8
	>High School	37.6	35.2 - 40.0
ANNUAL INCOME	<$25,000	29.3	25.6 - 33.0
	$25,000-$49,999	33.8	29.9 - 37.7
	$50,000 or More	40.3	37.1 - 43.5
MARITAL STATUS	Married/Couple	38.3	35.7 - 41.0
	Not Married/Couple	32.6	29.8 - 35.4

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Overweight & Obesity			

Percentage of adults who are overweight or obese

		Measure	95% CI
ALL	Overall	64.1	62.2 - 66.1
SEX	Men	70.2	67.5 - 72.8
	Women	58.0	55.2 - 60.9
RACE/ETHNICITY	Non-Hisp. White	62.9	60.8 - 64.9
	Non-Hisp. Black	71.0	64.5 - 77.6
	Hispanic	64.2	59.2 - 69.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	71.3	68.5 - 74.1
	Non-Hisp. White Women	54.3	51.3 - 57.3
	Non-Hisp. Black Men	70.1	60.0 - 80.2
	Non-Hisp. Black Women	71.9	63.4 - 80.4
	Hispanic Men	70.4	64.2 - 76.6
	Hispanic Women	57.8	50.3 - 65.3
AGE GROUP	18-44	57.8	54.2 - 61.4
	45-64	71.7	68.5 - 75.0
	65 & Older	64.5	61.7 - 67.4
EDUCATION LEVEL	<High School	68.3	62.1 - 74.4
	High School / GED	63.6	59.6 - 67.6
	>High School	63.6	61.3 - 66.0
ANNUAL INCOME	<$25,000	63.1	58.6 - 67.6
	$25,000-$49,999	63.0	58.7 - 67.3
	$50,000 or More	66.9	63.9 - 69.9
MARITAL STATUS	Married/Couple	67.6	65.1 - 70.1
	Not Married/Couple	60.1	57.1 - 63.2

Percentage of adults who have a healthy weight (BMI from 18.5 to 24.9)

		Measure	95% CI
ALL	Overall	34.0	32.1 - 35.9
SEX	Men	28.3	25.7 - 30.9
	Women	39.8	36.9 - 42.6
RACE/ETHNICITY	Non-Hisp. White	35.0	33.0 - 37.1
	Non-Hisp. Black	28.5	21.9 - 35.0
	Hispanic	33.7	28.8 - 38.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	27.3	24.5 - 30.1
	Non-Hisp. White Women	42.9	39.9 - 45.8
	Non-Hisp. Black Men	29.6	19.5 - 39.7
	Non-Hisp. Black Women	27.5	19.1 - 36.0
	Hispanic Men	27.1	21.1 - 33.2
	Hispanic Women	40.5	32.9 - 48.0
AGE GROUP	18-44	40.3	36.7 - 43.8
	45-64	26.6	23.4 - 29.7
	65 & Older	33.3	30.5 - 36.1
EDUCATION LEVEL	<High School	29.4	23.3 - 35.4
	High School / GED	34.6	30.5 - 38.6
	>High School	34.6	32.2 - 36.9
ANNUAL INCOME	<$25,000	34.8	30.3 - 39.3
	$25,000-$49,999	35.4	31.1 - 39.7
	$50,000 or More	31.5	28.5 - 34.4
MARITAL STATUS	Married/Couple	30.9	28.4 - 33.4
	Not Married/Couple	37.5	34.5 - 40.6

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cancer Screening/Breast

Percentage of women 40 years of age and older who received a mammogram in the past year

		Measure	95% CI
ALL	Overall	54.2	51.0 - 57.4
SEX	Women	54.2	51.0 - 57.4
RACE/ETHNICITY	Non-Hisp. White	52.3	49.1 - 55.5
	Non-Hisp. Black	63.3	53.0 - 73.6
	Hispanic	57.7	48.3 - 67.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	52.3	49.1 - 55.5
	Non-Hisp. Black Women	63.3	53.0 - 73.6
	Hispanic Women	57.7	48.3 - 67.0
AGE GROUP	18-44	45.3	32.8 - 57.8
	45-64	53.3	48.1 - 58.4
	65 & Older	57.4	53.6 - 61.3
EDUCATION LEVEL	<High School	37.9	26.4 - 49.4
	High School / GED	53.8	47.3 - 60.2
	>High School	57.1	53.4 - 60.8
ANNUAL INCOME	<$25,000	48.1	41.4 - 54.7
	$25,000-$49,999	52.3	45.7 - 59.0
	$50,000 or More	58.8	53.5 - 64.1
MARITAL STATUS	Married/Couple	58.3	54.1 - 62.4
	Not Married/Couple	49.4	44.5 - 54.3

Percentage of women aged 50 to 74 who had a mammogram in the past 2 years

		Measure	95% CI
ALL	Overall	79.2	75.9 - 82.5
SEX	Women	79.2	75.9 - 82.5
RACE/ETHNICITY	Non-Hisp. White	76.2	72.6 - 79.7
	Non-Hisp. Black	90.6	83.5 - 97.8
	Hispanic	87.1	78.1 - 96.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	76.2	72.6 - 79.7
	Non-Hisp. Black Women	90.6	83.5 - 97.8
	Hispanic Women	87.1	78.1 - 96.0
AGE GROUP	45-64	77.2	72.5 - 81.9
	65 & Older	82.5	78.2 - 86.7
EDUCATION LEVEL	<High School	77.3	61.4 - 93.2
	High School / GED	77.7	71.5 - 83.9
	>High School	80.1	76.5 - 83.7
ANNUAL INCOME	<$25,000	71.3	62.8 - 79.8
	$25,000-$49,999	79.9	73.6 - 86.1
	$50,000 or More	84.0	79.7 - 88.3
MARITAL STATUS	Married/Couple	82.0	78.3 - 85.6
	Not Married/Couple	76.2	70.3 - 82.1

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a Pap test in the past year

		Measure	95% CI
ALL	Overall	40.0	36.7 - 43.2
SEX	Women	40.0	36.7 - 43.2
RACE/ETHNICITY	Non-Hisp. White	35.9	32.5 - 39.2
	Non-Hisp. Black	48.5	37.0 - 60.0
	Hispanic	42.9	35.1 - 50.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	35.9	32.5 - 39.2
	Non-Hisp. Black Women	48.5	37.0 - 60.0
	Hispanic Women	42.9	35.1 - 50.8
AGE GROUP	18-44	44.5	39.2 - 49.9
	45-64	45.0	39.2 - 50.7
	65 & Older	20.5	16.0 - 24.9
EDUCATION LEVEL	<High School	24.5	15.6 - 33.3
	High School / GED	35.1	28.0 - 42.1
	>High School	44.6	40.9 - 48.4
ANNUAL INCOME	<$25,000	32.8	26.4 - 39.1
	$25,000-$49,999	39.9	33.0 - 46.8
	$50,000 or More	44.3	39.0 - 49.6
MARITAL STATUS	Married/Couple	44.8	40.4 - 49.2
	Not Married/Couple	35.0	30.4 - 39.5

Percentage of women aged 21 to 65 who had a Pap test in the past 3 years

		Measure	95% CI
ALL	Overall	77.1	73.6 - 80.7
SEX	Women	77.1	73.6 - 80.7
RACE/ETHNICITY	Non-Hisp. White	76.4	72.8 - 80.0
	Non-Hisp. Black	77.1	64.4 - 89.8
	Hispanic	79.0	71.4 - 86.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	76.4	72.8 - 80.0
	Non-Hisp. Black Women	77.1	64.4 - 89.8
	Hispanic Women	79.0	71.4 - 86.7
AGE GROUP	18-44	78.0	73.3 - 82.8
	45-64	76.3	70.8 - 81.8
	65 & Older	62.5	42.3 - 82.6
EDUCATION LEVEL	<High School	60.1	44.4 - 75.7
	High School / GED	69.3	60.5 - 78.0
	>High School	83.2	80.3 - 86.1
ANNUAL INCOME	<$25,000	66.8	58.1 - 75.5
	$25,000-$49,999	78.7	71.9 - 85.6
	$50,000 or More	83.6	78.7 - 88.4
MARITAL STATUS	Married/Couple	82.3	78.7 - 85.9
	Not Married/Couple	71.4	65.2 - 77.5

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a HPV test in the past five years

		Measure	95% CI
ALL	Overall	38.9	35.7 - 42.1
SEX	Women	38.9	35.7 - 42.1
RACE/ETHNICITY	Non-Hisp. White	32.7	29.4 - 36.0
	Non-Hisp. Black	47.7	37.2 - 58.2
	Hispanic	45.1	37.4 - 52.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	32.7	29.4 - 36.0
	Non-Hisp. Black Women	47.7	37.2 - 58.2
	Hispanic Women	45.1	37.4 - 52.7
AGE GROUP	18-44	54.8	49.2 - 60.5
	45-64	40.3	34.7 - 45.9
	65 & Older	12.2	9.0 - 15.3
EDUCATION LEVEL	<High School	30.5	20.8 - 40.2
	High School / GED	36.1	29.0 - 43.3
	>High School	41.7	38.0 - 45.4
ANNUAL INCOME	<$25,000	36.1	29.2 - 42.9
	$25,000-$49,999	43.5	36.8 - 50.1
	$50,000 or More	43.7	38.2 - 49.1
MARITAL STATUS	Married/Couple	40.4	36.1 - 44.7
	Not Married/Couple	37.5	32.8 - 42.3

Percentage of women who have had a hysterectomy

		Measure	95% CI
ALL	Overall	23.8	21.6 - 26.0
SEX	Women	23.8	21.6 - 26.0
RACE/ETHNICITY	Non-Hisp. White	27.6	25.2 - 30.0
	Non-Hisp. Black	21.4	15.1 - 27.8
	Hispanic	19.3	13.1 - 25.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	27.6	25.2 - 30.0
	Non-Hisp. Black Women	21.4	15.1 - 27.8
	Hispanic Women	19.3	13.1 - 25.4
AGE GROUP	18-44	2.4	1.1 - 3.7
	45-64	29.9	25.0 - 34.8
	65 & Older	46.1	42.2 - 50.0
EDUCATION LEVEL	<High School	27.2	18.5 - 35.9
	High School / GED	22.9	18.5 - 27.2
	>High School	23.7	21.0 - 26.4
ANNUAL INCOME	<$25,000	25.2	20.6 - 29.7
	$25,000-$49,999	26.3	21.6 - 31.1
	$50,000 or More	22.1	18.2 - 26.1
MARITAL STATUS	Married/Couple	24.6	21.5 - 27.7
	Not Married/Couple	23.2	19.9 - 26.5

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who have ever had a blood stool test

		Measure	95% CI
ALL	Overall	45.7	43.2 - 48.1
SEX	Men	45.8	42.2 - 49.5
	Women	45.6	42.2 - 48.9
RACE/ETHNICITY	Non-Hisp. White	44.0	41.6 - 46.4
	Non-Hisp. Black	51.4	42.7 - 60.2
	Hispanic	48.4	40.2 - 56.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	43.3	39.7 - 46.9
	Non-Hisp. White Women	44.6	41.4 - 47.9
	Non-Hisp. Black Men	46.0	33.7 - 58.4
	Non-Hisp. Black Women	57.3	45.1 - 69.4
	Hispanic Men	57.2	45.8 - 68.6
	Hispanic Women	42.3	32.0 - 52.7
AGE GROUP	45-64	34.7	30.8 - 38.6
	65 & Older	55.6	52.7 - 58.5
EDUCATION LEVEL	<High School	52.5	42.8 - 62.3
	High School / GED	46.4	41.8 - 50.9
	>High School	44.0	41.1 - 46.8
ANNUAL INCOME	<$25,000	53.9	48.3 - 59.5
	$25,000-$49,999	45.2	39.9 - 50.6
	$50,000 or More	38.4	34.7 - 42.2
MARITAL STATUS	Married/Couple	46.2	43.0 - 49.4
	Not Married/Couple	44.9	41.1 - 48.8

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who have ever had a sigmoidoscopy or colonoscopy

		Measure	95% CI
ALL	Overall	73.1	70.8 - 75.5
SEX	Men	72.1	68.7 - 75.6
	Women	74.0	70.7 - 77.2
RACE/ETHNICITY	Non-Hisp. White	77.5	75.4 - 79.6
	Non-Hisp. Black	70.6	62.4 - 78.9
	Hispanic	62.4	54.3 - 70.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.7	73.5 - 79.9
	Non-Hisp. White Women	78.1	75.3 - 81.0
	Non-Hisp. Black Men	70.8	59.6 - 82.1
	Non-Hisp. Black Women	70.4	58.1 - 82.7
	Hispanic Men	57.4	45.1 - 69.8
	Hispanic Women	65.7	55.0 - 76.4
AGE GROUP	45-64	62.4	58.3 - 66.4
	65 & Older	82.9	80.6 - 85.3
EDUCATION LEVEL	<High School	55.2	45.2 - 65.2
	High School / GED	67.5	63.0 - 72.0
	>High School	79.3	76.9 - 81.7
ANNUAL INCOME	<$25,000	64.4	58.6 - 70.2
	$25,000-$49,999	71.6	66.5 - 76.6
	$50,000 or More	81.0	78.0 - 83.9
MARITAL STATUS	Married/Couple	78.8	76.1 - 81.6
	Not Married/Couple	65.3	61.3 - 69.3

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		Measure	95% CI
ALL	Overall	19.8	17.8 - 21.9
SEX	Men	20.6	17.4 - 23.9
	Women	19.2	16.6 - 21.8
RACE/ETHNICITY	Non-Hisp. White	17.5	15.5 - 19.4
	Non-Hisp. Black	26.0	18.3 - 33.7
	Hispanic	24.6	17.7 - 31.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.3	14.4 - 20.1
	Non-Hisp. White Women	17.7	15.0 - 20.3
	Non-Hisp. Black Men	19.9	10.7 - 29.1
	Non-Hisp. Black Women	32.5	20.5 - 44.5
	Hispanic Men	32.9	20.5 - 45.4
	Hispanic Women	18.9	11.6 - 26.1
AGE GROUP	45-64	15.1	12.2 - 18.1
	65 & Older	24.2	21.4 - 27.0
EDUCATION LEVEL	<High School	30.4	20.8 - 39.9
	High School / GED	19.6	16.0 - 23.2
	>High School	17.7	15.6 - 19.9
ANNUAL INCOME	<$25,000	27.0	21.6 - 32.4
	$25,000-$49,999	21.0	16.7 - 25.2
	$50,000 or More	13.8	11.4 - 16.3
MARITAL STATUS	Married/Couple	20.5	17.6 - 23.3
	Not Married/Couple	19.0	16.1 - 22.0

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		Measure	95% CI
ALL	Overall	53.1	50.6 - 55.6
SEX	Men	52.8	49.2 - 56.5
	Women	53.4	49.8 - 56.9
RACE/ETHNICITY	Non-Hisp. White	55.7	53.3 - 58.2
	Non-Hisp. Black	61.0	52.4 - 69.6
	Hispanic	43.1	35.0 - 51.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.6	52.0 - 59.2
	Non-Hisp. White Women	55.9	52.6 - 59.2
	Non-Hisp. Black Men	59.3	47.3 - 71.3
	Non-Hisp. Black Women	63.0	50.7 - 75.2
	Hispanic Men	41.0	29.3 - 52.8
	Hispanic Women	44.6	33.4 - 55.7
AGE GROUP	45-64	46.6	42.5 - 50.6
	65 & Older	59.3	56.3 - 62.2
EDUCATION LEVEL	<High School	42.1	32.5 - 51.7
	High School / GED	49.9	45.3 - 54.5
	>High School	56.8	53.8 - 59.8
ANNUAL INCOME	<$25,000	47.9	42.3 - 53.5
	$25,000-$49,999	51.8	46.4 - 57.2
	$50,000 or More	56.9	52.9 - 60.9
MARITAL STATUS	Married/Couple	59.0	55.8 - 62.2
	Not Married/Couple	44.8	40.8 - 48.8

Percentage of adults aged 50 to 75 who had colorectal screening based on the most recent clinical guidelines

		Measure	95% CI
ALL	Overall	75.7	73.1 - 78.3
SEX	Men	74.4	70.9 - 77.9
	Women	76.8	73.0 - 80.5
RACE/ETHNICITY	Non-Hisp. White	77.7	75.3 - 80.2
	Non-Hisp. Black	78.3	69.6 - 86.9
	Hispanic	70.0	61.4 - 78.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.5	72.9 - 80.1
	Non-Hisp. White Women	78.9	75.5 - 82.2
	Non-Hisp. Black Men	78.1	66.9 - 89.4
	Non-Hisp. Black Women	78.4	64.9 - 91.9
	Hispanic Men	66.9	55.0 - 78.8
	Hispanic Women	71.9	60.1 - 83.8
AGE GROUP	45-64	67.8	63.9 - 71.7
	65 & Older	87.8	85.5 - 90.1
EDUCATION LEVEL	<High School	65.4	53.6 - 77.1
	High School / GED	68.5	63.1 - 73.8
	>High School	80.7	78.1 - 83.3
ANNUAL INCOME	<$25,000	67.9	61.4 - 74.5
	$25,000-$49,999	75.0	69.0 - 80.9
	$50,000 or More	81.2	78.0 - 84.4
MARITAL STATUS	Married/Couple	81.2	78.5 - 83.9
	Not Married/Couple	67.0	62.0 - 71.9

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Cancer Screening/Prostate			

Percentage of men 50 years of age and older who have ever had a PSA test

		Measure	95% CI
ALL	Overall	58.6	55.1 - 62.2
SEX	Men	58.6	55.1 - 62.2
RACE/ETHNICITY	Non-Hisp. White	60.4	56.8 - 64.0
	Non-Hisp. Black	54.5	42.1 - 67.0
	Hispanic	56.7	44.9 - 68.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	60.4	56.8 - 64.0
	Non-Hisp. Black Men	54.5	42.1 - 67.0
	Hispanic Men	56.7	44.9 - 68.4
AGE GROUP	45-64	45.0	39.3 - 50.7
	65 & Older	71.6	67.4 - 75.8
EDUCATION LEVEL	<High School	42.8	28.3 - 57.3
	High School / GED	52.5	46.0 - 59.1
	>High School	64.9	60.8 - 68.9
ANNUAL INCOME	<$25,000	49.5	40.6 - 58.4
	$25,000-$49,999	57.3	48.8 - 65.9
	$50,000 or More	62.6	57.7 - 67.4
MARITAL STATUS	Married/Couple	64.6	60.5 - 68.7
	Not Married/Couple	47.1	41.0 - 53.2

Percentage of men 50 years of age and older who received a PSA test in the past two years

		Measure	95% CI
ALL	Overall	44.4	40.7 - 48.0
SEX	Men	44.4	40.7 - 48.0
RACE/ETHNICITY	Non-Hisp. White	45.0	41.4 - 48.6
	Non-Hisp. Black	42.2	29.8 - 54.5
	Hispanic	43.1	30.4 - 55.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.0	41.4 - 48.6
	Non-Hisp. Black Men	42.2	29.8 - 54.5
	Hispanic Men	43.1	30.4 - 55.8
AGE GROUP	45-64	35.8	30.0 - 41.6
	65 & Older	52.8	48.2 - 57.4
EDUCATION LEVEL	<High School	29.7	15.5 - 43.9
	High School / GED	36.7	30.3 - 43.0
	>High School	51.0	46.7 - 55.3
ANNUAL INCOME	<$25,000	33.1	24.0 - 42.2
	$25,000-$49,999	44.7	36.5 - 52.9
	$50,000 or More	48.3	43.2 - 53.5
MARITAL STATUS	Married/Couple	51.6	47.1 - 56.1
	Not Married/Couple	30.5	25.2 - 35.8

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

HIV/AIDS Screening

Percentage of adults less than 65 years old who have ever been tested for HIV

		Measure	95% CI
ALL	Overall	54.7	52.1 - 57.3
SEX	Men	51.9	48.3 - 55.4
	Women	57.4	53.7 - 61.2
RACE/ETHNICITY	Non-Hisp. White	47.8	44.8 - 50.7
	Non-Hisp. Black	74.9	68.0 - 81.9
	Hispanic	55.8	50.2 - 61.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.7	40.5 - 48.9
	Non-Hisp. White Women	50.8	46.7 - 54.9
	Non-Hisp. Black Men	75.1	66.0 - 84.1
	Non-Hisp. Black Women	74.9	64.6 - 85.1
	Hispanic Men	53.4	46.1 - 60.7
	Hispanic Women	58.1	49.5 - 66.6
AGE GROUP	18-44	55.7	52.2 - 59.2
	45-64	53.3	49.6 - 57.1
EDUCATION LEVEL	<High School	48.5	40.1 - 57.0
	High School / GED	51.9	46.7 - 57.2
	>High School	57.3	54.2 - 60.4
ANNUAL INCOME	<$25,000	56.6	50.8 - 62.4
	$25,000-$49,999	58.4	53.0 - 63.8
	$50,000 or More	54.6	50.6 - 58.5
MARITAL STATUS	Married/Couple	54.3	50.8 - 57.7
	Not Married/Couple	55.2	51.3 - 59.0

Percentage of adults who have ever been tested for HIV

		Measure	95% CI
ALL	Overall	46.9	44.9 - 49.0
SEX	Men	46.3	43.4 - 49.2
	Women	47.5	44.6 - 50.4
RACE/ETHNICITY	Non-Hisp. White	38.3	36.2 - 40.5
	Non-Hisp. Black	70.3	64.0 - 76.5
	Hispanic	52.6	47.5 - 57.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.3	35.2 - 41.5
	Non-Hisp. White Women	38.3	35.3 - 41.3
	Non-Hisp. Black Men	69.3	60.7 - 78.0
	Non-Hisp. Black Women	71.1	62.1 - 80.1
	Hispanic Men	52.3	45.5 - 59.0
	Hispanic Women	52.8	45.4 - 60.3
AGE GROUP	18-44	55.7	52.2 - 59.2
	45-64	53.3	49.6 - 57.1
	65 & Older	25.7	22.9 - 28.5
EDUCATION LEVEL	<High School	42.9	36.0 - 49.9
	High School / GED	44.3	39.9 - 48.6
	>High School	49.0	46.6 - 51.5
ANNUAL INCOME	<$25,000	47.8	43.1 - 52.4
	$25,000-$49,999	51.4	47.0 - 55.7
	$50,000 or More	47.9	44.6 - 51.2
MARITAL STATUS	Married/Couple	45.9	43.1 - 48.6
	Not Married/Couple	48.1	45.0 - 51.3

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Immunization

Percentage of adults 65 years of age and older who received a flu shot in the past year

		Measure	95% CI
ALL	Overall	61.6	58.7 - 64.5
SEX	Men	61.4	57.1 - 65.7
	Women	61.8	57.9 - 65.7
RACE/ETHNICITY	Non-Hisp. White	66.2	63.4 - 69.0
	Non-Hisp. Black	41.2	30.3 - 52.1
	Hispanic	52.6	41.6 - 63.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	64.0	59.7 - 68.3
	Non-Hisp. White Women	68.0	64.4 - 71.7
	Non-Hisp. Black Men	40.0	24.4 - 55.7
	Non-Hisp. Black Women	42.2	27.1 - 57.3
	Hispanic Men	65.8	50.4 - 81.2
	Hispanic Women	43.1	29.5 - 56.6
AGE GROUP	65 & Older	61.6	58.7 - 64.5
EDUCATION LEVEL	<High School	45.7	34.0 - 57.3
	High School / GED	59.4	54.2 - 64.6
	>High School	66.2	63.0 - 69.5
ANNUAL INCOME	<$25,000	52.1	45.3 - 59.0
	$25,000-$49,999	57.7	51.1 - 64.3
	$50,000 or More	72.1	67.9 - 76.3
MARITAL STATUS	Married/Couple	64.0	60.0 - 67.9
	Not Married/Couple	58.2	53.9 - 62.5

Percentage of adults who received a flu shot in the past year

		Measure	95% CI
ALL	Overall	38.1	36.3 - 40.0
SEX	Men	34.9	32.4 - 37.4
	Women	41.1	38.4 - 43.8
RACE/ETHNICITY	Non-Hisp. White	45.7	43.6 - 47.7
	Non-Hisp. Black	25.6	20.2 - 31.0
	Hispanic	28.0	23.6 - 32.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.1	39.2 - 45.1
	Non-Hisp. White Women	49.0	46.1 - 51.9
	Non-Hisp. Black Men	23.6	15.9 - 31.4
	Non-Hisp. Black Women	27.3	19.7 - 34.8
	Hispanic Men	24.7	18.9 - 30.5
	Hispanic Women	31.0	24.5 - 37.5
AGE GROUP	18-44	27.1	24.1 - 30.1
	45-64	32.0	28.9 - 35.2
	65 & Older	61.6	58.7 - 64.5
EDUCATION LEVEL	<High School	26.8	20.9 - 32.6
	High School / GED	31.8	28.3 - 35.2
	>High School	43.5	41.2 - 45.8
ANNUAL INCOME	<$25,000	30.5	26.8 - 34.3
	$25,000-$49,999	35.1	31.4 - 38.8
	$50,000 or More	42.7	39.7 - 45.7
MARITAL STATUS	Married/Couple	43.1	40.5 - 45.7
	Not Married/Couple	32.4	29.9 - 35.0

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

2020 Florida BRFSS Data

Immunization

Percentage of adults 65 years of age and older who have ever received a pneumonia vaccination

		Measure	95% CI
ALL	Overall	64.3	61.3 - 67.2
SEX	Men	60.0	55.6 - 64.5
	Women	67.7	63.8 - 71.6
RACE/ETHNICITY	Non-Hisp. White	69.8	67.0 - 72.6
	Non-Hisp. Black	52.7	40.8 - 64.7
	Hispanic	45.9	34.8 - 57.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	64.3	59.9 - 68.7
	Non-Hisp. White Women	74.1	70.5 - 77.6
	Non-Hisp. Black Men	48.4	31.0 - 65.9
	Non-Hisp. Black Women	56.8	39.8 - 73.8
	Hispanic Men	48.7	30.6 - 66.9
	Hispanic Women	43.9	30.3 - 57.5
AGE GROUP	65 & Older	64.3	61.3 - 67.2
EDUCATION LEVEL	<High School	40.4	29.3 - 51.5
	High School / GED	66.8	61.8 - 71.8
	>High School	68.7	65.4 - 71.9
ANNUAL INCOME	<$25,000	55.6	48.6 - 62.5
	$25,000-$49,999	66.3	59.8 - 72.8
	$50,000 or More	72.0	67.6 - 76.3
MARITAL STATUS	Married/Couple	65.6	61.5 - 69.6
	Not Married/Couple	62.4	58.0 - 66.8

Percentage of adults who have ever received a pneumonia vaccination

		Measure	95% CI
ALL	Overall	30.5	28.7 - 32.2
SEX	Men	29.0	26.5 - 31.5
	Women	31.7	29.3 - 34.2
RACE/ETHNICITY	Non-Hisp. White	37.6	35.6 - 39.6
	Non-Hisp. Black	20.1	15.3 - 24.9
	Hispanic	21.6	17.3 - 25.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.7	31.7 - 37.6
	Non-Hisp. White Women	40.2	37.4 - 42.9
	Non-Hisp. Black Men	18.9	11.4 - 26.3
	Non-Hisp. Black Women	21.2	14.9 - 27.6
	Hispanic Men	22.2	16.4 - 27.9
	Hispanic Women	21.0	14.8 - 27.3
AGE GROUP	18-44	15.3	12.6 - 18.0
	45-64	18.8	16.0 - 21.5
	65 & Older	64.3	61.3 - 67.3
EDUCATION LEVEL	<High School	23.2	17.8 - 28.6
	High School / GED	30.8	27.1 - 34.5
	>High School	31.8	29.7 - 33.8
ANNUAL INCOME	<$25,000	32.0	27.7 - 36.2
	$25,000-$49,999	31.7	28.0 - 35.4
	$50,000 or More	28.1	25.5 - 30.7
MARITAL STATUS	Married/Couple	31.1	28.8 - 33.5
	Not Married/Couple	29.7	27.0 - 32.3

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Injury Prevention

Percentage of adults who always or nearly always use a seatbelt when riding in a car

		Measure	95% CI
ALL	Overall	94.7	93.6 - 95.8
SEX	Men	93.4	91.7 - 95.0
	Women	96.0	94.6 - 97.4
RACE/ETHNICITY	Non-Hisp. White	95.6	94.6 - 96.5
	Non-Hisp. Black	90.3	85.4 - 95.3
	Hispanic	95.2	92.7 - 97.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	93.9	92.5 - 95.3
	Non-Hisp. White Women	97.1	95.9 - 98.4
	Non-Hisp. Black Men	88.0	79.0 - 97.1
	Non-Hisp. Black Women	92.4	87.9 - 96.9
	Hispanic Men	95.1	92.5 - 97.7
	Hispanic Women	95.3	91.3 - 99.3
AGE GROUP	18-44	92.9	90.8 - 95.0
	45-64	95.8	94.0 - 97.6
	65 & Older	96.6	95.6 - 97.6
EDUCATION LEVEL	<High School	91.7	88.6 - 94.8
	High School / GED	91.6	88.9 - 94.3
	>High School	96.8	95.7 - 97.9
ANNUAL INCOME	<$25,000	92.2	89.1 - 95.3
	$25,000-$49,999	94.5	92.5 - 96.5
	$50,000 or More	96.2	94.7 - 97.7
MARITAL STATUS	Married/Couple	96.6	95.7 - 97.6
	Not Married/Couple	92.6	90.6 - 94.6

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		Measure	95% CI
ALL	Overall	15.5	14.1 - 17.0
SEX	Men	18.6	16.2 - 21.0
	Women	12.8	11.0 - 14.5
RACE/ETHNICITY	Non-Hisp. White	17.0	15.4 - 18.6
	Non-Hisp. Black	13.4	7.5 - 19.4
	Hispanic	15.5	12.2 - 18.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	19.0	16.5 - 21.5
	Non-Hisp. White Women	15.1	13.0 - 17.3
	Non-Hisp. Black Men	15.0	4.7 - 25.2
	Non-Hisp. Black Women	12.1	5.5 - 18.8
	Hispanic Men	22.6	16.8 - 28.5
	Hispanic Women	9.3	5.9 - 12.7
AGE GROUP	18-44	20.5	17.6 - 23.4
	45-64	16.0	13.5 - 18.5
	65 & Older	7.8	6.4 - 9.2
EDUCATION LEVEL	<High School	14.9	10.2 - 19.7
	High School / GED	15.8	12.7 - 18.8
	>High School	15.5	13.7 - 17.3
ANNUAL INCOME	<$25,000	13.7	10.2 - 17.2
	$25,000-$49,999	13.4	10.7 - 16.1
	$50,000 or More	19.6	17.0 - 22.2
MARITAL STATUS	Married/Couple	14.3	12.4 - 16.2
	Not Married/Couple	17.1	14.7 - 19.4

Percentage of adults who have driven after having too much alcohol to drink in the past 30 days

		Measure	95% CI
ALL	Overall	2.0	1.4 - 2.6
SEX	Men	2.7	1.6 - 3.8
	Women	1.2	0.6 - 1.7
RACE/ETHNICITY	Non-Hisp. White	1.9	1.3 - 2.5
	Non-Hisp. Black	1.7	0.0 - 4.1
	Hispanic	2.5	0.8 - 4.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.5	1.4 - 3.6
	Non-Hisp. White Women	1.3	0.6 - 1.9
	Non-Hisp. Black Men	2.8	0.0 - 7.1
	Non-Hisp. Black Women	0.3	0.0 - 0.9
	Hispanic Men	3.2	0.6 - 5.7
	Hispanic Women	1.6	0.0 - 3.5
AGE GROUP	18-44	2.1	1.2 - 3.0
	45-64	2.5	1.0 - 3.9
	65 & Older	1.2	0.6 - 1.9
EDUCATION LEVEL	<High School	7.7	1.6 - 13.8
	High School / GED	2.2	1.0 - 3.3
	>High School	1.3	0.8 - 1.8
ANNUAL INCOME	<$25,000	3.1	1.3 - 4.9
	$25,000-$49,999	2.0	0.9 - 3.1
	$50,000 or More	1.8	0.9 - 2.7
MARITAL STATUS	Married/Couple	2.2	1.2 - 3.2
	Not Married/Couple	1.7	1.1 - 2.4

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Physical Activity & Nutrition

Percentage of adults who are sedentary

		Measure	95% CI
ALL	Overall	26.8	25.1 - 28.5
SEX	Men	23.5	21.3 - 25.8
	Women	29.9	27.3 - 32.5
RACE/ETHNICITY	Non-Hisp. White	22.1	20.4 - 23.7
	Non-Hisp. Black	24.4	19.3 - 29.5
	Hispanic	39.5	34.8 - 44.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.8	18.4 - 23.1
	Non-Hisp. White Women	23.3	21.0 - 25.6
	Non-Hisp. Black Men	20.8	13.9 - 27.8
	Non-Hisp. Black Women	27.6	20.3 - 35.0
	Hispanic Men	32.0	26.0 - 38.0
	Hispanic Women	46.6	39.7 - 53.5
AGE GROUP	18-44	22.0	19.2 - 24.8
	45-64	30.5	27.1 - 33.9
	65 & Older	30.7	28.0 - 33.4
EDUCATION LEVEL	<High School	48.6	42.2 - 55.0
	High School / GED	31.6	28.0 - 35.2
	>High School	19.9	18.1 - 21.7
ANNUAL INCOME	<$25,000	41.9	37.6 - 46.2
	$25,000-$49,999	27.9	24.2 - 31.6
	$50,000 or More	16.8	14.4 - 19.2
MARITAL STATUS	Married/Couple	25.4	23.0 - 27.8
	Not Married/Couple	28.7	26.1 - 31.3

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Tobacco Use & Exposure

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		Measure	95% CI
ALL	Overall	54.7	49.3 - 60.1
SEX	Men	55.9	48.6 - 63.2
	Women	53.1	45.1 - 61.0
RACE/ETHNICITY	Non-Hisp. White	48.9	43.7 - 54.2
	Non-Hisp. Black	59.8	36.5 - 83.1
	Hispanic	66.5	53.5 - 79.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.6	41.0 - 56.2
	Non-Hisp. White Women	49.2	42.0 - 56.5
	Non-Hisp. Black Men	57.1	26.8 - 87.3
	Non-Hisp. Black Women	67.0	47.1 - 87.0
	Hispanic Men	70.3	56.0 - 84.7
	Hispanic Women	59.4	30.8 - 87.9
AGE GROUP	18-44	59.1	50.0 - 68.2
	45-64	50.3	41.9 - 58.6
	65 & Older	54.8	45.4 - 64.1
EDUCATION LEVEL	<High School	51.7	40.6 - 62.7
	High School / GED	56.3	46.5 - 66.1
	>High School	54.4	46.8 - 62.1
ANNUAL INCOME	<$25,000	56.9	47.6 - 66.2
	$25,000-$49,999	53.7	44.9 - 62.6
	$50,000 or More	43.4	32.0 - 54.7
MARITAL STATUS	Married/Couple	55.2	46.6 - 63.8
	Not Married/Couple	54.2	47.2 - 61.2

Percentage of adults who are current smokers

		Measure	95% CI
ALL	Overall	14.7	13.2 - 16.2
SEX	Men	17.6	15.3 - 19.9
	Women	12.0	10.2 - 13.9
RACE/ETHNICITY	Non-Hisp. White	15.7	14.1 - 17.2
	Non-Hisp. Black	13.2	7.9 - 18.5
	Hispanic	14.1	10.4 - 17.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.7	14.3 - 19.0
	Non-Hisp. White Women	14.8	12.7 - 16.8
	Non-Hisp. Black Men	20.5	10.4 - 30.6
	Non-Hisp. Black Women	6.8	3.6 - 10.0
	Hispanic Men	19.3	14.2 - 24.4
	Hispanic Women	9.3	3.9 - 14.8
AGE GROUP	18-44	15.9	13.2 - 18.5
	45-64	18.7	15.9 - 21.6
	65 & Older	8.7	7.1 - 10.3
EDUCATION LEVEL	<High School	22.2	17.5 - 26.9
	High School / GED	19.2	15.9 - 22.6
	>High School	11.0	9.4 - 12.6
ANNUAL INCOME	<$25,000	22.4	18.8 - 26.0
	$25,000-$49,999	14.5	12.0 - 17.1
	$50,000 or More	10.8	8.5 - 13.0
MARITAL STATUS	Married/Couple	11.3	9.4 - 13.2
	Not Married/Couple	18.6	16.3 - 20.9

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Tobacco Use & Exposure

Percentage of adults who are former smokers

		Measure	95% CI
ALL	Overall	27.0	25.3 - 28.6
SEX	Men	29.6	27.2 - 32.0
	Women	24.6	22.3 - 26.8
RACE/ETHNICITY	Non-Hisp. White	34.8	32.8 - 36.7
	Non-Hisp. Black	15.5	10.7 - 20.4
	Hispanic	17.8	14.1 - 21.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.3	34.4 - 40.2
	Non-Hisp. White Women	32.4	29.8 - 35.1
	Non-Hisp. Black Men	14.8	9.0 - 20.6
	Non-Hisp. Black Women	16.2	8.7 - 23.7
	Hispanic Men	21.4	15.9 - 26.8
	Hispanic Women	14.6	9.6 - 19.6
AGE GROUP	18-44	17.1	14.5 - 19.6
	45-64	27.1	24.1 - 30.1
	65 & Older	41.2	38.3 - 44.0
EDUCATION LEVEL	<High School	21.0	16.1 - 25.9
	High School / GED	26.3	23.3 - 29.3
	>High School	28.5	26.4 - 30.6
ANNUAL INCOME	<$25,000	23.2	20.0 - 26.4
	$25,000-$49,999	27.7	24.0 - 31.4
	$50,000 or More	30.2	27.4 - 33.0
MARITAL STATUS	Married/Couple	30.0	27.7 - 32.2
	Not Married/Couple	23.7	21.3 - 26.1

Percentage of adults who have never smoked

		Measure	95% CI
ALL	Overall	58.3	56.4 - 60.3
SEX	Men	52.8	50.1 - 55.6
	Women	63.4	60.8 - 66.0
RACE/ETHNICITY	Non-Hisp. White	49.5	47.5 - 51.6
	Non-Hisp. Black	71.3	64.8 - 77.7
	Hispanic	68.0	63.4 - 72.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.1	43.0 - 49.1
	Non-Hisp. White Women	52.8	49.9 - 55.7
	Non-Hisp. Black Men	64.7	54.5 - 74.8
	Non-Hisp. Black Women	77.0	69.2 - 84.9
	Hispanic Men	59.3	52.8 - 65.8
	Hispanic Women	76.1	69.4 - 82.8
AGE GROUP	18-44	67.0	63.7 - 70.3
	45-64	54.2	50.6 - 57.7
	65 & Older	50.2	47.3 - 53.0
EDUCATION LEVEL	<High School	56.8	50.5 - 63.1
	High School / GED	54.5	50.6 - 58.4
	>High School	60.5	58.2 - 62.8
ANNUAL INCOME	<$25,000	54.4	50.1 - 58.7
	$25,000-$49,999	57.8	53.7 - 61.9
	$50,000 or More	59.0	55.9 - 62.1
MARITAL STATUS	Married/Couple	58.7	56.2 - 61.3
	Not Married/Couple	57.7	54.8 - 60.6

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Tobacco Use & Exposure

Percentage of adults who are current e-cigarette users

		Measure	95% CI
ALL	Overall	5.7	4.5 - 6.9
SEX	Men	6.4	4.7 - 8.1
	Women	5.0	3.3 - 6.8
RACE/ETHNICITY	Non-Hisp. White	6.4	5.0 - 7.9
	Non-Hisp. Black	6.8	1.7 - 12.0
	Hispanic	3.3	1.7 - 5.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.2	5.0 - 9.3
	Non-Hisp. White Women	5.8	3.8 - 7.7
	Non-Hisp. Black Men	5.7	0.0 - 11.5
	Non-Hisp. Black Women	7.9	0.0 - 16.3
	Hispanic Men	4.8	1.9 - 7.6
	Hispanic Women	2.1	0.4 - 3.9
AGE GROUP	18-44	11.1	8.2 - 13.9
	45-64	3.6	2.2 - 5.0
	65 & Older	1.2	0.4 - 1.9
EDUCATION LEVEL	<High School	4.3	2.1 - 6.6
	High School / GED	7.3	4.4 - 10.3
	>High School	5.1	3.8 - 6.4
ANNUAL INCOME	<$25,000	6.4	4.1 - 8.6
	$25,000-$49,999	6.7	3.6 - 9.8
	$50,000 or More	5.4	3.3 - 7.6
MARITAL STATUS	Married/Couple	3.9	2.7 - 5.2
	Not Married/Couple	7.6	5.5 - 9.7

Percentage of adults who are former e-cigarette users

		Measure	95% CI
ALL	Overall	18.1	16.3 - 20.0
SEX	Men	21.5	18.6 - 24.4
	Women	15.1	12.7 - 17.5
RACE/ETHNICITY	Non-Hisp. White	20.5	18.4 - 22.7
	Non-Hisp. Black	12.8	7.8 - 17.9
	Hispanic	16.2	11.6 - 20.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	22.4	19.1 - 25.6
	Non-Hisp. White Women	18.9	16.1 - 21.8
	Non-Hisp. Black Men	16.7	8.0 - 25.5
	Non-Hisp. Black Women	9.0	3.9 - 14.2
	Hispanic Men	23.3	16.1 - 30.4
	Hispanic Women	10.3	4.3 - 16.3
AGE GROUP	18-44	27.6	24.0 - 31.2
	45-64	17.7	14.1 - 21.2
	65 & Older	6.3	4.8 - 7.8
EDUCATION LEVEL	<High School	16.7	11.9 - 21.5
	High School / GED	19.9	16.5 - 23.4
	>High School	17.6	15.1 - 20.1
ANNUAL INCOME	<$25,000	17.4	14.2 - 20.5
	$25,000-$49,999	17.5	14.1 - 21.0
	$50,000 or More	19.3	15.8 - 22.8
MARITAL STATUS	Married/Couple	14.4	12.1 - 16.7
	Not Married/Couple	22.2	19.3 - 25.2

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Tobacco Use & Exposure

Percentage of adults who currently use chewing tobacco, snuff, or snus some days or every day

		Measure	95% CI
ALL	Overall	2.3	1.8 - 2.8
SEX	Men	3.6	2.8 - 4.5
	Women	1.0	0.5 - 1.5
RACE/ETHNICITY	Non-Hisp. White	2.7	2.1 - 3.4
	Non-Hisp. Black	2.5	0.8 - 4.2
	Hispanic	0.9	0.2 - 1.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.0	3.6 - 6.3
	Non-Hisp. White Women	0.6	0.3 - 0.9
	Non-Hisp. Black Men	2.6	0.5 - 4.6
	Non-Hisp. Black Women	2.4	0.0 - 5.0
	Hispanic Men	0.7	0.3 - 1.2
	Hispanic Women	1.1	0.0 - 2.5
AGE GROUP	18-44	1.9	1.3 - 2.5
	45-64	3.5	2.3 - 4.8
	65 & Older	1.1	0.6 - 1.6
EDUCATION LEVEL	<High School	2.9	1.3 - 4.5
	High School / GED	3.2	2.1 - 4.3
	>High School	1.7	1.1 - 2.2
ANNUAL INCOME	<$25,000	2.3	1.3 - 3.3
	$25,000-$49,999	2.9	1.4 - 4.3
	$50,000 or More	1.9	1.3 - 2.6
MARITAL STATUS	Married/Couple	2.1	1.4 - 2.8
	Not Married/Couple	2.5	1.8 - 3.2

Percentage of adults who have never used e-cigarettes

		Measure	95% CI
ALL	Overall	76.2	74.1 - 78.2
SEX	Men	72.1	69.0 - 75.2
	Women	79.8	77.0 - 82.5
RACE/ETHNICITY	Non-Hisp. White	73.0	70.6 - 75.3
	Non-Hisp. Black	80.3	73.7 - 87.0
	Hispanic	80.4	75.6 - 85.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.5	66.9 - 74.0
	Non-Hisp. White Women	75.2	72.0 - 78.3
	Non-Hisp. Black Men	77.5	67.7 - 87.4
	Non-Hisp. Black Women	83.1	73.9 - 92.3
	Hispanic Men	71.9	64.5 - 79.3
	Hispanic Women	87.5	81.4 - 93.7
AGE GROUP	18-44	61.3	57.2 - 65.3
	45-64	78.7	75.0 - 82.4
	65 & Older	92.5	90.9 - 94.2
EDUCATION LEVEL	<High School	79.0	73.7 - 84.2
	High School / GED	72.7	68.6 - 76.8
	>High School	77.3	74.6 - 79.9
ANNUAL INCOME	<$25,000	76.3	72.5 - 80.0
	$25,000-$49,999	75.7	71.5 - 79.9
	$50,000 or More	75.2	71.4 - 79.0
MARITAL STATUS	Married/Couple	81.7	79.1 - 84.2
	Not Married/Couple	70.1	66.8 - 73.4

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Health Status & Quality of Life

Percentage of adults said their overall health was "fair" or "poor"

		Measure	95% CI
ALL	Overall	14.7	13.4 - 16.0
SEX	Men	12.8	11.2 - 14.4
	Women	16.5	14.5 - 18.5
RACE/ETHNICITY	Non-Hisp. White	13.6	12.3 - 14.8
	Non-Hisp. Black	13.3	9.3 - 17.3
	Hispanic	18.2	14.7 - 21.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.2	10.4 - 14.1
	Non-Hisp. White Women	14.8	13.1 - 16.5
	Non-Hisp. Black Men	10.7	6.1 - 15.3
	Non-Hisp. Black Women	15.7	9.4 - 22.1
	Hispanic Men	15.0	10.9 - 19.1
	Hispanic Women	21.3	15.7 - 26.9
AGE GROUP	18-44	8.5	6.7 - 10.3
	45-64	17.0	14.4 - 19.5
	65 & Older	21.7	19.3 - 24.1
EDUCATION LEVEL	<High School	30.2	24.5 - 35.9
	High School / GED	16.9	14.2 - 19.6
	>High School	10.4	9.2 - 11.6
ANNUAL INCOME	<$25,000	27.2	23.6 - 30.8
	$25,000-$49,999	12.9	10.4 - 15.4
	$50,000 or More	7.4	5.7 - 9.1
MARITAL STATUS	Married/Couple	11.9	10.4 - 13.4
	Not Married/Couple	18.1	15.9 - 20.3

Percentage of adults who said their overall health was "good" to "excellent"

		Measure	95% CI
ALL	Overall	85.3	84.0 - 86.6
SEX	Men	87.2	85.6 - 88.8
	Women	83.5	81.5 - 85.5
RACE/ETHNICITY	Non-Hisp. White	86.4	85.2 - 87.7
	Non-Hisp. Black	86.7	82.7 - 90.7
	Hispanic	81.8	78.2 - 85.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.8	85.9 - 89.6
	Non-Hisp. White Women	85.2	83.5 - 86.9
	Non-Hisp. Black Men	89.3	84.7 - 93.9
	Non-Hisp. Black Women	84.3	77.9 - 90.6
	Hispanic Men	85.0	80.9 - 89.1
	Hispanic Women	78.7	73.1 - 84.3
AGE GROUP	18-44	91.5	89.7 - 93.3
	45-64	83.0	80.5 - 85.6
	65 & Older	78.3	75.9 - 80.7
EDUCATION LEVEL	<High School	69.8	64.1 - 75.5
	High School / GED	83.1	80.4 - 85.8
	>High School	89.6	88.4 - 90.8
ANNUAL INCOME	<$25,000	72.8	69.2 - 76.4
	$25,000-$49,999	87.1	84.6 - 89.6
	$50,000 or More	92.6	90.9 - 94.3
MARITAL STATUS	Married/Couple	88.1	86.6 - 89.6
	Not Married/Couple	81.9	79.7 - 84.1

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

2020 Florida BRFSS Data

Health Status & Quality of Life

Percentage of adults who had poor physical health on 14 or more of the past 30 days

		Measure	95% CI
ALL	Overall	10.3	9.2 - 11.4
SEX	Men	8.4	7.2 - 9.7
	Women	12.0	10.2 - 13.8
RACE/ETHNICITY	Non-Hisp. White	11.0	9.8 - 12.2
	Non-Hisp. Black	9.4	5.5 - 13.4
	Hispanic	9.6	6.9 - 12.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.1	7.6 - 10.6
	Non-Hisp. White Women	12.8	11.0 - 14.6
	Non-Hisp. Black Men	8.3	4.1 - 12.6
	Non-Hisp. Black Women	10.4	4.0 - 16.8
	Hispanic Men	7.7	4.9 - 10.6
	Hispanic Women	11.4	6.8 - 15.9
AGE GROUP	18-44	5.6	4.1 - 7.2
	45-64	12.1	9.9 - 14.2
	65 & Older	15.2	13.1 - 17.4
EDUCATION LEVEL	<High School	18.6	13.4 - 23.8
	High School / GED	10.0	7.8 - 12.3
	>High School	8.7	7.6 - 9.8
ANNUAL INCOME	<$25,000	18.7	15.5 - 21.9
	$25,000-$49,999	8.7	6.5 - 10.9
	$50,000 or More	6.2	4.6 - 7.8
MARITAL STATUS	Married/Couple	8.1	6.9 - 9.3
	Not Married/Couple	12.9	11.0 - 14.9

Percentage of adults with good physical health for the past 30 days

		Measure	95% CI
ALL	Overall	89.7	88.6 - 90.8
SEX	Men	91.6	90.3 - 92.8
	Women	88.0	86.2 - 89.8
RACE/ETHNICITY	Non-Hisp. White	89.0	87.8 - 90.2
	Non-Hisp. Black	90.6	86.6 - 94.5
	Hispanic	90.4	87.7 - 93.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.9	89.4 - 92.4
	Non-Hisp. White Women	87.2	85.4 - 89.0
	Non-Hisp. Black Men	91.7	87.4 - 95.9
	Non-Hisp. Black Women	89.6	83.2 - 96.0
	Hispanic Men	92.3	89.4 - 95.1
	Hispanic Women	88.6	84.1 - 93.2
AGE GROUP	18-44	94.4	92.8 - 95.9
	45-64	87.9	85.8 - 90.1
	65 & Older	84.8	82.6 - 86.9
EDUCATION LEVEL	<High School	81.4	76.2 - 86.6
	High School / GED	90.0	87.7 - 92.2
	>High School	91.3	90.2 - 92.4
ANNUAL INCOME	<$25,000	81.3	78.1 - 84.5
	$25,000-$49,999	91.3	89.1 - 93.5
	$50,000 or More	93.8	92.2 - 95.4
MARITAL STATUS	Married/Couple	91.9	90.7 - 93.1
	Not Married/Couple	87.1	85.1 - 89.0

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Health Status & Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

		Measure	95% CI
ALL	Overall	12.3	11.1 - 13.5
SEX	Men	9.7	8.1 - 11.2
	Women	14.8	13.0 - 16.6
RACE/ETHNICITY	Non-Hisp. White	13.0	11.6 - 14.4
	Non-Hisp. Black	12.1	8.1 - 16.1
	Hispanic	10.7	8.0 - 13.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.3	7.5 - 11.1
	Non-Hisp. White Women	16.5	14.4 - 18.7
	Non-Hisp. Black Men	10.5	4.9 - 16.1
	Non-Hisp. Black Women	13.5	7.9 - 19.2
	Hispanic Men	9.6	6.1 - 13.1
	Hispanic Women	11.7	7.6 - 15.7
AGE GROUP	18-44	14.1	12.1 - 16.2
	45-64	13.2	10.9 - 15.5
	65 & Older	8.6	6.9 - 10.4
EDUCATION LEVEL	<High School	16.8	12.4 - 21.3
	High School / GED	12.0	9.6 - 14.3
	>High School	11.6	10.2 - 13.0
ANNUAL INCOME	<$25,000	17.9	14.9 - 20.8
	$25,000-$49,999	12.2	9.5 - 15.0
	$50,000 or More	10.2	8.4 - 12.0
MARITAL STATUS	Married/Couple	9.6	8.1 - 11.0
	Not Married/Couple	15.5	13.6 - 17.5

Percentage of adults with good mental health for the past 30 days

		Measure	95% CI
ALL	Overall	87.7	86.5 - 88.9
SEX	Men	90.3	88.8 - 91.9
	Women	85.2	83.4 - 87.0
RACE/ETHNICITY	Non-Hisp. White	87.0	85.6 - 88.4
	Non-Hisp. Black	87.9	83.9 - 91.9
	Hispanic	89.3	86.7 - 92.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.7	88.9 - 92.5
	Non-Hisp. White Women	83.5	81.3 - 85.6
	Non-Hisp. Black Men	89.5	83.9 - 95.1
	Non-Hisp. Black Women	86.5	80.8 - 92.1
	Hispanic Men	90.4	86.9 - 93.9
	Hispanic Women	88.3	84.3 - 92.4
AGE GROUP	18-44	85.9	83.8 - 87.9
	45-64	86.8	84.5 - 89.1
	65 & Older	91.4	89.6 - 93.1
EDUCATION LEVEL	<High School	83.2	78.7 - 87.6
	High School / GED	88.0	85.7 - 90.4
	>High School	88.4	87.0 - 89.8
ANNUAL INCOME	<$25,000	82.1	79.2 - 85.1
	$25,000-$49,999	87.8	85.0 - 90.5
	$50,000 or More	89.8	88.0 - 91.6
MARITAL STATUS	Married/Couple	90.4	89.0 - 91.9
	Not Married/Couple	84.5	82.5 - 86.4

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		Measure	95% CI	
ALL	Overall	3.3	3.0 -	3.6
SEX	Men	2.8	2.4 -	3.1
	Women	3.8	3.3 -	4.3
RACE/ETHNICITY	Non-Hisp. White	3.5	3.2 -	3.9
	Non-Hisp. Black	3.1	2.0 -	4.2
	Hispanic	3.0	2.2 -	3.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.0	2.6 -	3.4
	Non-Hisp. White Women	4.0	3.6 -	4.5
	Non-Hisp. Black Men	2.8	1.6 -	3.9
	Non-Hisp. Black Women	3.4	1.6 -	5.2
	Hispanic Men	2.4	1.7 -	3.2
	Hispanic Women	3.5	2.2 -	4.7
AGE GROUP	18-44	2.1	1.6 -	2.5
	45-64	3.8	3.2 -	4.4
	65 & Older	4.6	4.0 -	5.1
EDUCATION LEVEL	<High School	5.4	4.0 -	6.8
	High School / GED	3.4	2.8 -	4.0
	>High School	2.8	2.5 -	3.1
ANNUAL INCOME	<$25,000	5.8	4.9 -	6.6
	$25,000-$49,999	2.8	2.3 -	3.4
	$50,000 or More	2.1	1.7 -	2.6
MARITAL STATUS	Married/Couple	2.6	2.3 -	2.9
	Not Married/Couple	4.2	3.6 -	4.7

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Health Status & Quality of Life

Percentage of adults whose poor physical or mental health kept them from doing usual activities on 14 or more of the past 30 days

		Measure	95% CI
ALL	Overall	17.8	15.7 - 19.9
SEX	Men	16.5	13.7 - 19.4
	Women	18.7	15.8 - 21.7
RACE/ETHNICITY	Non-Hisp. White	17.4	15.2 - 19.5
	Non-Hisp. Black	20.2	11.8 - 28.6
	Hispanic	17.0	11.6 - 22.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.5	12.6 - 18.4
	Non-Hisp. White Women	18.8	15.8 - 21.8
	Non-Hisp. Black Men	19.9	8.2 - 31.6
	Non-Hisp. Black Women	20.5	8.6 - 32.4
	Hispanic Men	17.8	10.5 - 25.1
	Hispanic Women	16.4	8.7 - 24.1
AGE GROUP	18-44	13.4	10.0 - 16.8
	45-64	19.4	16.0 - 22.8
	65 & Older	23.8	19.9 - 27.8
EDUCATION LEVEL	<High School	31.0	22.9 - 39.0
	High School / GED	18.2	13.7 - 22.7
	>High School	15.0	12.8 - 17.3
ANNUAL INCOME	<$25,000	26.0	21.4 - 30.6
	$25,000-$49,999	19.4	14.5 - 24.2
	$50,000 or More	10.4	7.2 - 13.5
MARITAL STATUS	Married/Couple	15.7	12.9 - 18.5
	Not Married/Couple	19.8	16.7 - 22.9

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Health Status & Quality of Life

Average number of days where poor mental or physical health interferred with activities of daily living in the past 30 days (among adults who have had at least one day of poor mental or physical health)

		Measure	95% CI	
ALL	Overall	5.6	5.1 -	6.1
SEX	Men	5.4	4.6 -	6.1
	Women	5.7	5.0 -	6.4
RACE/ETHNICITY	Non-Hisp. White	5.3	4.8 -	5.8
	Non-Hisp. Black	6.6	4.3 -	9.0
	Hispanic	5.5	4.3 -	6.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.9	4.2 -	5.6
	Non-Hisp. White Women	5.7	4.9 -	6.4
	Non-Hisp. Black Men	6.7	3.5 -	10.0
	Non-Hisp. Black Women	6.6	3.4 -	9.7
	Hispanic Men	6.0	4.0 -	7.9
	Hispanic Women	5.2	3.6 -	6.7
AGE GROUP	18-44	4.8	3.9 -	5.6
	45-64	6.1	5.2 -	7.0
	65 & Older	6.5	5.6 -	7.3
EDUCATION LEVEL	<High School	8.5	6.7 -	10.3
	High School / GED	5.9	4.8 -	7.1
	>High School	4.8	4.3 -	5.4
ANNUAL INCOME	<$25,000	8.1	7.1 -	9.2
	$25,000-$49,999	5.4	4.5 -	6.4
	$50,000 or More	3.7	2.9 -	4.5
MARITAL STATUS	Married/Couple	4.9	4.2 -	5.5
	Not Married/Couple	6.3	5.5 -	7.1

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

2020 Florida BRFSS Data

Health Status & Quality of Life

Average number of unhealthy mental days in the past 30 days

		Measure	95% CI	
ALL	Overall	3.9	3.6 -	4.2
SEX	Men	3.2	2.8 -	3.6
	Women	4.6	4.2 -	5.1
RACE/ETHNICITY	Non-Hisp. White	4.1	3.8 -	4.5
	Non-Hisp. Black	3.9	2.9 -	4.9
	Hispanic	3.5	2.8 -	4.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.2	2.7 -	3.7
	Non-Hisp. White Women	5.0	4.5 -	5.6
	Non-Hisp. Black Men	3.5	2.0 -	5.0
	Non-Hisp. Black Women	4.4	3.0 -	5.7
	Hispanic Men	3.0	2.1 -	3.9
	Hispanic Women	4.0	2.9 -	5.0
AGE GROUP	18-44	4.7	4.2 -	5.2
	45-64	4.1	3.5 -	4.7
	65 & Older	2.7	2.3 -	3.1
EDUCATION LEVEL	<High School	5.0	3.8 -	6.1
	High School / GED	4.0	3.3 -	4.6
	>High School	3.7	3.4 -	4.1
ANNUAL INCOME	<$25,000	5.6	4.8 -	6.4
	$25,000-$49,999	3.8	3.2 -	4.4
	$50,000 or More	3.3	2.9 -	3.8
MARITAL STATUS	Married/Couple	3.1	2.8 -	3.5
	Not Married/Couple	4.9	4.4 -	5.4

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Health Status & Quality of Life

Percentage of adults who sleep at least 7 hours each night

		Measure	95% CI
ALL	Overall	67.1	65.2 - 69.0
SEX	Men	65.4	62.7 - 68.1
	Women	68.6	66.0 - 71.2
RACE/ETHNICITY	Non-Hisp. White	70.4	68.5 - 72.3
	Non-Hisp. Black	54.0	47.2 - 60.8
	Hispanic	66.4	61.7 - 71.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.7	67.0 - 72.5
	Non-Hisp. White Women	71.0	68.5 - 73.5
	Non-Hisp. Black Men	45.8	36.0 - 55.7
	Non-Hisp. Black Women	61.6	52.5 - 70.7
	Hispanic Men	65.9	59.7 - 72.1
	Hispanic Women	66.8	60.0 - 73.7
AGE GROUP	18-44	64.3	60.9 - 67.6
	45-64	64.1	60.7 - 67.5
	65 & Older	74.7	72.2 - 77.2
EDUCATION LEVEL	<High School	68.3	62.2 - 74.4
	High School / GED	66.8	62.9 - 70.7
	>High School	66.8	64.6 - 69.1
ANNUAL INCOME	<$25,000	63.6	59.2 - 68.1
	$25,000-$49,999	67.9	64.0 - 71.8
	$50,000 or More	67.3	64.2 - 70.3
MARITAL STATUS	Married/Couple	70.2	67.7 - 72.6
	Not Married/Couple	63.4	60.5 - 66.4

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

Health Care Access & Coverage

Percentage of adults who have a personal doctor

		Measure	95% CI
ALL	Overall	71.4	69.5 - 73.2
SEX	Men	66.2	63.5 - 68.9
	Women	76.2	73.7 - 78.7
RACE/ETHNICITY	Non-Hisp. White	77.5	75.7 - 79.3
	Non-Hisp. Black	71.4	65.2 - 77.7
	Hispanic	58.2	53.5 - 62.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.8	70.0 - 75.6
	Non-Hisp. White Women	81.9	79.6 - 84.2
	Non-Hisp. Black Men	65.9	55.7 - 76.1
	Non-Hisp. Black Women	76.5	69.5 - 83.5
	Hispanic Men	52.7	46.4 - 59.0
	Hispanic Women	63.3	56.3 - 70.3
AGE GROUP	18-44	53.7	50.3 - 57.1
	45-64	76.3	73.1 - 79.5
	65 & Older	92.8	91.3 - 94.4
EDUCATION LEVEL	<High School	54.6	48.1 - 61.0
	High School / GED	66.5	62.6 - 70.3
	>High School	77.2	75.2 - 79.2
ANNUAL INCOME	<$25,000	63.6	59.2 - 68.0
	$25,000-$49,999	69.8	65.8 - 73.8
	$50,000 or More	78.7	76.0 - 81.4
MARITAL STATUS	Married/Couple	76.5	74.2 - 78.8
	Not Married/Couple	65.5	62.6 - 68.4

Percentage of adults with any type of health care insurance coverage

		Measure	95% CI
ALL	Overall	82.8	81.3 - 84.4
SEX	Men	80.4	78.1 - 82.7
	Women	85.1	82.9 - 87.2
RACE/ETHNICITY	Non-Hisp. White	88.0	86.5 - 89.4
	Non-Hisp. Black	81.0	75.5 - 86.5
	Hispanic	72.2	68.2 - 76.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	86.4	84.2 - 88.7
	Non-Hisp. White Women	89.4	87.6 - 91.2
	Non-Hisp. Black Men	78.3	70.0 - 86.7
	Non-Hisp. Black Women	83.5	76.2 - 90.7
	Hispanic Men	68.1	62.5 - 73.7
	Hispanic Women	76.1	70.2 - 82.1
AGE GROUP	18-44	72.4	69.4 - 75.4
	45-64	83.9	81.4 - 86.4
	65 & Older	97.2	95.5 - 98.9
EDUCATION LEVEL	<High School	61.3	54.9 - 67.7
	High School / GED	78.7	75.6 - 81.9
	>High School	89.3	87.8 - 90.8
ANNUAL INCOME	<$25,000	72.8	68.7 - 76.9
	$25,000-$49,999	80.0	76.2 - 83.7
	$50,000 or More	91.5	89.8 - 93.3
MARITAL STATUS	Married/Couple	86.2	84.2 - 88.1
	Not Married/Couple	79.0	76.5 - 81.5

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

2020 Florida BRFSS Data

Health Care Access & Coverage

Percentage of adults who could not see a doctor in the past year due to cost

		Measure	95% CI
ALL	Overall	14.0	12.6 - 15.5
SEX	Men	12.6	10.7 - 14.6
	Women	15.3	13.2 - 17.4
RACE/ETHNICITY	Non-Hisp. White	10.5	9.2 - 11.7
	Non-Hisp. Black	22.1	15.7 - 28.4
	Hispanic	16.3	13.0 - 19.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.8	7.9 - 11.8
	Non-Hisp. White Women	11.1	9.4 - 12.7
	Non-Hisp. Black Men	19.0	9.9 - 28.2
	Non-Hisp. Black Women	24.8	16.0 - 33.6
	Hispanic Men	14.8	10.9 - 18.6
	Hispanic Women	17.7	12.6 - 22.8
AGE GROUP	18-44	20.9	17.9 - 23.9
	45-64	13.9	11.7 - 16.1
	65 & Older	3.9	3.0 - 4.8
EDUCATION LEVEL	<High School	19.1	14.3 - 23.9
	High School / GED	17.3	13.8 - 20.8
	>High School	11.3	9.9 - 12.7
ANNUAL INCOME	<$25,000	24.2	20.1 - 28.2
	$25,000-$49,999	16.3	13.1 - 19.6
	$50,000 or More	7.6	5.8 - 9.3
MARITAL STATUS	Married/Couple	8.9	7.5 - 10.3
	Not Married/Couple	20.0	17.4 - 22.7

Percentage of adults who had a medical checkup in the past year

		Measure	95% CI
ALL	Overall	76.9	75.3 - 78.5
SEX	Men	72.5	70.1 - 74.9
	Women	80.9	78.9 - 83.0
RACE/ETHNICITY	Non-Hisp. White	77.5	75.7 - 79.2
	Non-Hisp. Black	82.9	78.1 - 87.6
	Hispanic	73.4	69.5 - 77.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.5	70.7 - 76.2
	Non-Hisp. White Women	81.2	78.9 - 83.4
	Non-Hisp. Black Men	78.0	70.1 - 85.8
	Non-Hisp. Black Women	87.4	82.0 - 92.7
	Hispanic Men	68.1	62.5 - 73.8
	Hispanic Women	78.3	72.9 - 83.7
AGE GROUP	18-44	66.5	63.5 - 69.5
	45-64	76.0	73.1 - 78.9
	65 & Older	93.6	92.1 - 95.1
EDUCATION LEVEL	<High School	69.4	63.3 - 75.4
	High School / GED	75.3	72.3 - 78.4
	>High School	79.1	77.3 - 81.0
ANNUAL INCOME	<$25,000	73.9	70.3 - 77.5
	$25,000-$49,999	76.1	72.6 - 79.7
	$50,000 or More	77.7	75.1 - 80.2
MARITAL STATUS	Married/Couple	79.2	77.1 - 81.3
	Not Married/Couple	74.3	71.8 - 76.7

CI=Confidence Interval
NA=Not available due to respondent counts of less than 30.

2020 Florida Behavioral Risk Factor Surveillance System Data

Activities of Daily Living	Usual activities, such as self-care, work, or recreation.
Adult	Individual aged 18 years or older.
Angina	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
Arthritis	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
Asthma	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
Binge Drinking*	For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days.
Blood Glucose	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
Blood Pressure	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
Blood Sugar	See Blood Glucose
Body Mass Index (BMI)	A number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
Cancer	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
Cholesterol	A substance the body uses to produce hormones, vitamin D, and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or angina.
Chronic Bronchitis	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
Chronic Diseases	Diseases of long duration and generally slow progression (e.g., heart disease, stroke, cancer, diabetes); represent the leading causes of mortality worldwide.
Chronic Obstructive Pulmonary	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
Coronary Artery Disease (CAD)	Most common type of heart disease; occurs when a substance called plaque builds up on the inner walls of the arteries that supply blood to the heart, called coronary arteries; most common cause of a heart attack.
Coronary Heart Disease (CHD)	See Coronary Artery Disease (CAD)
Current Smoker*	Combination of everyday smoker and some days smoker.
Depressive Disorders	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
Diabetes	General term for diabetes mellitus; disease in which blood glucose levels are above normal.
E-Cigarettes	An e-cigarette, also known as an electronic cigarette, is a device that allows a user to inhale nicotine and other vapors.
Emphysema	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD).

---

*This term is defined using BRFSS standards.

2020 Florida Behavioral Risk Factor Surveillance System Data

Exercise	See Physical Activity
Fibromyalgia	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
Flu	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
Flu Shot	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose.
Former Smoker	Adults who reported smoking at least 100 cigarettes in their lifetimes but reported not smoking now.
Gout	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
Health Behavior	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
Health Care Coverage	Health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
Health Care Provider	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor, nurse practitioner, physician assistant, registered nurse).
Health Risk Behavior	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity, poor nutrition, tobacco use, excessive alcohol consumption).
Healthy Weight	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
Heart Attack	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
Heavy Drinking*	For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days.
High Blood Cholesterol	Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack, or angina.
High Blood Pressure	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.
Hispanic	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
HIV	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
Hypertension	See High Blood Pressure
Influenza	See Flu
Kidney Disease	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
Mental Health	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
Muscle Strengthening Recommendations*	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
Never Smoked*	Adults who reported smoking less than 100 cigarettes in their lifetime.
Non-Hispanic Black	Adults not of Hispanic culture or origins reporting membership in only the black race category; self-reported demographic variable.

*This term is defined using BRFSS standards.

2020 Florida Behavioral Risk Factor Surveillance System Data

Non-Hispanic White	Adults not of Hispanic culture or origins reporting membership in only the white race category; self-reported demographic variable.
Non-Smoker*	Combination of former smoker and never smoked.
Obese	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
Obesity	A condition characterized by being obese.
Overweight	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
Personal Doctor	A health care provider that an adult identifies as their personal health care provider.
Physical Activity	Any bodily movement produced by the contraction of skeletal muscle that increases energy expenditure above basal level and that enhances or maintains physical fitness and overall health and wellness.
Pneumococcal Vaccination	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
Pneumonia	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
Pre-Diabetes	A condition in which an individual's blood sugar is high, but not high enough to be diagnosed as diabetes.
Race/Ethnicity	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
Routine Checkup	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
Sex	The condition or character of being male or female; self-reported demographic variable.
Smoking	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
Stroke	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.

*This term is defined using BRFSS standards.

Alcohol Consumption

SU-10. Reduce the proportion of people aged 21 years and over who engaged in binge drinking in the past month

Arthritis

A-02. Reduce the proportion of adults with arthritis whose arthritis limits their activities

Cancer Screening

C-05. Increase the proportion of females who get screened for breast cancer

C-07. Increase the proportion of adults who get screened for colorectal cancer

C-09. Increase the proportion of females who get screened for cervical cancer

Cardiovascular Disease

HDS-01. Improve cardiovascular health in adults

HDS-02. Reduce coronary heart disease deaths

HDS-03. Reduce stroke deaths

Cholesterol Awareness

HDS-06. Reduce cholesterol in adults

Diabetes

D-01. Reduce the number of diabetes cases diagnosed yearly

D-04. Increase the proportion of adults with diabetes who have a yearly eye exam

D-06. Increase the proportion of people with diabetes who get formal diabetes education

D-07. Increase the proportion of adults with diabetes using insulin who monitor their blood sugar daily

V-04. Reduce vision loss from diabetic retinopathy

Family Planning

FP-01. Reduce the proportion of unintended pregnancies

Hypertension Awareness & Control

HDS-05. Increase control of high blood pressure in adults

Immunization

IID-09. Increase the proportion of people who get the flu vaccine every year

Injury Prevention

OA-03. Reduce the rate of emergency department visits due to falls among older adults

Kidney Disease

CKD-01. Reduce the proportion of adults with chronic kidney disease

CKD-02. Increase the proportion of adults with chronic kidney disease who know they have it

Oral Health

OH-08. Increase use of the oral health care system

OH-05. Reduce the proportion of adults aged 45 years and over who have lost all their teeth

Overweight & Obesity

NWS-03. Reduce the proportion of adults with obesity

Physical Activity

PA-01. Reduce the proportion of adults who do no physical activity in their free time

Sleep

SH-03. Increase the proportion of adults who get enough sleep

Tobacco Use & Exposure

TU-15. Increase successful quit attempts in pregnant women who smoke

TU-01. Reduce current tobacco use in adults

TU-02. Reduce current cigarette smoking in adults

TU-03. Reduce current cigarette, cigar, and pipe smoking in adults

TU-11. Increase past-year attempts to quit smoking in adults

TU-14. Increase successful quit attempts in adults who smoke

Prepared by:

Katie McDaniel, MPH

If you have any questions or comments
please contact:

Florida Department of Health
Divison of Community Health Promotion
Public Health Research
4052 Bald Cypress Way, Bin A-24
Tallahassee, Florida 32399-1744

Phone: 850-245-4793 or 866-779-6122
BRFSS@flhealth.gov
www.floridahealth.gov/BRFSS