


2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Rick Scott
Governor

H. Frank Farmer, Jr., M.D., Ph.D.
State Surgeon General

**2010 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Alcohol Consumption	1
Arthritis	2
Asthma	3
Cancer Screening/Colorectal	4
Cancer Screening/Prostate	5
Cancer Screening/Women's Health	7
Cardiovascular Disease	9
Cholesterol Awareness	10
Diabetes	11
Disability	15
Family Planning	16
Health Care Access & Coverage	17
Health Status & Quality of Life	19
HIV/AIDS	23
Hypertension Awareness & Control	24
Immunization	25
Injury Prevention	27
Oral Health	29
Overweight & Obesity	31
Reactions To Race	32
Tobacco Use & Exposure	33
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2010 County			2010 State			2007 County Measure
		Measure	95% CI	95% CI	Measure	95% CI	95% CI	
ALL	Overall	14.8	10.0	19.6	15.0	14.0	16.0	16.3
SEX	Men	21.8	13.1	30.5	19.8	18.0	21.6	22.5
	Women	8.4	3.8	13.0	10.5	9.6	11.4	10.6
RACE/ETHNICITY	Non-Hisp. White	15.4	9.8	21.1	16.4	15.3	17.5	14.6
	Non-Hisp. Black				8.2	5.8	10.6	
	Hispanic				15.3	11.3	19.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	22.6	12.7	32.5	20.9	19.0	22.8	20.1
	Non-Hisp. White Women	9.0	3.4	14.6	12.2	11.1	13.3	9.7
	Non-Hisp. Black Men				12.2	7.3	17.0	
	Non-Hisp. Black Women				5.2	3.4	7.1	
	Hispanic Men				23.0	15.8	30.2	
	Hispanic Women				7.8	4.7	10.9	
AGE GROUP	18-44	21.5	11.2	31.9	20.9	18.8	23.1	20.8
	45-64	13.9	8.7	19.0	14.4	12.9	15.9	16.4
	65 & Older	4.5	1.6	7.4	6.8	6.0	7.6	8.3
EDUCATION LEVEL	<High School	9.0	1.7	16.4	11.6	8.6	14.6	22.5
	H.S. / GED	17.5	8.7	26.3	15.5	13.5	17.5	15.9
	>High School	14.6	8.0	21.3	15.2	14.0	16.5	14.2
ANNUAL INCOME	<\$25,000	20.5	11.8	29.1	12.1	10.0	14.2	19.1
	\$25,000-\$49,999	13.3	4.6	21.9	13.4	11.2	15.7	12.9
	\$50,000 or More	19.9	6.7	33.2	18.6	17.0	20.3	12.8
MARITAL STATUS	Married/Couple	15.1	9.2	21.1	14.7	13.5	15.9	12.0
	Not Married/Couple	14.3	6.3	22.4	15.5	13.6	17.3	23.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who have been told they have some form of arthritis

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.7	32.3	45.2	32.0	30.8	33.1	35.5
SEX	Men	34.3	24.5	44.1	26.5	24.8	28.1	34.7
	Women	42.8	34.6	51.1	37.0	35.6	38.5	36.2
RACE/ETHNICITY	Non-Hisp. White	41.0	33.7	48.2	36.4	35.1	37.6	36.7
	Non-Hisp. Black				25.0	21.2	28.8	
	Hispanic				18.3	15.0	21.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	40.6	29.2	51.9	30.7	28.9	32.6	37.0
	Non-Hisp. White Women	41.3	32.2	50.4	41.6	40.0	43.2	36.5
	Non-Hisp. Black Men				20.2	14.1	26.2	
	Non-Hisp. Black Women				28.4	23.6	33.3	
	Hispanic Men				10.7	6.8	14.6	
	Hispanic Women				25.5	20.6	30.5	
AGE GROUP	18-44	12.7	5.9	19.5	11.9	10.3	13.4	21.6
	45-64	54.0	45.2	62.8	33.5 *	31.7	35.4	38.9
	65 & Older	61.0	47.2	74.8	59.6	57.9	61.4	56.5
EDUCATION LEVEL	<High School	27.9	14.0	41.9	36.9	32.2	41.7	37.6
	H.S. / GED	39.5	28.7	50.3	36.2	33.9	38.5	39.7
	>High School	42.4	33.8	51.0	29.9 *	28.6	31.2	30.4
ANNUAL INCOME	<\$25,000	46.5	37.2	55.7	39.6	37.1	42.1	44.7
	\$25,000-\$49,999	41.5	27.9	55.2	32.6	30.3	34.9	29.4
	\$50,000 or More	36.9	24.8	49.0	27.0	25.3	28.7	31.6
MARITAL STATUS	Married/Couple	36.0	28.8	43.3	31.6	30.2	33.1	36.0
	Not Married/Couple	42.6	30.7	54.5	32.7	30.9	34.5	34.6

Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.2	16.6	25.8	14.9 *	14.0	15.7	20.1
SEX	Men	18.1	12.0	24.1	12.6	11.4	13.8	20.6
	Women	24.1	17.5	30.6	17.0	15.9	18.1	19.7
RACE/ETHNICITY	Non-Hisp. White	20.0	15.4	24.6	16.3	15.4	17.2	19.8
	Non-Hisp. Black				13.2	10.4	15.9	
	Hispanic				9.8	7.2	12.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.0	13.0	27.0	13.9	12.5	15.2	21.8
	Non-Hisp. White Women	20.0	14.0	26.0	18.7	17.5	19.9	18.0
	Non-Hisp. Black Men				9.5	6.0	12.9	
	Non-Hisp. Black Women				15.8	11.8	19.8	
	Hispanic Men				7.8	4.0	11.5	
	Hispanic Women				11.8	8.3	15.3	
AGE GROUP	18-44	5.9	1.6	10.3	4.9	3.9	6.0	10.7
	45-64	31.8	23.4	40.3	17.4 *	16.0	18.8	29.3
	65 & Older	32.4	22.9	42.0	25.9	24.3	27.6	24.0
EDUCATION LEVEL	<High School	17.0	7.4	26.7	21.1	17.3	24.9	29.2
	H.S. / GED	21.5	13.4	29.6	17.4	15.6	19.2	20.0
	>High School	22.9	16.8	29.0	13.2 *	12.3	14.2	16.5
ANNUAL INCOME	<\$25,000	29.7	21.9	37.4	23.1	21.1	25.1	33.8
	\$25,000-\$49,999	19.8	11.9	27.7	14.1	12.5	15.7	14.0
	\$50,000 or More	14.2	6.7	21.7	10.6	9.4	11.8	9.9
MARITAL STATUS	Married/Couple	19.9	14.5	25.2	13.6	12.6	14.6	18.6
	Not Married/Couple	23.2	15.0	31.4	17.2	15.8	18.6	22.6

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who currently have asthma

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.5	5.1	9.9	8.3	7.6	9.0	7.2
SEX	Men	4.8	2.2	7.3	6.5	5.4	7.6	3.6
	Women	9.9	6.0	13.8	10.0	9.2	10.9	10.4
RACE/ETHNICITY	Non-Hisp. White	7.5	4.6	10.4	8.3	7.6	9.0	7.1
	Non-Hisp. Black				8.0	5.8	10.1	
	Hispanic				9.9	6.8	12.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.0	2.1	7.9	6.1	5.1	7.1	3.6
	Non-Hisp. White Women	9.7	5.1	14.4	10.3	9.3	11.3	10.2
	Non-Hisp. Black Men				4.7	2.1	7.3	
	Non-Hisp. Black Women				10.5	7.3	13.6	
	Hispanic Men				10.5	5.1	15.9	
	Hispanic Women				9.2	6.3	12.2	
AGE GROUP	18-44	3.7	0.4	7.1	8.8 *	7.3	10.4	5.2
	45-64	11.1	6.5	15.6	7.8	6.8	8.7	9.5
	65 & Older	8.9	4.4	13.4	8.5	7.5	9.4	7.3
EDUCATION LEVEL	<High School	9.3	3.1	15.5	11.2	8.8	13.6	9.7
	H.S. / GED	7.5	3.3	11.7	8.9	7.5	10.4	4.9
	>High School	6.6	3.5	9.7	7.8	6.9	8.7	8.4
ANNUAL INCOME	<\$25,000	13.6	7.9	19.3	12.9	10.9	14.9	9.0
	\$25,000-\$49,999	5.8	2.1	9.5	7.5	6.3	8.7	6.6
	\$50,000 or More	3.8	0.3	7.2	6.2	5.2	7.1	4.3
MARITAL STATUS	Married/Couple	5.8	3.2	8.4	7.0	6.2	7.8	4.7
	Not Married/Couple	9.6	5.0	14.1	10.7	9.4	12.1	11.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.5	12.9	24.2	14.7	13.8	15.7	24.6
SEX	Men	23.0	13.1	32.9	16.5	14.9	18.0	26.0
	Women	14.3	8.1	20.5	13.2	12.0	14.3	23.4
RACE/ETHNICITY	Non-Hisp. White	19.4	13.0	25.8	15.1	14.1	16.1	25.1
	Non-Hisp. Black				17.6	12.9	22.4	
	Hispanic				9.8	6.1	13.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.2	12.4	33.9	17.4	15.7	19.1	25.6
	Non-Hisp. White Women	15.4	8.3	22.4	13.0	11.9	14.1	24.5
	Non-Hisp. Black Men				13.3	8.3	18.3	
	Non-Hisp. Black Women				20.3	13.4	27.1	
	Hispanic Men				11.2	4.3	18.2	
	Hispanic Women				8.8	4.9	12.6	
AGE GROUP	45-64	15.5	8.7	22.3	11.3	10.0	12.6	16.2
	65 & Older	21.5	12.4	30.7	19.1	17.8	20.5	34.6
EDUCATION LEVEL	<High School	19.9	7.2	32.7	11.9	8.6	15.1	14.4
	H.S. / GED	19.6	9.1	30.1	15.4	13.5	17.3	30.2
	>High School	17.3	10.2	24.5	14.7	13.6	15.9	21.4
ANNUAL INCOME	<\$25,000	17.1	10.2	24.0	14.7	12.8	16.6	29.3
	\$25,000-\$49,999	25.5	10.4	40.7	15.8	14.0	17.7	25.3
	\$50,000 or More	17.2	5.9	28.5	13.7	12.1	15.4	17.2
MARITAL STATUS	Married/Couple	20.2	13.2	27.2	14.7	13.5	16.0	29.0
	Not Married/Couple	16.0	6.2	25.9	14.7	13.2	16.2	18.6

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.5	40.2	56.7	56.4	54.9	57.9	46.9
SEX	Men	58.5	46.3	70.6	57.3	54.9	59.7	44.9
	Women	38.8	30.6	47.0	55.6 *	53.7	57.4	48.7
RACE/ETHNICITY	Non-Hisp. White	48.9	39.9	57.9	57.6	56.1	59.0	46.8
	Non-Hisp. Black				57.3	51.0	63.6	
	Hispanic				48.8	41.9	55.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	60.9	48.2	73.7	58.8	56.4	61.2	44.0
	Non-Hisp. White Women	35.6	27.4	43.9	56.5 *	54.7	58.3	49.5
	Non-Hisp. Black Men				54.4	43.7	65.2	
	Non-Hisp. Black Women				59.1	51.4	66.9	
	Hispanic Men				52.8	40.9	64.7	
	Hispanic Women				45.7	37.6	53.8	
AGE GROUP	45-64	36.6	26.5	46.7	49.3 *	47.1	51.6	36.0
	65 & Older	60.5	49.7	71.4	65.3	63.7	67.0	59.5
EDUCATION LEVEL	<High School	56.5	41.9	71.1	45.4	39.3	51.5	41.3
	H.S. / GED	43.7	27.1	60.2	51.5	48.7	54.4	49.6
	>High School	51.0	41.1	61.0	59.7	57.9	61.5	45.6
ANNUAL INCOME	<\$25,000	42.9	34.1	51.8	46.4	43.6	49.3	42.0
	\$25,000-\$49,999	62.5	46.4	78.5	55.8	53.0	58.6	45.7
	\$50,000 or More	52.3	39.0	65.6	61.7	59.2	64.2	49.1
MARITAL STATUS	Married/Couple	46.8	35.5	58.2	59.0	57.1	60.9	51.5
	Not Married/Couple	51.2	39.4	62.9	51.6	49.3	53.8	40.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who received a PSA test in the past two years

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	69.2	58.8	79.7	72.6	70.2	75.0	65.4
RACE/ETHNICITY	Non-Hisp. White	71.6	61.0	82.2	74.7	72.4	77.0	64.2
	Non-Hisp. Black				67.0	57.1	77.0	
	Hispanic				60.7	48.0	73.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	71.6	61.0	82.2	74.7	72.4	77.0	64.2
	Non-Hisp. Black Men				67.0	57.1	77.0	
	Hispanic Men				60.7	48.0	73.3	
AGE GROUP	45-64	59.0	44.2	73.8	63.9	60.2	67.5	60.3
	65 & Older	79.0	66.9	91.2	84.5	82.3	86.7	70.6
EDUCATION LEVEL	<High School				52.9	40.8	65.0	
	H.S. / GED	69.5	50.4	88.7	68.4	63.6	73.3	61.5
	>High School	73.3	60.9	85.7	75.9	73.2	78.7	75.9
ANNUAL INCOME	<\$25,000	42.6	27.9	57.3	60.7	55.2	66.1	58.0
	\$25,000-\$49,999	84.8	73.4	96.2	75.4	71.5	79.3	64.8
	\$50,000 or More	81.1	68.5	93.8	77.3	73.8	80.8	75.6
MARITAL STATUS	Married/Couple	67.9	54.7	81.0	74.2	71.3	77.2	70.8
	Not Married/Couple	72.9	56.2	89.5	67.4	63.3	71.4	55.6

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	39.0	26.1	52.0	48.5	46.1	50.8	41.5
RACE/ETHNICITY	Non-Hisp. White	39.9	25.8	54.1	50.4	48.0	52.9	40.4
	Non-Hisp. Black				41.9	31.3	52.4	
	Hispanic				39.8	29.0	50.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.9	25.8	54.1	50.4	48.0	52.9	40.4
	Non-Hisp. Black Men				41.9	31.3	52.4	
	Hispanic Men				39.8	29.0	50.6	
AGE GROUP	45-64	40.1	24.2	56.0	41.9	38.4	45.4	28.6
	65 & Older	38.0	18.3	57.7	57.7	55.1	60.3	55.0
EDUCATION LEVEL	<High School	34.3	14.4	54.3	31.8	23.4	40.2	
	H.S. / GED	27.7	7.7	47.8	42.0	37.2	46.8	47.3
	>High School	50.9	35.3	66.5	52.3	49.4	55.1	39.6
ANNUAL INCOME	<\$25,000	25.4	13.6	37.3	36.3	31.7	40.9	30.5
	\$25,000-\$49,999	47.9	19.0	76.8	45.8	41.5	50.1	41.0
	\$50,000 or More	40.5	23.3	57.7	55.2	51.4	58.9	48.0
MARITAL STATUS	Married/Couple	31.8	19.6	43.9	50.3 *	47.4	53.1	43.5
	Not Married/Couple	57.8	36.5	79.2	42.9	38.7	47.2	37.9

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who have been told they have prostate cancer

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	6.4	2.7	10.1	7.3	6.4	8.3	
RACE/ETHNICITY	Non-Hisp. White	7.1	3.0	11.3	7.7	6.6	8.7	
	Non-Hisp. Black				6.1	2.9	9.3	
	Hispanic				6.2	1.8	10.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.1	3.0	11.3	7.7	6.6	8.7	
	Non-Hisp. Black Men				6.1	2.9	9.3	
	Hispanic Men				6.2	1.8	10.6	
AGE GROUP	45-64	0.7	0.0	2.2	2.6	1.7	3.5	
	65 & Older	12.2	4.0	20.4	13.9	12.1	15.7	
EDUCATION LEVEL	<High School	10.8	0.0	24.7	4.8	2.5	7.2	
	H.S. / GED	1.6	0.0	3.9	6.4 *	4.7	8.1	
	>High School	9.3	3.1	15.6	7.9	6.7	9.2	
ANNUAL INCOME	<\$25,000	10.5	2.8	18.3	6.8	5.0	8.6	
	\$25,000-\$49,999	2.9	0.0	7.1	10.0 *	7.6	12.3	
	\$50,000 or More	9.4	0.9	17.9	6.3	4.9	7.6	
MARITAL STATUS	Married/Couple	5.3	1.5	9.2	6.8	5.8	7.9	
	Not Married/Couple	9.1	0.5	17.7	8.9	6.7	11.0	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 40 years of age and older who received a mammogram in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	50.9	42.8	59.1	61.9 *	60.2	63.5	52.5
RACE/ETHNICITY	Non-Hisp. White	47.3	38.9	55.7	61.8 *	60.1	63.4	54.3
	Non-Hisp. Black				66.6	60.2	72.9	
	Hispanic				59.8	53.1	66.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	47.3	38.9	55.7	61.8 *	60.1	63.4	54.3
	Non-Hisp. Black Women				66.6	60.2	72.9	
	Hispanic Women				59.8	53.1	66.5	
AGE GROUP	18-44				47.1	41.7	52.5	
	45-64	46.4	34.6	58.2	61.5 *	59.1	64.0	46.0
	65 & Older	56.1	45.7	66.6	68.8 *	66.9	70.7	65.1
EDUCATION LEVEL	<High School	53.5	31.3	75.7	53.9	47.4	60.3	56.8
	H.S. / GED	54.0	40.8	67.1	60.3	57.3	63.3	57.6
	>High School	48.1	36.9	59.2	63.6 *	61.6	65.7	45.4
ANNUAL INCOME	<\$25,000	44.8	33.9	55.6	51.3	48.1	54.6	52.2
	\$25,000-\$49,999	61.0	44.9	77.1	60.2	56.6	63.9	41.9
	\$50,000 or More	65.8	48.1	83.6	67.7	65.0	70.4	60.9
MARITAL STATUS	Married/Couple	53.2	41.6	64.8	64.1	62.0	66.3	62.2
	Not Married/Couple	48.6	37.0	60.1	58.3	55.8	60.7	38.2

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	52.7	43.8	61.6	61.5	59.9	63.0	58.0
RACE/ETHNICITY	Non-Hisp. White	45.7	35.9	55.4	62.3 *	60.7	63.8	58.2
	Non-Hisp. Black				63.9	58.5	69.3	
	Hispanic				59.5	54.0	65.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	45.7	35.9	55.4	62.3 *	60.7	63.8	58.2
	Non-Hisp. Black Women				63.9	58.5	69.3	
	Hispanic Women				59.5	54.0	65.0	
AGE GROUP	18-44	52.3	34.6	69.9	56.6	53.6	59.6	67.7
	45-64	52.3	40.5	64.0	66.4 *	64.0	68.8	52.2
	65 & Older	54.1	43.4	64.8	59.9	57.9	62.0	48.8
EDUCATION LEVEL	<High School	43.9	12.2	75.6	41.3	35.4	47.2	48.7
	H.S. / GED	53.6	40.7	66.6	55.2	52.3	58.1	59.4
	>High School	55.1	44.0	66.1	66.4	64.5	68.2	58.4
ANNUAL INCOME	<\$25,000	57.2	45.7	68.7	48.2	45.2	51.2	50.2
	\$25,000-\$49,999	51.8	34.1	69.6	60.1	56.8	63.3	58.1
	\$50,000 or More	60.3	42.2	78.3	72.1	69.8	74.5	68.1
MARITAL STATUS	Married/Couple	55.2	44.5	65.8	64.8	62.8	66.7	63.1
	Not Married/Couple	49.2	34.5	63.8	56.1	53.7	58.6	48.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 18 years of age and older who received a Pap test in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	50.9	40.1	61.6	57.1	55.2	59.0	56.1
RACE/ETHNICITY	Non-Hisp. White	42.1	30.2	54.0	56.4 *	54.4	58.3	54.7
	Non-Hisp. Black				62.0	55.8	68.3	
	Hispanic				61.3	55.2	67.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	42.1	30.2	54.0	56.4 *	54.4	58.3	54.7
	Non-Hisp. Black Women				62.0	55.8	68.3	
	Hispanic Women				61.3	55.2	67.4	
AGE GROUP	18-44	55.9	36.7	75.1	59.3	56.2	62.5	61.9
	45-64	47.1	32.7	61.5	63.0	60.0	66.0	52.4
	65 & Older	43.7	28.6	58.9	38.2	35.3	41.2	39.1
EDUCATION LEVEL	<High School	41.5	6.4	76.5	45.8	38.1	53.4	
	H.S. / GED	59.5	44.7	74.3	48.3	44.6	52.1	55.9
	>High School	47.4	34.0	60.9	61.6	59.4	63.8	58.2
ANNUAL INCOME	<\$25,000	61.6	48.4	74.7	44.5 *	40.7	48.2	44.7
	\$25,000-\$49,999	44.5	22.0	66.9	54.9	50.9	58.9	55.9
	\$50,000 or More	56.9	36.7	77.1	67.5	64.7	70.4	59.6
MARITAL STATUS	Married/Couple	55.1	42.7	67.6	61.1	58.8	63.5	57.8
	Not Married/Couple	44.8	26.9	62.7	50.3	47.3	53.4	52.6

Percentage of women who have had a hysterectomy

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	22.3	16.8	27.9	26.2	24.9	27.5	29.4
RACE/ETHNICITY	Non-Hisp. White	23.1	16.6	29.6	29.0	27.6	30.3	30.6
	Non-Hisp. Black				23.7	18.8	28.6	
	Hispanic				17.8	13.9	21.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	23.1	16.6	29.6	29.0	27.6	30.3	30.6
	Non-Hisp. Black Women				23.7	18.8	28.6	
	Hispanic Women				17.8	13.9	21.7	
AGE GROUP	18-44	7.6	0.0	15.5	6.6	5.2	8.1	9.0
	45-64	21.2	13.7	28.7	29.6	27.3	31.9	31.6
	65 & Older	47.2	36.8	57.5	47.2	45.1	49.3	62.5
EDUCATION LEVEL	<High School	22.0	5.2	38.7	29.9	25.0	34.7	22.4
	H.S. / GED	23.2	14.3	32.2	30.3	28.0	32.7	42.0
	>High School	21.9	14.2	29.5	24.2	22.6	25.8	17.7
ANNUAL INCOME	<\$25,000	24.0	16.0	32.0	29.7	27.2	32.2	36.6
	\$25,000-\$49,999	27.7	13.8	41.5	28.5	25.6	31.4	21.8
	\$50,000 or More	12.5	4.9	20.2	22.0	20.0	24.0	22.6
MARITAL STATUS	Married/Couple	20.5	13.1	27.8	25.1	23.4	26.8	26.5
	Not Married/Couple	25.0	16.1	33.9	28.1	26.2	29.9	34.8

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.2	3.3	13.1	3.5	3.1	3.9	4.1
SEX	Men	10.0	0.7	19.4	3.8	3.2	4.5	3.2
	Women	6.5	3.1	10.0	3.3	2.8	3.8	4.9
RACE/ETHNICITY	Non-Hisp. White	8.8	2.6	15.1	3.8	3.3	4.2	3.8
	Non-Hisp. Black				4.0	2.4	5.6	
	Hispanic				1.5	0.6	2.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.0	0.0	23.0	3.9	3.3	4.6	3.3
	Non-Hisp. White Women	6.9	2.5	11.3	3.6	3.0	4.2	4.3
	Non-Hisp. Black Men				3.7	1.5	6.0	
	Non-Hisp. Black Women				4.2	2.0	6.4	
	Hispanic Men				1.6	0.2	3.1	
	Hispanic Women				1.3	0.5	2.1	
AGE GROUP	18-44	3.3	0.0	7.1	1.0	0.5	1.4	0.2
	45-64	6.0	2.9	9.2	3.3	2.5	4.1	6.2
	65 & Older	19.3	3.5	35.2	8.1	7.1	9.0	7.4
EDUCATION LEVEL	<High School	7.5	1.8	13.3	7.3	4.8	9.8	5.3
	H.S. / GED	12.6	1.9	23.3	4.6	3.7	5.5	4.5
	>High School	3.7	1.8	5.6	2.7	2.3	3.1	3.2
ANNUAL INCOME	<\$25,000	8.6	4.6	12.6	6.1	5.0	7.3	7.1
	\$25,000-\$49,999	15.1	0.0	31.1	3.6	2.8	4.4	3.3
	\$50,000 or More	2.6	0.0	5.8	1.8	1.3	2.2	0.8
MARITAL STATUS	Married/Couple	9.1	1.3	17.0	3.1	2.6	3.5	2.5
	Not Married/Couple	6.9	3.6	10.2	4.4	3.6	5.1	6.7

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	16.8	11.6	22.0	10.2 *	9.5	10.8	12.6
SEX	Men	20.3	10.8	29.8	11.5	10.5	12.5	12.6
	Women	13.6	8.9	18.2	8.9	8.1	9.7	12.6
RACE/ETHNICITY	Non-Hisp. White	17.1	10.7	23.6	11.4	10.7	12.1	12.1
	Non-Hisp. Black				7.8	5.8	9.7	
	Hispanic				6.0	4.1	7.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.5	9.8	33.2	13.0	11.9	14.1	12.5
	Non-Hisp. White Women	13.2	7.7	18.7	9.9	9.0	10.8	11.7
	Non-Hisp. Black Men				6.3	3.8	8.9	
	Non-Hisp. Black Women				8.9	6.0	11.7	
	Hispanic Men				6.7	3.6	9.7	
	Hispanic Women				5.3	3.1	7.5	
AGE GROUP	18-44	4.6	0.4	8.8	2.3	1.6	3.0	4.1
	45-64	16.0	10.6	21.4	8.9 *	7.9	10.0	12.9
	65 & Older	38.4	24.9	51.9	24.8	23.4	26.3	27.3
EDUCATION LEVEL	<High School	16.5	7.2	25.8	17.4	13.8	21.1	20.8
	H.S. / GED	19.6	9.0	30.2	11.8	10.5	13.1	10.8
	>High School	13.9	9.2	18.5	8.7	8.0	9.3	11.2
ANNUAL INCOME	<\$25,000	22.0	15.7	28.4	16.4	14.8	18.0	21.7
	\$25,000-\$49,999	22.0	6.5	37.5	11.2	9.9	12.4	9.7
	\$50,000 or More	8.7	2.9	14.4	5.6	4.9	6.3	4.5
MARITAL STATUS	Married/Couple	18.4	10.6	26.2	9.3 *	8.5	10.1	11.1
	Not Married/Couple	14.5	9.3	19.7	11.7	10.6	12.8	15.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percentage of adults who have diagnosed high blood cholesterol

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.7	27.3	40.1	38.6	37.4	39.8	35.6
SEX	Men	34.7	23.8	45.6	39.7	37.7	41.7	36.0
	Women	32.8	25.8	39.8	37.5	36.0	39.0	35.2
RACE/ETHNICITY	Non-Hisp. White	36.4	29.0	43.8	41.2	39.9	42.5	36.8
	Non-Hisp. Black				33.3	28.7	38.0	
	Hispanic				30.3	26.1	34.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.7	27.3	52.0	43.2	41.1	45.3	37.1
	Non-Hisp. White Women	33.4	25.4	41.4	39.4	37.8	40.9	36.5
	Non-Hisp. Black Men				31.4	23.8	38.9	
	Non-Hisp. Black Women				34.8	28.9	40.6	
	Hispanic Men				29.6	22.9	36.3	
	Hispanic Women				31.0	25.9	36.1	
AGE GROUP	18-44	6.7	1.2	12.1	17.9 *	16.0	19.8	14.0
	45-64	43.5	34.9	52.0	43.7	41.6	45.8	41.2
	65 & Older	64.9	54.3	75.5	61.1	59.5	62.8	52.3
EDUCATION LEVEL	<High School	25.3	12.3	38.4	39.6	34.8	44.3	50.4
	H.S. / GED	36.3	24.7	47.8	39.6	37.2	42.0	40.9
	>High School	35.0	27.5	42.6	38.2	36.7	39.7	26.2
ANNUAL INCOME	<\$25,000	42.0	33.0	50.9	41.3	38.8	43.8	41.5
	\$25,000-\$49,999	42.5	27.3	57.7	39.3	36.7	41.8	34.8
	\$50,000 or More	27.1	16.8	37.3	36.6	34.6	38.5	27.1
MARITAL STATUS	Married/Couple	36.2	27.6	44.7	39.6	38.1	41.2	35.2
	Not Married/Couple	30.6	21.6	39.6	36.9	34.9	38.9	36.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	12.3	8.4	16.2	10.4	9.8	11.1	11.7
SEX	Men	12.9	6.1	19.7	11.7	10.6	12.7	11.1
	Women	11.7	7.6	15.9	9.2	8.4	10.0	12.2
RACE/ETHNICITY	Non-Hisp. White	11.5	7.4	15.5	10.1	9.4	10.7	10.9
	Non-Hisp. Black				13.1	10.7	15.5	
	Hispanic				9.6	7.2	12.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.7	5.5	19.8	12.0	10.9	13.2	10.7
	Non-Hisp. White Women	10.4	6.1	14.6	8.2	7.5	8.9	11.1
	Non-Hisp. Black Men				12.6	8.6	16.5	
	Non-Hisp. Black Women				13.5	10.6	16.4	
	Hispanic Men				9.5	5.9	13.1	
	Hispanic Women				9.8	6.5	13.0	
AGE GROUP	18-44	5.9	0.1	11.8	3.6	2.8	4.5	5.6
	45-64	14.8	7.4	22.2	11.6	10.4	12.7	12.4
	65 & Older	19.4	12.8	26.1	19.2	17.9	20.5	22.0
EDUCATION LEVEL	<High School	14.3	2.7	25.9	15.4	12.8	18.1	10.6
	H.S. / GED	8.8	4.6	12.9	11.7	10.5	13.0	14.3
	>High School	15.2	8.4	22.0	9.3	8.5	10.1	9.6
ANNUAL INCOME	<\$25,000	17.3	10.2	24.5	14.8	13.3	16.2	14.0
	\$25,000-\$49,999	11.9	2.4	21.3	11.2	9.7	12.7	10.8
	\$50,000 or More	12.6	5.6	19.5	7.3	6.4	8.3	9.3
MARITAL STATUS	Married/Couple	12.4	7.7	17.1	9.8	9.0	10.6	11.2
	Not Married/Couple	12.2	5.5	18.9	11.6	10.5	12.6	12.5

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	71.4	59.2	83.7	62.1	58.9	65.3	64.0
SEX	Men	80.0	66.1	93.9	57.2 *	52.4	61.9	63.0
	Women	62.9	45.5	80.3	68.0	64.1	71.8	64.9
RACE/ETHNICITY	Non-Hisp. White	76.4	65.1	87.6	62.7	59.4	66.1	61.1
	Non-Hisp. Black				65.7	56.7	74.7	
	Hispanic				54.9	42.1	67.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	79.2	63.7	94.8	58.2 *	53.2	63.1	
	Non-Hisp. White Women	73.2	57.6	88.8	69.1	65.1	73.1	58.1
	Non-Hisp. Black Men				68.0	52.3	83.7	
	Non-Hisp. Black Women				64.1	53.4	74.8	
	Hispanic Men				39.6	21.6	57.5	
	Hispanic Women				69.6	55.7	83.4	
AGE GROUP	18-44				51.8	39.6	63.9	
	45-64	67.8	46.9	88.7	61.7	56.6	66.7	61.0
	65 & Older	74.1	61.7	86.5	65.6	62.1	69.2	73.4
EDUCATION LEVEL	<High School				61.3	52.4	70.3	
	H.S. / GED	67.6	48.6	86.6	60.8	54.9	66.8	61.2
	>High School	67.5	47.4	87.6	62.9	58.7	67.0	66.7
ANNUAL INCOME	<\$25,000	64.4	44.6	84.2	70.5	66.1	75.0	70.7
	\$25,000-\$49,999				58.0	51.0	64.9	
	\$50,000 or More				56.6	50.0	63.2	
MARITAL STATUS	Married/Couple	79.6	67.7	91.5	61.7 *	57.4	66.1	62.9
	Not Married/Couple	59.2	33.9	84.6	62.6	58.1	67.2	65.8

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		2010 County			2010 State			2007 County Measure	
		Measure	95% CI		Measure	95% CI			
	ALL	Overall	73.7	60.5	86.9	75.6	72.6	78.6	75.1
	SEX	Men	77.7	60.9	94.5	74.3	69.8	78.8	
		Women	70.4	51.9	88.9	77.3	73.6	81.0	77.5
	RACE/ETHNICITY	Non-Hisp. White	68.3	51.8	84.8	77.6	74.5	80.7	79.6
		Non-Hisp. Black				70.9	61.0	80.8	
		Hispanic				70.5	58.1	82.9	
	SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.4	54.6	94.2	76.2	71.8	80.7	
		Non-Hisp. White Women	61.9	39.4	84.5	79.5	75.7	83.2	75.3
		Non-Hisp. Black Men				62.7	45.1	80.4	
		Non-Hisp. Black Women				77.2	67.6	86.8	
		Hispanic Men				67.3	48.5	86.1	
	AGE GROUP	Hispanic Women				74.0	58.8	89.1	
		18-44				62.2	49.9	74.4	
		45-64	72.7	52.4	93.0	76.5	71.8	81.1	77.5
	EDUCATION LEVEL	65 & Older	84.3	72.1	96.5	79.3	76.1	82.5	77.5
		<High School				68.6	58.9	78.3	
		H.S. / GED				72.0	66.3	77.8	81.9
	ANNUAL INCOME	>High School	74.8	58.1	91.5	78.6	74.8	82.3	
		<\$25,000	78.0	63.3	92.8	75.0	70.3	79.6	74.5
		\$25,000-\$49,999				76.0	69.5	82.4	
	MARITAL STATUS	\$50,000 or More				76.5	70.5	82.5	
		Married/Couple	68.5	50.2	86.7	78.9	75.1	82.7	81.0
		Not Married/Couple	80.7	65.5	95.8	70.3	65.5	75.1	66.9

Percentage of adults with diabetes who had an annual foot exam

		2010 County			2010 State			2007 County Measure	
		Measure	95% CI		Measure	95% CI			
	ALL	Overall	69.4	56.4	82.4	72.2	69.2	75.2	75.6
	SEX	Men	81.1	66.3	96.0	73.9	69.6	78.2	95.1
		Women	57.7	40.2	75.3	70.2	66.2	74.1	59.7
	RACE/ETHNICITY	Non-Hisp. White	61.3	44.8	77.9	73.6	70.5	76.7	70.7
		Non-Hisp. Black				76.5	67.9	85.2	
		Hispanic				59.8	47.1	72.6	
	SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.4	59.4	95.3	76.2	71.9	80.6	
		Non-Hisp. White Women	43.7	24.1	63.4	69.9 *	65.8	74.0	51.6
		Non-Hisp. Black Men				70.1	53.5	86.7	
		Non-Hisp. Black Women				81.0	72.9	89.1	
		Hispanic Men				57.5	38.8	76.2	
	AGE GROUP	Hispanic Women				62.2	45.6	78.7	
		18-44				63.4	52.0	74.8	
		45-64	85.7	74.4	97.0	72.3	67.5	77.1	74.4
	EDUCATION LEVEL	65 & Older	52.2	36.2	68.1	75.2 *	71.8	78.6	77.0
		<High School				69.7	61.5	77.8	
		H.S. / GED	37.9	17.2	58.5	65.8 *	60.1	71.4	81.1 *
	ANNUAL INCOME	>High School	81.7	69.7	93.7	76.1	72.3	79.8	76.7
		<\$25,000	70.1	53.8	86.4	69.6	64.9	74.4	66.7
		\$25,000-\$49,999				68.9	62.3	75.5	
	MARITAL STATUS	\$50,000 or More				77.1	71.2	83.0	
		Married/Couple	70.5	53.4	87.5	75.1	71.3	79.0	83.4
		Not Married/Couple	67.9	47.3	88.4	67.8	63.2	72.4	64.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	67.6	53.9	81.3	70.2	67.0	73.4	59.0
SEX	Men	86.5	75.9	97.1	72.8	68.6	77.1	53.2 *
	Women	48.7	31.1	66.3	67.1	62.3	71.9	63.9
RACE/ETHNICITY	Non-Hisp. White	67.1	51.9	82.3	70.8	67.5	74.1	62.4
	Non-Hisp. Black				72.3	64.0	80.5	
	Hispanic				63.4	49.8	77.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	84.5	71.8	97.2	72.1	67.4	76.9	
	Non-Hisp. White Women	48.0	27.9	68.1	68.9	64.7	73.2	68.2
	Non-Hisp. Black Men				72.2	58.5	86.0	
	Non-Hisp. Black Women				72.3	62.2	82.5	
	Hispanic Men				72.3	56.1	88.5	
	Hispanic Women				55.0	35.6	74.5	
AGE GROUP	18-44				58.3	47.0	69.6	
	45-64	77.2	60.9	93.6	64.3	58.8	69.8	45.5
	65 & Older	72.5	60.1	84.8	80.2	76.9	83.5	75.7
EDUCATION LEVEL	<High School				62.4	53.9	70.8	
	H.S. / GED	56.3	33.0	79.6	64.5	58.9	70.1	66.8
	>High School	68.8	48.5	89.1	74.6	70.3	78.9	46.8
ANNUAL INCOME	<\$25,000	56.5	35.1	77.9	67.5	62.9	72.1	63.1
	\$25,000-\$49,999				67.3	59.1	75.6	
	\$50,000 or More				77.1	71.4	82.7	
MARITAL STATUS	Married/Couple	71.3	54.6	87.9	72.1	67.7	76.5	59.1
	Not Married/Couple	62.2	37.6	86.7	67.3	62.8	71.8	59.0

Percentage of adults with diabetes who ever had diabetes self-management education

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	59.1	44.4	73.8	55.1	51.9	58.3	58.7
SEX	Men	65.2	43.3	87.0	55.4	50.7	60.0	55.2
	Women	53.2	35.8	70.7	54.8	50.4	59.2	61.4
RACE/ETHNICITY	Non-Hisp. White	53.9	36.2	71.6	56.5	53.0	59.9	54.5
	Non-Hisp. Black				56.4	47.1	65.7	
	Hispanic				45.0	31.5	58.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	61.8	36.5	87.1	56.5	51.5	61.4	
	Non-Hisp. White Women	45.7	24.8	66.5	56.5	52.0	60.9	58.9
	Non-Hisp. Black Men				57.8	41.8	73.8	
	Non-Hisp. Black Women				55.4	44.3	66.5	
	Hispanic Men				37.4	18.9	55.9	
	Hispanic Women				52.1	34.3	69.9	
AGE GROUP	18-44				53.8	41.7	65.8	
	45-64	55.1	28.2	82.0	58.1	52.8	63.3	54.4
	65 & Older	47.0	31.3	62.7	52.6	48.9	56.3	43.5
EDUCATION LEVEL	<High School				47.1	38.3	55.9	
	H.S. / GED	38.8	14.7	63.0	46.9	41.4	52.4	57.8
	>High School	69.6	51.2	87.9	60.9	56.6	65.2	56.9
ANNUAL INCOME	<\$25,000	59.6	39.2	79.9	50.2	45.3	55.1	50.3
	\$25,000-\$49,999				54.9	47.9	62.0	
	\$50,000 or More				60.8	54.1	67.5	
MARITAL STATUS	Married/Couple	58.1	39.6	76.6	59.1	54.7	63.4	71.0
	Not Married/Couple	60.6	37.0	84.2	48.9	44.4	53.5	39.6

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	47.2	42.2	52.2	50.0	49.0	50.9	49.8
SEX	Men	51.3	43.6	59.0	50.2	48.7	51.6	49.5
	Women	43.1	36.3	49.9	49.7	48.4	51.0	50.0
RACE/ETHNICITY	Non-Hisp. White	49.0	44.0	54.0	51.9	50.8	53.0	51.2
	Non-Hisp. Black				44.8	42.0	47.7	
	Hispanic				45.3	42.3	48.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.6	49.7	57.4	51.7	50.1	53.2	
	Non-Hisp. White Women	44.1	35.3	52.9	52.2	50.7	53.7	50.9
	Non-Hisp. Black Men				43.4	38.2	48.6	
	Non-Hisp. Black Women				45.8	42.7	48.9	
	Hispanic Men				45.9	41.0	50.7	
	Hispanic Women				44.8	41.0	48.6	
AGE GROUP	18-44				31.0	28.7	33.2	
	45-64	45.6	41.6	49.5	45.7	44.7	46.8	48.5
	65 & Older	60.2	56.4	63.9	60.4	59.4	61.4	60.2
EDUCATION LEVEL	<High School				49.4	46.6	52.2	
	H.S. / GED	48.6	38.1	59.1	50.0	48.2	51.9	53.6
	>High School	47.5	41.4	53.7	50.1	48.8	51.3	46.9
ANNUAL INCOME	<\$25,000	44.0	37.1	51.0	50.0	48.4	51.6	49.1
	\$25,000-\$49,999				51.0	49.1	52.9	
	\$50,000 or More				48.0	46.1	50.0	
MARITAL STATUS	Married/Couple	45.8	38.3	53.4	49.3	48.1	50.5	47.4
	Not Married/Couple	49.2	44.2	54.2	50.9	49.4	52.5	53.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	27.4	22.3	32.6	24.3	23.3	25.3	25.1
SEX	Men	22.8	16.1	29.5	23.0	21.4	24.6	25.3
	Women	31.6	24.3	38.9	25.5	24.2	26.7	24.9
RACE/ETHNICITY	Non-Hisp. White	27.2	21.7	32.7	26.2	25.1	27.3	25.6
	Non-Hisp. Black				22.0	18.3	25.7	
	Hispanic				17.2	13.8	20.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.7	16.3	31.0	24.3	22.6	25.9	27.6
	Non-Hisp. White Women	30.4	22.5	38.4	28.0	26.6	29.4	23.7
	Non-Hisp. Black Men				22.0	15.7	28.2	
	Non-Hisp. Black Women				22.0	17.6	26.4	
	Hispanic Men				17.1	11.3	22.9	
	Hispanic Women				17.3	13.7	21.0	
AGE GROUP	18-44	12.4	5.7	19.0	16.6	14.8	18.4	17.2
	45-64	40.9	32.4	49.4	26.6 *	25.0	28.3	32.2
	65 & Older	35.7	26.0	45.4	32.3	30.8	33.9	29.8
EDUCATION LEVEL	<High School	19.7	9.3	30.2	28.7	24.8	32.6	37.9
	H.S. / GED	25.7	17.2	34.3	25.3	23.4	27.2	25.6
	>High School	32.9	25.5	40.3	23.4 *	22.2	24.6	19.5
ANNUAL INCOME	<\$25,000	43.3	34.3	52.3	38.5	36.0	40.9	44.6
	\$25,000-\$49,999	20.8	12.7	28.9	23.6	21.6	25.6	16.7
	\$50,000 or More	20.1	10.1	30.1	16.2	14.9	17.5	11.0
MARITAL STATUS	Married/Couple	23.9	17.9	29.8	21.4	20.2	22.6	23.1
	Not Married/Couple	32.8	23.1	42.6	29.4	27.6	31.3	28.4

Percentage of adults who use special equipment because of a health problem

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.9	9.1	14.8	9.3	8.7	9.8	11.6
SEX	Men	11.7	7.3	16.1	9.0	8.1	9.9	10.1
	Women	12.2	8.3	16.0	9.5	8.7	10.2	13.0
RACE/ETHNICITY	Non-Hisp. White	11.6	8.5	14.7	10.0	9.3	10.6	12.7
	Non-Hisp. Black				12.0	9.3	14.7	
	Hispanic				4.4	3.0	5.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.6	7.6	17.5	9.8	8.8	10.9	11.4
	Non-Hisp. White Women	10.7	6.7	14.7	10.1	9.3	10.9	13.9
	Non-Hisp. Black Men				12.0	7.8	16.2	
	Non-Hisp. Black Women				12.0	8.5	15.6	
	Hispanic Men				4.0	1.7	6.3	
	Hispanic Women				4.8	3.2	6.3	
AGE GROUP	18-44	3.3	0.3	6.3	3.1	2.4	3.8	3.5
	45-64	13.7	9.0	18.5	9.5	8.5	10.6	13.9
	65 & Older	24.3	16.6	32.0	18.7	17.4	19.9	23.2
EDUCATION LEVEL	<High School	15.0	6.4	23.6	12.8	10.5	15.0	14.9
	H.S. / GED	7.9	4.3	11.6	10.4	9.2	11.6	14.4
	>High School	14.7	10.0	19.4	8.4 *	7.7	9.1	7.8
ANNUAL INCOME	<\$25,000	18.8	13.0	24.7	17.1	15.5	18.7	18.5
	\$25,000-\$49,999	12.7	6.9	18.4	8.1	7.0	9.2	6.3
	\$50,000 or More	5.2	0.0	10.5	4.9	4.1	5.6	9.1
MARITAL STATUS	Married/Couple	10.9	7.2	14.6	7.6	6.9	8.2	12.5
	Not Married/Couple	13.5	8.7	18.3	12.3	11.2	13.4	10.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Family Planning

Percentage of females less than 45 years old or males less than 60 years old who report that they or their partner take measures to prevent pregnancy

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	42.0	30.5	53.5	56.2 *	54.1	58.4	
SEX	Men	36.6	22.5	50.7	51.3	48.5	54.1	
	Women	50.5	30.7	70.3	66.8	63.7	69.9	
RACE/ETHNICITY	Non-Hisp. White	49.7	36.1	63.3	57.7	55.3	60.0	
	Non-Hisp. Black				53.9	47.1	60.7	
	Hispanic				55.9	49.2	62.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.7	27.8	57.6	52.2	49.2	55.2	
	Non-Hisp. White Women	60.1	33.9	86.2	70.8	67.4	74.2	
	Non-Hisp. Black Men				49.9	40.4	59.5	
	Non-Hisp. Black Women				60.1	51.4	68.9	
	Hispanic Men				50.3	41.3	59.3	
	Hispanic Women				66.2	57.7	74.8	
AGE GROUP	18-44	41.3	27.3	55.3	60.6 *	57.9	63.3	
	45-64	44.5	30.3	58.7	47.3	43.4	51.2	
EDUCATION LEVEL	<High School				51.5	43.7	59.4	
	H.S. / GED	44.4	26.8	62.1	53.5	49.3	57.7	
	>High School	53.3	37.4	69.2	57.9	55.2	60.6	
ANNUAL INCOME	<\$25,000	49.0	32.5	65.6	46.8	42.2	51.4	
	\$25,000-\$49,999	44.1	24.9	63.3	56.7	52.0	61.4	
	\$50,000 or More	56.9	34.0	79.8	64.0	60.9	67.1	
MARITAL STATUS	Married/Couple	56.7	43.7	69.8	66.1	63.5	68.7	
	Not Married/Couple	21.5	4.8	38.3	38.8	35.2	42.4	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	73.9	67.3	80.5	83.0 *	81.9	84.1	74.1
SEX	Men	73.1	63.4	82.7	81.7	79.9	83.5	68.5
	Women	74.7	65.6	83.8	84.2	82.9	85.5	79.3
RACE/ETHNICITY	Non-Hisp. White	74.4	66.8	81.9	87.3 *	86.3	88.2	78.4
	Non-Hisp. Black				76.1	71.7	80.4	
	Hispanic				70.3	66.1	74.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.4	66.5	86.3	85.4	83.8	87.1	76.4
	Non-Hisp. White Women	72.5	61.4	83.6	89.0 *	87.9	90.0	80.1
	Non-Hisp. Black Men				70.7	63.0	78.5	
	Non-Hisp. Black Women				80.1	75.4	84.8	
	Hispanic Men				72.0	65.0	78.9	
	Hispanic Women				68.7	63.6	73.8	
AGE GROUP	18-44	60.1	46.5	73.7	73.0	70.7	75.3	60.9
	45-64	71.9	64.4	79.3	83.4 *	81.8	85.0	74.1
	65 & Older	99.1	97.9	00.0	98.0	97.1	98.8	97.3
EDUCATION LEVEL	<High School	54.9	33.5	76.4	64.4	59.6	69.2	49.7
	H.S. / GED	79.8	72.3	87.3	76.5	74.3	78.8	77.5
	>High School	76.7	67.9	85.5	87.9 *	86.7	89.1	80.4
ANNUAL INCOME	<\$25,000	62.8	53.2	72.5	64.2	61.5	66.8	61.9
	\$25,000-\$49,999	75.7	64.5	86.8	81.7	79.4	84.1	75.7
	\$50,000 or More	97.4	94.4	00.0	95.4	94.5	96.3	91.7
MARITAL STATUS	Married/Couple	73.9	66.4	81.4	87.4 *	86.2	88.5	78.0
	Not Married/Couple	74.0	61.9	86.2	75.0	72.9	77.1	67.5

Percentage of adults who have a personal doctor

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	76.0	69.2	82.8	81.7	80.6	82.8	67.6
SEX	Men	66.9	55.1	78.7	78.7	76.9	80.5	62.4
	Women	84.6	78.8	90.4	84.5	83.3	85.8	72.3 *
RACE/ETHNICITY	Non-Hisp. White	78.8	72.5	85.2	84.6	83.6	85.6	70.9
	Non-Hisp. Black				79.2	75.1	83.3	
	Hispanic				70.7	66.4	75.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.4	61.6	83.2	81.2	79.4	82.9	68.1
	Non-Hisp. White Women	85.0	78.3	91.7	87.9	86.8	89.0	73.3
	Non-Hisp. Black Men				75.5	68.5	82.6	
	Non-Hisp. Black Women				82.0	77.2	86.7	
	Hispanic Men				68.1	61.1	75.2	
	Hispanic Women				73.2	68.2	78.3	
AGE GROUP	18-44	62.1	48.3	75.8	67.5	65.2	69.9	53.8
	45-64	78.8	71.7	85.9	86.2	84.8	87.7	67.4
	65 & Older	94.7	91.8	97.6	96.0	95.4	96.6	91.9
EDUCATION LEVEL	<High School	52.7	32.5	72.9	68.0	63.2	72.8	52.0
	H.S. / GED	79.3	69.8	88.8	76.8	74.5	79.1	72.1
	>High School	82.4	74.7	90.1	85.3	84.1	86.6	69.3
ANNUAL INCOME	<\$25,000	76.3	67.8	84.8	71.0	68.4	73.6	59.1
	\$25,000-\$49,999	84.6	75.4	93.9	80.8	78.4	83.1	72.1
	\$50,000 or More	85.8	72.3	99.3	89.0	87.7	90.3	77.9
MARITAL STATUS	Married/Couple	80.5	73.9	87.1	85.3	84.1	86.5	70.8
	Not Married/Couple	69.0	55.9	82.2	75.3	73.2	77.4	62.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.7	16.6	28.9	17.3	16.2	18.3	21.4
SEX	Men	14.6	7.8	21.4	15.4	13.8	17.0	20.0
	Women	30.2	21.0	39.3	19.1 *	17.8	20.4	22.8
RACE/ETHNICITY	Non-Hisp. White	22.4	15.3	29.5	13.6 *	12.7	14.5	20.2
	Non-Hisp. Black				21.8	17.8	25.8	
	Hispanic				29.5	25.3	33.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.9	7.0	20.8	12.1	10.7	13.6	18.1
	Non-Hisp. White Women	30.1	19.2	41.0	15.0 *	13.8	16.1	22.1
	Non-Hisp. Black Men				24.8	17.5	32.1	
	Non-Hisp. Black Women				19.6	15.4	23.7	
	Hispanic Men				24.3	17.7	30.9	
	Hispanic Women				34.5	29.3	39.7	
AGE GROUP	18-44	34.5	21.5	47.5	25.3	23.1	27.5	29.1
	45-64	21.2	15.3	27.2	17.6	16.1	19.1	22.6
	65 & Older	4.8	1.8	7.8	4.3	3.3	5.2	6.0
EDUCATION LEVEL	<High School	42.9	21.7	64.2	31.2	26.7	35.7	31.7
	H.S. / GED	18.5	10.7	26.2	21.7	19.5	23.9	23.2
	>High School	17.8	10.8	24.7	13.9	12.7	15.1	15.8
ANNUAL INCOME	<\$25,000	31.8	22.4	41.2	36.1	33.4	38.7	35.3
	\$25,000-\$49,999	20.8	10.5	31.2	18.6	16.5	20.7	19.0
	\$50,000 or More	8.1	0.6	15.5	6.0	5.0	7.0	4.1
MARITAL STATUS	Married/Couple	22.6	15.6	29.7	14.0 *	12.8	15.2	18.7
	Not Married/Couple	22.9	11.6	34.1	23.2	21.2	25.2	26.0

Percentage of adults who had a medical checkup in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	60.7	53.5	67.9	69.7 *	68.5	71.0	65.7
SEX	Men	53.6	41.8	65.5	66.5	64.5	68.5	57.1
	Women	67.0	59.1	74.9	72.8	71.3	74.3	73.6
RACE/ETHNICITY	Non-Hisp. White	61.5	54.1	68.9	71.6 *	70.4	72.9	68.8
	Non-Hisp. Black				71.9	67.5	76.2	
	Hispanic				59.4	54.8	64.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	60.3	48.6	71.9	68.4	66.4	70.4	63.7
	Non-Hisp. White Women	62.5	53.1	71.9	74.7 *	73.3	76.1	73.2
	Non-Hisp. Black Men				64.6	57.1	72.1	
	Non-Hisp. Black Women				77.4	72.5	82.2	
	Hispanic Men				56.6	49.1	64.1	
	Hispanic Women				62.2	56.7	67.7	
AGE GROUP	18-44	40.5	27.0	54.0	53.8	51.3	56.2	54.5
	45-64	66.4	58.4	74.4	72.3	70.5	74.1	60.9
	65 & Older	86.8	81.7	92.0	90.3	89.4	91.2	92.2
EDUCATION LEVEL	<High School	59.0	37.4	80.6	59.9	55.1	64.6	59.5
	H.S. / GED	59.6	48.0	71.2	67.3	64.9	69.6	66.5
	>High School	62.7	53.7	71.8	71.9	70.4	73.4	67.4
ANNUAL INCOME	<\$25,000	64.9	55.7	74.1	63.0	60.4	65.7	63.8
	\$25,000-\$49,999	64.3	51.7	76.9	70.5	68.0	73.0	65.2
	\$50,000 or More	66.3	53.0	79.7	73.5	71.6	75.4	70.6
MARITAL STATUS	Married/Couple	62.0	53.9	70.2	72.0 *	70.5	73.5	68.5
	Not Married/Couple	58.6	45.3	71.9	65.6	63.4	67.8	61.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	77.0	72.1	81.9	82.9 *	82.0	83.7	76.1
SEX	Men	78.2	71.0	85.3	83.5	82.1	84.9	75.3
	Women	76.0	69.4	82.5	82.3	81.2	83.4	76.8
RACE/ETHNICITY	Non-Hisp. White	81.2	76.9	85.5	84.2	83.4	85.1	77.3
	Non-Hisp. Black				79.8	76.4	83.2	
	Hispanic				79.3	76.1	82.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	80.0	73.4	86.6	84.4	83.0	85.7	74.1
	Non-Hisp. White Women	82.3	76.7	88.0	84.1	83.1	85.2	80.1
	Non-Hisp. Black Men				81.6	76.2	87.0	
	Non-Hisp. Black Women				78.4	74.1	82.7	
	Hispanic Men				81.8	76.9	86.8	
	Hispanic Women				76.9	72.8	81.1	
AGE GROUP	18-44	89.8	82.9	96.6	89.6	88.3	91.0	84.1
	45-64	67.7	59.5	75.9	81.1 *	79.6	82.6	69.1
	65 & Older	67.3	57.9	76.6	75.3	73.8	76.8	71.4
EDUCATION LEVEL	<High School	64.9	47.9	81.9	63.1	58.8	67.5	55.9
	H.S. / GED	78.8	71.1	86.5	76.6	74.6	78.5	76.6
	>High School	80.6	74.9	86.4	87.7 *	86.8	88.6	83.7
ANNUAL INCOME	<\$25,000	59.7	50.7	68.7	66.4	64.1	68.7	54.5
	\$25,000-\$49,999	85.7	79.4	92.1	84.2	82.5	85.9	86.6
	\$50,000 or More	93.4	88.0	98.8	92.7	91.8	93.6	93.6
MARITAL STATUS	Married/Couple	79.4	73.5	85.3	85.6	84.6	86.6	82.3
	Not Married/Couple	73.3	64.6	82.0	77.9	76.3	79.5	65.7

Percentage of adults who are "very satisfied" or "satisfied" with their lives

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	92.9	90.2	95.7	93.1	92.4	93.8	93.2
SEX	Men	89.6	84.3	94.9	92.3	91.1	93.5	93.1
	Women	96.0	94.1	97.9	93.7	93.0	94.5	93.3
RACE/ETHNICITY	Non-Hisp. White	91.8	88.4	95.2	93.0	92.2	93.7	93.6
	Non-Hisp. Black				92.1	89.2	94.9	
	Hispanic				94.9	92.8	97.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.7	81.1	94.3	92.5	91.2	93.7	92.6
	Non-Hisp. White Women	95.5	93.2	97.8	93.4	92.5	94.4	94.4
	Non-Hisp. Black Men				90.5	85.2	95.8	
	Non-Hisp. Black Women				93.3	90.3	96.2	
	Hispanic Men				94.1	90.2	98.0	
	Hispanic Women				95.8	94.0	97.5	
AGE GROUP	18-44	95.3	90.7	99.8	92.9	91.5	94.2	94.1
	45-64	88.6	83.4	93.8	91.3	90.1	92.5	90.5
	65 & Older	94.7	91.4	98.0	96.4	95.9	97.0	96.5
EDUCATION LEVEL	<High School	92.3	85.8	98.8	86.6	83.1	90.0	87.9
	H.S. / GED	93.3	88.4	98.3	92.2	90.8	93.5	94.3
	>High School	92.8	89.4	96.2	94.1	93.3	94.9	94.1
ANNUAL INCOME	<\$25,000	85.8	79.9	91.7	85.1	83.1	87.1	88.8
	\$25,000-\$49,999	96.4	93.3	99.6	94.1	92.7	95.5	93.1
	\$50,000 or More	98.1	95.9	100.0	97.0	96.3	97.7	97.9
MARITAL STATUS	Married/Couple	95.4	92.6	98.2	95.7	95.1	96.4	95.0
	Not Married/Couple	89.4	84.0	94.8	88.1	86.6	89.7	90.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	83.4	79.5	87.4	79.5	78.4	80.6	78.4
SEX	Men	82.4	75.9	88.9	77.9	76.0	79.8	74.8
	Women	84.2	79.4	89.0	81.1	79.8	82.3	81.4
RACE/ETHNICITY	Non-Hisp. White	86.6	82.8	90.3	82.7	81.7	83.7	79.7
	Non-Hisp. Black				69.7	65.4	74.1	
	Hispanic				73.4	68.7	78.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	84.5	78.4	90.6	81.1	79.4	82.8	75.5
	Non-Hisp. White Women	88.3	83.7	93.0	84.1	83.0	85.3	83.3
	Non-Hisp. Black Men				70.2	62.8	77.6	
	Non-Hisp. Black Women				69.4	64.2	74.6	
	Hispanic Men				68.9	60.8	77.0	
	Hispanic Women				77.6	72.9	82.4	
AGE GROUP	18-44	87.9	80.7	95.1	79.4	77.2	81.7	81.4
	45-64	78.8	72.8	84.8	79.8	78.1	81.5	75.7
	65 & Older	83.5	77.1	89.8	79.4	77.8	80.9	78.2
EDUCATION LEVEL	<High School	68.0	51.2	84.7	58.2	53.3	63.2	67.4
	H.S. / GED	86.4	80.8	92.0	74.5 *	72.3	76.7	84.7
	>High School	85.8	81.0	90.7	83.8	82.5	85.1	76.6
ANNUAL INCOME	<\$25,000	72.0	64.2	79.9	63.8	61.2	66.4	70.1
	\$25,000-\$49,999	87.7	81.3	94.2	79.8	77.4	82.2	75.8
	\$50,000 or More	94.2	89.1	99.3	88.6	87.2	90.1	90.2
MARITAL STATUS	Married/Couple	85.0	80.0	89.9	84.6	83.4	85.9	82.5
	Not Married/Couple	80.7	74.1	87.2	70.2 *	68.1	72.3	71.7

Percentage of adults with good physical health

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	83.9	79.9	87.9	87.4	86.6	88.2	82.7
SEX	Men	84.6	79.0	90.2	88.4	87.2	89.6	82.5
	Women	83.2	77.6	88.8	86.5	85.5	87.4	82.9
RACE/ETHNICITY	Non-Hisp. White	84.7	80.8	88.6	87.0	86.2	87.8	83.2
	Non-Hisp. Black				87.6	84.6	90.5	
	Hispanic				89.9	87.6	92.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.9	77.6	90.1	87.8	86.6	89.1	82.1
	Non-Hisp. White Women	85.5	80.7	90.3	86.2	85.2	87.3	84.2
	Non-Hisp. Black Men				86.6	81.5	91.7	
	Non-Hisp. Black Women				88.3	84.9	91.8	
	Hispanic Men				93.4	89.8	96.9	
	Hispanic Women				86.7	83.7	89.7	
AGE GROUP	18-44	95.4	91.6	99.1	92.4	91.2	93.6	87.4
	45-64	74.3	66.2	82.4	85.0 *	83.7	86.4	76.7
	65 & Older	76.4	68.5	84.3	83.8	82.6	84.9	82.4
EDUCATION LEVEL	<High School	81.9	71.6	92.1	78.5	75.2	81.9	61.3
	H.S. / GED	82.6	75.4	89.9	83.9	82.3	85.6	86.2
	>High School	86.1	81.5	90.7	89.7	88.9	90.6	87.5
ANNUAL INCOME	<\$25,000	72.0	64.5	79.4	76.1	74.0	78.2	66.3
	\$25,000-\$49,999	87.7	81.3	94.1	88.1	86.5	89.7	88.6
	\$50,000 or More	94.8	90.4	99.3	93.3	92.4	94.2	93.6
MARITAL STATUS	Married/Couple	86.6	82.2	91.0	89.5	88.7	90.4	84.8
	Not Married/Couple	79.8	72.1	87.4	83.5	82.0	85.0	79.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	86.5	82.2	90.8	88.2	87.4	89.0	87.4
SEX	Men	88.9	83.8	94.1	89.2	87.9	90.5	88.0
	Women	84.2	77.6	90.8	87.2	86.2	88.2	86.9
RACE/ETHNICITY	Non-Hisp. White	87.9	83.5	92.2	88.5	87.7	89.3	88.2
	Non-Hisp. Black				90.9	88.5	93.3	
	Hispanic				85.3	81.9	88.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	88.9	82.8	95.0	89.7	88.4	90.9	88.1
	Non-Hisp. White Women	86.9	80.7	93.2	87.4	86.3	88.4	88.3
	Non-Hisp. Black Men				92.6	89.1	96.1	
	Non-Hisp. Black Women				89.6	86.2	92.9	
	Hispanic Men				86.6	81.1	92.1	
	Hispanic Women				84.0	80.1	87.8	
AGE GROUP	18-44	88.2	80.6	95.8	87.3	85.7	88.9	87.5
	45-64	79.6	72.0	87.3	86.5	85.2	87.8	80.4
	65 & Older	92.5	88.5	96.5	92.6	91.6	93.7	97.3
EDUCATION LEVEL	<High School	89.0	80.3	97.7	78.0	74.0	81.9	67.0 *
	H.S. / GED	84.8	76.6	93.0	86.4	84.8	88.1	92.1
	>High School	87.1	82.2	91.9	90.0	89.0	90.9	90.9
ANNUAL INCOME	<\$25,000	76.6	68.7	84.5	77.3	75.1	79.5	79.2
	\$25,000-\$49,999	93.9	88.2	99.5	88.8	87.2	90.4	87.9
	\$50,000 or More	94.0	89.6	98.3	93.9	92.9	94.8	97.4
MARITAL STATUS	Married/Couple	88.5	83.5	93.5	90.7	89.8	91.6	90.6
	Not Married/Couple	83.3	75.5	91.2	83.5	81.9	85.1	82.1

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	5.9	4.7	7.2	5.2	4.9	5.5	6.6
SEX	Men	8.0	5.1	10.8	5.6	5.0	6.2	6.6
	Women	4.5	3.4	5.7	4.9	4.5	5.2	6.6
RACE/ETHNICITY	Non-Hisp. White	5.4	4.1	6.8	5.0	4.7	5.3	6.3
	Non-Hisp. Black				5.3	4.1	6.6	
	Hispanic				5.8	4.6	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.8	4.5	11.0	5.3	4.8	5.9	6.7
	Non-Hisp. White Women	3.9	2.8	5.0	4.8	4.5	5.1	6.0
	Non-Hisp. Black Men				6.0	3.7	8.3	
	Non-Hisp. Black Women				4.9	3.5	6.3	
	Hispanic Men				6.9	4.6	9.3	
	Hispanic Women				5.0	4.0	6.0	
AGE GROUP	18-44	2.9	1.3	4.5	3.8	3.3	4.4	6.2
	45-64	9.2	6.7	11.7	6.1 *	5.6	6.7	8.3
	65 & Older	7.3	4.7	9.8	5.7	5.2	6.1	4.5
EDUCATION LEVEL	<High School	6.7	3.5	9.9	7.7	6.4	9.0	11.7
	H.S. / GED	5.4	3.3	7.5	6.0	5.4	6.6	6.9
	>High School	6.1	4.2	8.0	4.5	4.1	4.9	4.2
ANNUAL INCOME	<\$25,000	9.0	6.6	11.4	8.3	7.6	9.0	11.8
	\$25,000-\$49,999	4.3	2.3	6.4	4.8	4.1	5.4	3.5
	\$50,000 or More	1.2	0.1	2.3	2.9 *	2.6	3.3	2.4
MARITAL STATUS	Married/Couple	5.1	3.3	6.9	4.4	4.0	4.7	6.1
	Not Married/Couple	7.1	5.2	8.9	6.4	5.8	6.9	7.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	5.0	3.9	6.2	4.1	3.9	4.3	5.5
SEX	Men	5.0	3.4	6.7	3.8	3.5	4.1	5.5
	Women	5.1	3.6	6.5	4.4	4.2	4.6	5.5
RACE/ETHNICITY	Non-Hisp. White	4.8	3.7	5.8	4.2	4.0	4.4	5.3
	Non-Hisp. Black				4.0	3.2	4.7	
	Hispanic				3.6	3.0	4.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.0	3.1	6.8	4.0	3.6	4.3	5.7
	Non-Hisp. White Women	4.6	3.4	5.7	4.5	4.2	4.7	5.0
	Non-Hisp. Black Men				4.1	2.8	5.4	
	Non-Hisp. Black Women				3.8	3.1	4.6	
	Hispanic Men				2.8	1.7	3.8	
	Hispanic Women				4.4	3.7	5.2	
AGE GROUP	18-44	2.2	1.1	3.3	2.8	2.5	3.2	4.3
	45-64	7.6	5.3	9.9	4.7 *	4.4	5.0	7.1
	65 & Older	6.6	4.5	8.8	5.1	4.8	5.4	5.3
EDUCATION LEVEL	<High School	6.4	3.6	9.2	6.6	5.8	7.5	10.9
	H.S. / GED	5.2	3.1	7.3	5.0	4.6	5.4	4.7
	>High School	4.3	3.2	5.5	3.5	3.3	3.7	4.1
ANNUAL INCOME	<\$25,000	8.4	6.5	10.4	7.2	6.7	7.7	10.1
	\$25,000-\$49,999	3.9	2.1	5.8	4.0	3.6	4.4	3.6
	\$50,000 or More	1.4	0.6	2.2	2.5 *	2.3	2.7	2.7
MARITAL STATUS	Married/Couple	4.1	2.9	5.3	3.5	3.3	3.7	4.9
	Not Married/Couple	6.5	4.4	8.7	5.2	4.9	5.6	6.4

Average number of unhealthy mental days in the past 30 days

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.2	3.1	5.3	3.8	3.6	4.0	3.8
SEX	Men	3.4	1.9	4.8	3.4	3.1	3.8	3.4
	Women	5.0	3.5	6.6	4.1	3.8	4.3	4.3
RACE/ETHNICITY	Non-Hisp. White	4.1	2.9	5.3	3.7	3.5	3.9	3.7
	Non-Hisp. Black				3.3	2.6	3.9	
	Hispanic				4.2	3.4	5.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.5	1.8	5.2	3.4	3.1	3.7	3.5
	Non-Hisp. White Women	4.6	2.9	6.3	4.0	3.8	4.3	3.8
	Non-Hisp. Black Men				2.7	1.7	3.6	
	Non-Hisp. Black Women				3.7	2.9	4.6	
	Hispanic Men				3.5	2.3	4.8	
	Hispanic Women				4.9	3.9	5.8	
AGE GROUP	18-44	4.1	1.9	6.3	4.1	3.7	4.5	3.9
	45-64	5.7	4.1	7.2	4.3	3.9	4.6	5.8
	65 & Older	2.6	1.6	3.5	2.4	2.1	2.7	0.9
EDUCATION LEVEL	<High School	3.0	0.8	5.3	6.7 *	5.7	7.7	8.0
	H.S. / GED	4.6	2.7	6.5	4.3	3.9	4.7	3.0
	>High School	4.4	3.0	5.8	3.2	3.0	3.5	3.0
ANNUAL INCOME	<\$25,000	7.4	5.3	9.5	6.8	6.3	7.4	6.2
	\$25,000-\$49,999	2.2	0.9	3.6	3.7	3.2	4.1	3.1
	\$50,000 or More	2.0	1.0	3.0	2.2	2.0	2.4	1.3
MARITAL STATUS	Married/Couple	3.6	2.4	4.9	3.1	2.9	3.4	2.9
	Not Married/Couple	5.1	3.2	7.0	5.0	4.6	5.3	5.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percentage of adults less than 65 years of age who have ever been tested for HIV

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.5	39.6	57.5	48.4	46.8	50.0	45.4
SEX	Men	34.6	21.2	47.9	45.3	42.7	47.8	33.5
	Women	60.4	50.3	70.6	51.5	49.5	53.5	56.2
RACE/ETHNICITY	Non-Hisp. White	47.9	38.1	57.7	42.4	40.7	44.1	45.5
	Non-Hisp. Black				67.0	61.9	72.0	
	Hispanic				56.2	51.0	61.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.0	20.6	47.5	40.6	37.9	43.2	36.1
	Non-Hisp. White Women	59.0	46.9	71.1	44.4 *	42.2	46.5	53.9
	Non-Hisp. Black Men				58.6	49.7	67.5	
	Non-Hisp. Black Women				73.7	68.4	78.9	
	Hispanic Men				52.4	44.0	60.8	
	Hispanic Women				59.9	53.7	66.1	
AGE GROUP	18-44	53.3	38.9	67.7	57.0	54.5	59.6	54.9
	45-64	42.5	33.2	51.8	40.6	38.5	42.7	34.0
EDUCATION LEVEL	<High School	34.0	4.8	63.2	47.7	41.5	54.0	51.8
	H.S. / GED	52.5	38.6	66.4	43.8	40.7	46.9	44.3
	>High School	51.0	39.9	62.1	50.3	48.3	52.3	43.6
ANNUAL INCOME	<\$25,000	62.2	50.6	73.8	54.7	51.3	58.1	49.5
	\$25,000-\$49,999	49.7	34.6	64.8	51.5	48.0	55.1	43.8
	\$50,000 or More	30.5	16.4	44.5	46.1	43.7	48.5	42.4
MARITAL STATUS	Married/Couple	45.7	36.3	55.2	46.9	44.9	48.9	44.0
	Not Married/Couple	53.3	35.8	70.7	51.3	48.5	54.2	47.6

Percentage of adults less than 65 years who think they can get AIDS virus from mosquitos

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.3	23.5	43.1	19.2 *	17.8	20.6	
SEX	Men	45.6	29.0	62.2	20.6 *	18.4	22.8	
	Women	23.8	13.9	33.6	17.8	16.1	19.5	
RACE/ETHNICITY	Non-Hisp. White	21.2	13.7	28.8	17.4	16.0	18.9	
	Non-Hisp. Black				27.5	22.4	32.5	
	Hispanic				21.5	17.0	25.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.3	16.4	44.2	19.4	17.1	21.8	
	Non-Hisp. White Women	14.5	6.8	22.3	15.5	13.7	17.3	
	Non-Hisp. Black Men				30.9	21.6	40.2	
	Non-Hisp. Black Women				25.0	19.5	30.5	
	Hispanic Men				20.9	13.8	28.0	
	Hispanic Women				22.0	16.4	27.6	
AGE GROUP	18-44	38.5	21.9	55.1	20.9	18.6	23.1	
	45-64	28.0	19.0	36.9	17.8	16.1	19.6	
EDUCATION LEVEL	<High School	69.2	46.3	92.1	42.2	34.9	49.5	
	H.S. / GED	37.2	20.5	53.8	28.9	25.5	32.3	
	>High School	18.3	10.4	26.2	13.8	12.4	15.3	
ANNUAL INCOME	<\$25,000	37.8	24.3	51.3	31.2	27.7	34.7	
	\$25,000-\$49,999	22.5	10.9	34.1	21.1	18.0	24.2	
	\$50,000 or More	9.2	2.7	15.7	11.8	10.2	13.5	
MARITAL STATUS	Married/Couple	19.6	12.3	26.9	15.9	14.4	17.4	
	Not Married/Couple	55.4	38.5	72.2	25.3 *	22.5	28.0	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	37.1	30.0	44.2	34.3	33.1	35.4	31.1
SEX	Men	37.1	25.9	48.3	36.5	34.6	38.4	28.6
	Women	37.2	28.3	46.1	32.2	30.8	33.6	33.4
RACE/ETHNICITY	Non-Hisp. White	38.2	30.2	46.3	35.4	34.2	36.6	32.5
	Non-Hisp. Black				41.7	37.0	46.4	
	Hispanic				24.8	21.0	28.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	41.3	28.8	53.8	38.2	36.2	40.1	32.3
	Non-Hisp. White Women	35.5	25.0	45.9	32.8	31.4	34.2	32.6
	Non-Hisp. Black Men				40.1	32.2	47.9	
	Non-Hisp. Black Women				42.9	37.1	48.7	
	Hispanic Men				26.9	20.6	33.2	
	Hispanic Women				22.8	18.3	27.3	
AGE GROUP	18-44	15.6	3.8	27.3	13.2	11.7	14.8	14.8
	45-64	40.4	31.5	49.3	36.8	34.9	38.8	33.9
	65 & Older	67.9	58.5	77.4	61.7	60.1	63.4	56.3
EDUCATION LEVEL	<High School	45.8	23.8	67.8	40.7	36.0	45.5	32.5
	H.S. / GED	33.8	22.3	45.3	38.5	36.2	40.8	32.6
	>High School	37.0	28.4	45.5	32.0	30.6	33.4	29.0
ANNUAL INCOME	<\$25,000	43.5	34.6	52.5	42.5	40.0	45.1	35.4
	\$25,000-\$49,999	43.0	27.8	58.3	36.4	34.0	38.8	33.3
	\$50,000 or More	22.0	13.3	30.8	28.0	26.3	29.8	16.8
MARITAL STATUS	Married/Couple	33.8	25.2	42.3	33.5	32.0	34.9	26.7
	Not Married/Couple	42.1	29.6	54.5	35.9	33.9	37.8	38.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	31.8	25.8	37.8	36.5	35.4	37.7	31.5
SEX	Men	29.4	19.7	39.2	35.4	33.5	37.2	29.2
	Women	34.0	26.8	41.3	37.6	36.2	39.0	33.7
RACE/ETHNICITY	Non-Hisp. White	34.8	28.2	41.5	41.2	39.9	42.4	32.7
	Non-Hisp. Black				24.0	20.4	27.6	
	Hispanic				25.2	21.2	29.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.3	22.1	42.4	38.7	36.7	40.7	29.5
	Non-Hisp. White Women	37.1	28.4	45.8	43.5	42.0	45.1	35.5
	Non-Hisp. Black Men				25.1	18.6	31.5	
	Non-Hisp. Black Women				23.2	19.1	27.2	
	Hispanic Men				26.7	20.0	33.4	
	Hispanic Women				23.8	19.2	28.4	
AGE GROUP	18-44	20.4	9.9	31.0	22.3	20.2	24.4	13.8
	45-64	31.5	23.4	39.7	32.9	31.1	34.7	29.7
	65 & Older	51.9	39.4	64.3	65.3	63.7	67.0	66.3
EDUCATION LEVEL	<High School	18.8	8.8	28.7	29.7	25.5	33.8	25.8
	H.S. / GED	24.1	15.1	33.2	32.8	30.7	34.9	35.4
	>High School	46.3	37.4	55.2	38.8	37.4	40.3	29.8 *
ANNUAL INCOME	<\$25,000	33.9	25.5	42.3	32.1	29.9	34.3	27.8
	\$25,000-\$49,999	28.6	16.9	40.3	38.0	35.5	40.5	29.8
	\$50,000 or More	40.4	27.6	53.1	37.3	35.4	39.2	27.0
MARITAL STATUS	Married/Couple	31.1	24.1	38.1	37.5	36.0	38.9	29.9
	Not Married/Couple	33.1	22.4	43.9	34.7	32.8	36.7	34.2

Percentage of adults age 65 and older who received a flu shot in the past year

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	51.9	39.5	64.3	65.3	63.7	66.9	66.3
SEX	Men	43.7	23.2	64.2	67.0 *	64.4	69.6	62.8
	Women	59.3	49.2	69.4	64.1	62.0	66.1	69.5
RACE/ETHNICITY	Non-Hisp. White	52.6	38.6	66.6	69.6 *	68.1	71.1	67.7
	Non-Hisp. Black				41.3	32.8	49.9	
	Hispanic				44.5	34.6	54.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.6	21.4	63.8	70.6 *	68.2	73.0	64.3
	Non-Hisp. White Women	63.1	52.4	73.8	68.9	67.0	70.8	71.0
	Non-Hisp. Black Men				43.4	30.5	56.3	
	Non-Hisp. Black Women				40.2	29.1	51.3	
	Hispanic Men				50.5	34.1	66.9	
	Hispanic Women				38.9	28.1	49.7	
AGE GROUP	65 & Older	51.9	39.5	64.3	65.3	63.7	66.9	66.3
EDUCATION LEVEL	<High School	50.8	34.0	67.6	55.2	48.5	62.0	
	H.S. / GED	42.7	21.9	63.6	61.8	58.8	64.9	72.3
	>High School	65.8	54.3	77.3	68.8	66.9	70.7	60.9
ANNUAL INCOME	<\$25,000	60.3	49.3	71.3	57.1	53.9	60.4	60.5
	\$25,000-\$49,999	34.5	10.8	58.1	66.9 *	63.8	70.0	64.5
	\$50,000 or More				71.1	68.1	74.0	
MARITAL STATUS	Married/Couple	50.9	31.2	70.5	67.3	65.1	69.5	72.0
	Not Married/Couple	53.1	40.3	66.0	62.4	60.0	64.7	57.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	34.8	28.3	41.2	30.6	29.5	31.7	29.7
SEX	Men	34.7	23.1	46.2	30.5	28.6	32.3	26.7
	Women	34.9	27.5	42.2	30.8	29.5	32.1	32.3
RACE/ETHNICITY	Non-Hisp. White	36.5	29.5	43.6	35.1	33.9	36.3	32.1
	Non-Hisp. Black				18.8	15.5	22.1	
	Hispanic				19.2	15.6	22.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.0	24.2	47.7	35.1	33.1	37.0	30.7
	Non-Hisp. White Women	36.9	28.3	45.6	35.2	33.8	36.6	33.3
	Non-Hisp. Black Men				14.2	9.1	19.2	
	Non-Hisp. Black Women				22.1	17.7	26.4	
	Hispanic Men				20.7	14.4	27.0	
	Hispanic Women				17.8	14.0	21.7	
AGE GROUP	18-44	17.0	5.2	28.7	14.3	12.4	16.2	11.8
	45-64	33.9	25.1	42.6	20.4 *	18.8	21.9	19.2
	65 & Older	59.7	45.9	73.5	69.9	68.4	71.5	74.1
EDUCATION LEVEL	<High School	23.1	10.9	35.2	32.7	28.4	37.1	26.9
	H.S. / GED	32.3	21.3	43.2	30.2	28.2	32.3	32.9
	>High School	42.2	33.3	51.1	30.5 *	29.2	31.9	27.4
ANNUAL INCOME	<\$25,000	37.8	28.9	46.6	36.7	34.2	39.1	33.2
	\$25,000-\$49,999	40.5	26.1	54.9	32.5	30.3	34.8	28.4
	\$50,000 or More	24.6	14.6	34.7	23.8	22.1	25.4	22.3
MARITAL STATUS	Married/Couple	28.0	21.5	34.5	29.0	27.7	30.4	31.4
	Not Married/Couple	44.5	32.2	56.7	33.6	31.7	35.6	26.9

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	59.7	45.9	73.5	69.9	68.4	71.5	74.1
SEX	Men	50.3	25.8	74.8	69.4	66.9	71.9	65.9
	Women	67.7	58.0	77.3	70.3	68.4	72.3	81.2
RACE/ETHNICITY	Non-Hisp. White	60.6	45.0	76.2	72.9	71.4	74.3	74.9
	Non-Hisp. Black				49.1	40.0	58.2	
	Hispanic				57.5	47.6	67.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	49.3	24.1	74.5	71.6	69.2	74.0	65.1
	Non-Hisp. White Women	71.9	62.0	81.9	73.8	72.0	75.6	83.8
	Non-Hisp. Black Men				36.5	24.6	48.4	
	Non-Hisp. Black Women				55.3	44.0	66.6	
	Hispanic Men				68.7	54.4	82.9	
	Hispanic Women				48.0	35.9	60.1	
AGE GROUP	65 & Older	59.7	45.9	73.5	69.9	68.4	71.5	74.1
EDUCATION LEVEL	<High School	55.0	37.7	72.2	64.7	58.3	71.1	
	H.S. / GED	51.3	26.9	75.7	67.2	64.3	70.0	76.5
	>High School	74.3	63.3	85.4	72.4	70.6	74.3	73.7
ANNUAL INCOME	<\$25,000	63.8	53.0	74.6	68.2	65.2	71.2	77.7
	\$25,000-\$49,999	52.0	17.4	86.7	70.4	67.6	73.3	73.2
	\$50,000 or More				70.7	67.7	73.7	
MARITAL STATUS	Married/Couple	53.6	32.5	74.7	70.4	68.3	72.4	78.2
	Not Married/Couple	67.4	56.3	78.6	69.4	67.1	71.6	67.6

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who, in the past 30 days, drove a vehicle after consuming too many alcoholic beverages

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	1.1	0.0	2.3	1.9	1.5	2.3	
SEX	Men	1.2	0.0	2.4	3.0	2.2	3.9	
	Women	1.0	0.0	3.0	0.8	0.5	1.1	
RACE/ETHNICITY	Non-Hisp. White	1.5	0.0	3.1	2.1	1.7	2.6	
	Non-Hisp. Black				0.5	0.2	0.9	
	Hispanic				2.3	0.3	4.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.6	0.0	3.2	3.3	2.5	4.1	
	Non-Hisp. White Women	1.4	0.0	4.0	1.0	0.6	1.4	
	Non-Hisp. Black Men				0.7	0.0	1.4	
	Non-Hisp. Black Women				0.4	0.0	0.8	
	Hispanic Men				4.1	0.2	7.9	
	Hispanic Women				0.5	0.0	1.3	
AGE GROUP	18-44	1.4	0.0	3.9	3.1	2.0	4.2	
	45-64	1.6	0.0	3.2	1.6	1.1	2.1	
	65 & Older	0.0	0.0	0.1	0.5 *	0.3	0.8	
EDUCATION LEVEL	<High School				1.3	0.0	2.9	
	H.S. / GED	0.5	0.0	1.1	1.5	0.8	2.1	
	>High School	2.3	0.0	5.2	2.1	1.5	2.7	
ANNUAL INCOME	<\$25,000	0.7	0.0	1.6	2.0	0.7	3.3	
	\$25,000-\$49,999	0.2	0.0	0.7	1.1 *	0.7	1.6	
	\$50,000 or More	5.0	0.0	11.6	2.3	1.7	2.9	
MARITAL STATUS	Married/Couple	1.4	0.0	3.3	1.7	1.1	2.2	
	Not Married/Couple	0.7	0.0	1.6	2.3 *	1.6	3.0	

Percentage of adults 45 years of age and older who had a fall-related injury in the past 3 months

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.8	4.8	10.8	5.7	5.1	6.4	
SEX	Men	7.2	2.8	11.7	5.0	4.0	6.0	
	Women	8.3	4.1	12.4	6.3	5.5	7.1	
RACE/ETHNICITY	Non-Hisp. White	7.2	4.0	10.4	5.9	5.2	6.7	
	Non-Hisp. Black				5.7	3.1	8.2	
	Hispanic				2.8	1.5	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.7	1.7	9.7	5.1	4.0	6.2	
	Non-Hisp. White Women	8.7	3.8	13.5	6.7	5.8	7.6	
	Non-Hisp. Black Men				4.9	0.0	9.8	
	Non-Hisp. Black Women				6.2	3.4	8.9	
	Hispanic Men				1.4	0.0	2.9	
	Hispanic Women				3.9	1.9	6.0	
AGE GROUP	45-64	8.6	4.2	13.1	6.1	5.2	7.1	
	65 & Older	6.6	2.7	10.4	5.1	4.4	5.8	
EDUCATION LEVEL	<High School	8.1	0.8	15.4	9.1	5.5	12.7	
	H.S. / GED	3.9	0.5	7.2	6.7	5.3	8.2	
	>High School	11.4	6.0	16.8	5.0 *	4.3	5.6	
ANNUAL INCOME	<\$25,000	11.0	5.2	16.7	9.9	8.3	11.5	
	\$25,000-\$49,999	6.2	0.9	11.4	5.4	4.0	6.9	
	\$50,000 or More	7.7	0.0	15.5	3.7	2.8	4.5	
MARITAL STATUS	Married/Couple	6.6	2.9	10.4	5.0	4.2	5.7	
	Not Married/Couple	9.7	4.6	14.8	7.2	6.1	8.3	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who "always" or "nearly always" used seat belts when driving or riding in a car

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	92.2	87.1	97.3	95.6	95.0	96.1	
SEX	Men	91.9	86.2	97.6	94.3	93.4	95.2	
	Women	92.5	84.3	00.0	96.8	96.1	97.4	
RACE/ETHNICITY	Non-Hisp. White	92.3	86.2	98.3	95.9	95.4	96.5	
	Non-Hisp. Black				93.9	92.0	95.9	
	Hispanic				96.2	94.4	97.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.8	87.7	98.0	94.4	93.5	95.4	
	Non-Hisp. White Women	91.8	81.3	00.0	97.3	96.8	97.8	
	Non-Hisp. Black Men				92.9	89.5	96.3	
	Non-Hisp. Black Women				94.7	92.5	96.9	
	Hispanic Men				96.3	94.4	98.2	
	Hispanic Women				96.0	93.0	99.0	
AGE GROUP	18-44	87.7	76.5	98.9	92.7	91.4	94.0	
	45-64	95.0	91.8	98.2	97.1	96.6	97.7	
	65 & Older	96.2	93.3	99.0	97.3	96.8	97.8	
EDUCATION LEVEL	<High School	80.3	58.2	00.0	90.4	87.5	93.3	
	H.S. / GED	95.5	92.1	98.9	93.9	92.7	95.1	
	>High School	94.2	89.7	98.7	96.8	96.2	97.4	
ANNUAL INCOME	<\$25,000	93.0	86.4	99.7	93.7	92.6	94.7	
	\$25,000-\$49,999	93.1	86.9	99.2	95.2	93.9	96.4	
	\$50,000 or More	94.4	88.8	99.9	97.0	96.2	97.8	
MARITAL STATUS	Married/Couple	93.0	88.3	97.7	96.4	95.8	97.0	
	Not Married/Couple	91.0	80.6	00.0	94.0	93.0	95.1	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who visited a dentist or a dental clinic in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	47.9	40.7	55.0	64.7 *	63.5	65.9	
SEX	Men	49.8	38.1	61.4	64.0 *	62.1	66.0	
	Women	46.2	37.7	54.7	65.3 *	63.8	66.8	
RACE/ETHNICITY	Non-Hisp. White	50.5	42.7	58.2	68.2 *	67.0	69.4	
	Non-Hisp. Black				55.2	50.7	59.7	
	Hispanic				58.1	53.6	62.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.4	41.7	65.1	66.4	64.5	68.4	
	Non-Hisp. White Women	47.8	38.0	57.5	69.9 *	68.4	71.3	
	Non-Hisp. Black Men				53.8	46.0	61.5	
	Non-Hisp. Black Women				56.3	50.9	61.7	
	Hispanic Men				61.9	54.8	69.0	
	Hispanic Women				54.5	49.0	60.0	
AGE GROUP	18-44	43.3	30.0	56.6	60.0 *	57.6	62.4	
	45-64	46.4	37.7	55.2	66.1 *	64.3	68.0	
	65 & Older	57.6	46.6	68.7	69.4	67.9	71.0	
EDUCATION LEVEL	<High School	14.5	2.7	26.4	36.3 *	31.7	40.9	
	H.S. / GED	47.8	36.1	59.5	54.1	51.8	56.5	
	>High School	63.3	54.9	71.7	72.3	70.8	73.7	
ANNUAL INCOME	<\$25,000	33.4	24.2	42.5	43.1	40.6	45.6	
	\$25,000-\$49,999	61.8	49.2	74.4	62.2	59.6	64.7	
	\$50,000 or More	75.6	62.3	88.9	78.8	77.0	80.5	
MARITAL STATUS	Married/Couple	56.2	48.1	64.3	69.0 *	67.6	70.5	
	Not Married/Couple	35.4	23.9	46.9	56.8 *	54.6	58.9	

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	63.8	56.8	70.9	53.0 *	51.7	54.2	
SEX	Men	59.3	47.6	70.9	51.8	49.7	53.8	
	Women	68.0	59.9	76.0	54.1 *	52.6	55.6	
RACE/ETHNICITY	Non-Hisp. White	66.8	59.5	74.1	52.1 *	50.8	53.4	
	Non-Hisp. Black				62.4	57.8	67.0	
	Hispanic				48.9	44.3	53.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	62.4	50.6	74.2	52.2	50.0	54.3	
	Non-Hisp. White Women	70.7	61.9	79.4	52.0 *	50.5	53.6	
	Non-Hisp. Black Men				58.2	50.4	65.9	
	Non-Hisp. Black Women				65.6	60.2	71.0	
	Hispanic Men				45.7	38.3	53.1	
	Hispanic Women				52.1	46.6	57.6	
AGE GROUP	18-44	37.6	23.8	51.4	34.5	32.2	36.8	
	45-64	77.2	70.9	83.6	56.0 *	54.0	58.1	
	65 & Older	91.4	87.2	95.7	77.2 *	75.8	78.7	
EDUCATION LEVEL	<High School	77.9	61.5	94.3	70.1	65.0	75.1	
	H.S. / GED	62.1	50.1	74.0	63.0	60.6	65.4	
	>High School	59.2	50.2	68.2	47.0 *	45.4	48.5	
ANNUAL INCOME	<\$25,000	66.0	55.7	76.2	68.4	65.8	71.0	
	\$25,000-\$49,999	73.0	61.5	84.5	60.2	57.5	62.9	
	\$50,000 or More	43.7	30.7	56.7	40.7	38.7	42.6	
MARITAL STATUS	Married/Couple	62.8	54.6	71.1	51.6 *	50.0	53.2	
	Not Married/Couple	65.6	53.1	78.0	55.6	53.4	57.8	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who had their teeth cleaned in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	44.0	36.8	51.1	60.9 *	59.6	62.1	
SEX	Men	43.6	31.8	55.3	59.5 *	57.5	61.5	
	Women	44.4	35.9	52.8	62.2 *	60.7	63.7	
RACE/ETHNICITY	Non-Hisp. White	46.6	38.8	54.3	64.2 *	63.0	65.4	
	Non-Hisp. Black				49.6	45.1	54.2	
	Hispanic				57.0	52.4	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.5	35.3	59.8	62.3 *	60.3	64.3	
	Non-Hisp. White Women	45.7	36.1	55.3	66.0 *	64.5	67.5	
	Non-Hisp. Black Men				45.5	37.8	53.2	
	Non-Hisp. Black Women				52.7	47.3	58.2	
	Hispanic Men				57.7	50.4	65.0	
	Hispanic Women				56.2	50.8	61.6	
AGE GROUP	18-44	39.7	26.6	52.7	57.3 *	54.9	59.7	
	45-64	44.3	35.4	53.2	62.0 *	60.1	63.9	
	65 & Older	50.9	38.8	63.0	64.3	62.6	65.9	
EDUCATION LEVEL	<High School	10.7	0.0	21.8	28.3 *	23.8	32.8	
	H.S. / GED	45.2	33.2	57.1	49.4	47.0	51.8	
	>High School	58.1	49.4	66.8	69.3 *	67.8	70.7	
ANNUAL INCOME	<\$25,000	29.0	19.7	38.2	35.7	33.2	38.2	
	\$25,000-\$49,999	56.1	42.8	69.5	58.2	55.6	60.8	
	\$50,000 or More	71.7	58.0	85.4	76.7	75.0	78.5	
MARITAL STATUS	Married/Couple	51.7	43.3	60.1	65.4 *	63.9	66.9	
	Not Married/Couple	32.6	21.2	43.9	52.6 *	50.4	54.7	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	35.1	28.3	41.9	37.8	36.6	39.0	38.8
SEX	Men	44.1	32.8	55.3	43.8	41.8	45.8	45.3
	Women	27.1	19.9	34.4	31.8	30.4	33.3	32.7
RACE/ETHNICITY	Non-Hisp. White	36.5	28.8	44.2	37.9	36.7	39.2	40.8
	Non-Hisp. Black				36.3	31.9	40.8	
	Hispanic				37.3	32.7	41.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.6	35.3	59.8	45.5	43.4	47.5	49.1
	Non-Hisp. White Women	26.3	18.7	33.9	30.5	29.0	31.9	33.3
	Non-Hisp. Black Men				34.9	27.8	41.9	
	Non-Hisp. Black Women				37.5	31.8	43.1	
	Hispanic Men				39.7	32.4	47.0	
	Hispanic Women				34.8	29.4	40.2	
AGE GROUP	18-44	32.1	19.8	44.3	33.8	31.5	36.2	34.7
	45-64	28.2	21.2	35.3	39.3 *	37.2	41.3	40.0
	65 & Older	48.7	36.1	61.4	41.5	39.8	43.1	44.6
EDUCATION LEVEL	<High School	29.7	13.7	45.6	31.7	27.5	35.9	47.5
	H.S. / GED	39.2	27.0	51.3	37.5	35.2	39.9	41.2
	>High School	32.7	24.5	40.8	38.7	37.1	40.2	33.7
ANNUAL INCOME	<\$25,000	32.3	23.8	40.8	34.5	32.1	37.0	36.3
	\$25,000-\$49,999	41.6	26.4	56.8	38.0	35.5	40.6	39.7
	\$50,000 or More	40.3	27.0	53.6	40.4	38.4	42.5	41.3
MARITAL STATUS	Married/Couple	41.3	32.5	50.2	40.2	38.6	41.7	41.1
	Not Married/Couple	25.4	16.5	34.3	33.5	31.5	35.5	35.1

Percentage of adults who are obese

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	32.1	25.8	38.3	27.2	26.1	28.4	27.7
SEX	Men	32.2	22.5	41.9	29.8	27.9	31.7	29.3
	Women	32.0	23.9	40.0	24.7	23.3	26.1	26.3
RACE/ETHNICITY	Non-Hisp. White	31.0	24.3	37.7	25.2	24.0	26.3	25.8
	Non-Hisp. Black				42.7	38.1	47.3	
	Hispanic				29.2	25.0	33.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.8	19.8	39.8	28.6	26.7	30.5	26.7
	Non-Hisp. White Women	32.2	23.2	41.2	21.8 *	20.5	23.1	25.0
	Non-Hisp. Black Men				45.3	37.5	53.0	
	Non-Hisp. Black Women				40.7	35.3	46.2	
	Hispanic Men				31.2	24.4	38.0	
	Hispanic Women				27.2	22.1	32.3	
AGE GROUP	18-44	31.4	19.3	43.4	26.9	24.7	29.0	28.1
	45-64	37.9	28.8	47.0	30.6	28.6	32.5	30.2
	65 & Older	25.6	17.5	33.6	22.2	20.8	23.7	22.9
EDUCATION LEVEL	<High School	26.8	10.5	43.0	37.7	33.1	42.3	32.5
	H.S. / GED	26.3	17.5	35.0	29.0	26.8	31.1	27.8
	>High School	40.3	31.1	49.5	25.4 *	24.0	26.8	26.2
ANNUAL INCOME	<\$25,000	37.8	28.0	47.5	31.7	29.3	34.0	30.8
	\$25,000-\$49,999	33.7	20.9	46.6	28.9	26.4	31.3	27.4
	\$50,000 or More	29.8	17.7	41.9	24.4	22.6	26.3	28.1
MARITAL STATUS	Married/Couple	34.3	26.3	42.3	27.4	25.9	28.8	27.9
	Not Married/Couple	28.8	19.1	38.6	27.0	25.2	28.9	27.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	67.2	60.3	74.1	65.0	63.8	66.2	66.5
SEX	Men	76.3	66.4	86.2	73.6	71.7	75.5	74.6
	Women	59.1	49.9	68.3	56.5	55.0	58.1	59.0
RACE/ETHNICITY	Non-Hisp. White	67.5	60.0	75.1	63.1	61.9	64.4	66.6
	Non-Hisp. Black				79.1	75.3	82.8	
	Hispanic				66.4	61.9	71.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.4	67.8	86.9	74.1	72.2	75.9	75.8
	Non-Hisp. White Women	58.5	48.0	68.9	52.2	50.6	53.9	58.3
	Non-Hisp. Black Men				80.1	74.1	86.2	
	Non-Hisp. Black Women				78.2	73.5	82.9	
	Hispanic Men				70.9	63.4	78.4	
	Hispanic Women				62.0	56.6	67.5	
AGE GROUP	18-44	63.4	49.1	77.7	60.7	58.2	63.2	62.8
	45-64	66.1	57.6	74.6	69.8	68.0	71.7	70.2
	65 & Older	74.3	66.0	82.6	63.7 *	62.2	65.3	67.5
EDUCATION LEVEL	<High School	56.4	34.2	78.7	69.4	64.6	74.2	80.0
	H.S. / GED	65.4	54.1	76.8	66.5	64.2	68.7	69.0
	>High School	73.0	65.9	80.1	64.1 *	62.5	65.6	59.8
ANNUAL INCOME	<\$25,000	70.1	62.0	78.2	66.2	63.7	68.7	67.1
	\$25,000-\$49,999	75.3	65.4	85.2	66.9	64.3	69.4	67.1
	\$50,000 or More	70.1	56.4	83.7	64.8	62.9	66.8	69.5
MARITAL STATUS	Married/Couple	75.7	69.4	81.9	67.5 *	66.1	69.0	69.0
	Not Married/Couple	54.2	41.6	66.8	60.5	58.4	62.7	62.4

Reactions to Race

Percentage of adults who think they would get better medical care if they belonged to a different race/ethnic group

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.9	5.7	12.2	10.8	9.9	11.7	
SEX	Men	7.1	3.1	11.1	10.8	9.3	12.2	
	Women	10.8	5.8	15.7	10.9	9.8	11.9	
RACE/ETHNICITY	Non-Hisp. White	6.2	3.7	8.8	8.0	7.2	8.7	
	Non-Hisp. Black				26.8	22.5	31.2	
	Hispanic				11.3	7.9	14.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.1	2.8	11.3	7.4	6.3	8.5	
	Non-Hisp. White Women	5.4	2.5	8.3	8.5	7.5	9.5	
	Non-Hisp. Black Men				31.7	23.8	39.7	
	Non-Hisp. Black Women				23.6	18.7	28.6	
	Hispanic Men				11.1	5.3	16.8	
	Hispanic Women				11.4	7.9	14.9	
AGE GROUP	18-44	7.4	1.3	13.5	13.7	11.9	15.5	
	45-64	11.8	6.6	17.0	11.2	9.8	12.6	
	65 & Older	7.6	3.2	12.0	5.6	4.7	6.5	
EDUCATION LEVEL	<High School	11.8	3.5	20.2	20.6	16.5	24.7	
	H.S. / GED	10.3	4.3	16.4	13.9	12.1	15.8	
	>High School	5.9	2.5	9.3	8.5	7.5	9.5	
ANNUAL INCOME	<\$25,000	18.3	10.4	26.1	21.2	18.6	23.8	
	\$25,000-\$49,999	3.8	0.9	6.7	11.7 *	9.9	13.5	
	\$50,000 or More	3.0	0.0	6.1	4.9	4.0	5.7	
MARITAL STATUS	Married/Couple	7.5	3.9	11.0	9.4	8.3	10.4	
	Not Married/Couple	10.7	4.8	16.7	13.5	11.8	15.1	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.9	14.1	23.7	17.1	16.1	18.1	27.9
SEX	Men	20.0	12.2	27.8	18.4	16.7	20.0	29.5
	Women	18.0	12.2	23.8	16.0	14.9	17.0	26.5
RACE/ETHNICITY	Non-Hisp. White	21.5	15.7	27.4	18.4	17.4	19.5	29.2
	Non-Hisp. Black				13.7	10.9	16.5	
	Hispanic				13.8	10.1	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.3	13.8	32.7	17.9	16.3	19.6	33.1
	Non-Hisp. White Women	20.0	12.8	27.1	18.9	17.6	20.2	25.7
	Non-Hisp. Black Men				19.0	13.4	24.5	
	Non-Hisp. Black Women				9.7	7.3	12.0	
	Hispanic Men				18.9	12.2	25.6	
	Hispanic Women				8.8	6.1	11.6	
AGE GROUP	18-44	16.3	7.1	25.5	20.5	18.4	22.5	30.0
	45-64	28.0	20.9	35.1	19.2 *	17.7	20.7	35.9
	65 & Older	11.5	6.7	16.2	8.4	7.5	9.3	12.1
EDUCATION LEVEL	<High School	19.6	6.0	33.2	28.3	24.4	32.3	40.0
	H.S. / GED	19.6	12.1	27.0	24.3	22.2	26.4	30.3
	>High School	18.0	11.4	24.7	12.9	11.8	14.0	20.6
ANNUAL INCOME	<\$25,000	27.0	18.7	35.2	26.5	24.2	28.8	40.8
	\$25,000-\$49,999	19.5	10.6	28.5	18.0	15.9	20.2	25.3
	\$50,000 or More	7.0	2.2	11.9	11.7	10.3	13.0	15.3
MARITAL STATUS	Married/Couple	17.3	11.4	23.1	14.3	13.2	15.4	22.6
	Not Married/Couple	21.5	13.3	29.8	22.3	20.4	24.1	36.7

Percentage of adults who are former smokers

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	32.2	25.7	38.8	29.8	28.7	30.9	26.7
SEX	Men	40.6	29.3	51.8	33.4	31.6	35.2	28.7
	Women	24.7	17.9	31.5	26.5	25.2	27.7	24.9
RACE/ETHNICITY	Non-Hisp. White	36.1	28.7	43.6	34.1	32.9	35.3	29.8
	Non-Hisp. Black				16.2	13.0	19.4	
	Hispanic				22.0	18.3	25.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.1	35.0	59.2	36.7	34.8	38.7	32.2
	Non-Hisp. White Women	26.3	18.8	33.8	31.6	30.2	33.0	27.7
	Non-Hisp. Black Men				19.1	13.6	24.7	
	Non-Hisp. Black Women				13.9	10.1	17.7	
	Hispanic Men				28.3	21.8	34.8	
	Hispanic Women				15.8	12.4	19.2	
AGE GROUP	18-44	15.6	7.3	23.9	16.9	15.2	18.6	15.1
	45-64	38.1	28.9	47.2	30.8	29.0	32.7	29.1
	65 & Older	53.5	42.0	65.0	48.5	46.9	50.2	44.6
EDUCATION LEVEL	<High School	25.0	10.3	39.7	29.2	25.2	33.2	15.6
	H.S. / GED	34.3	23.0	45.7	29.9	27.9	32.0	31.7
	>High School	33.3	24.9	41.7	29.9	28.5	31.3	26.5
ANNUAL INCOME	<\$25,000	32.8	24.1	41.5	27.5	25.4	29.5	19.8
	\$25,000-\$49,999	38.9	23.8	54.0	31.2	29.0	33.5	27.3
	\$50,000 or More	31.3	20.0	42.6	30.7	28.9	32.5	36.8
MARITAL STATUS	Married/Couple	37.2	28.7	45.6	32.1	30.7	33.5	31.7
	Not Married/Couple	25.1	15.6	34.5	25.9	24.3	27.6	18.6

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.8	41.7	56.0	53.0	51.8	54.3	45.3
SEX	Men	39.4	27.5	51.4	48.2	46.2	50.3	41.8
	Women	57.3	49.1	65.5	57.6	56.1	59.1	48.6
RACE/ETHNICITY	Non-Hisp. White	42.3	34.7	50.0	47.5	46.2	48.8	41.0
	Non-Hisp. Black				70.1	66.1	74.1	
	Hispanic				64.2	59.7	68.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.6	19.1	40.1	45.4 *	43.3	47.5	34.7
	Non-Hisp. White Women	53.8	44.2	63.4	49.5	47.9	51.0	46.6
	Non-Hisp. Black Men				61.9	54.7	69.0	
	Non-Hisp. Black Women				76.4	72.2	80.7	
	Hispanic Men				52.8	45.3	60.3	
	Hispanic Women				75.4	71.1	79.6	
AGE GROUP	18-44	68.1	56.4	79.9	62.6	60.3	65.0	54.9
	45-64	33.9	26.5	41.4	50.0 *	48.0	52.0	35.0
	65 & Older	35.0	25.3	44.7	43.0	41.4	44.7	43.4
EDUCATION LEVEL	<High School	55.3	35.5	75.2	42.4	37.6	47.3	44.4
	H.S. / GED	46.1	34.5	57.7	45.7	43.4	48.1	38.0
	>High School	48.7	39.8	57.6	57.2	55.7	58.8	52.8
ANNUAL INCOME	<\$25,000	40.2	31.0	49.4	46.0	43.5	48.6	39.4
	\$25,000-\$49,999	41.6	28.2	54.9	50.7	48.1	53.4	47.4
	\$50,000 or More	61.7	49.5	73.8	57.7	55.7	59.7	47.9
MARITAL STATUS	Married/Couple	45.6	37.3	53.9	53.6	52.1	55.2	45.7
	Not Married/Couple	53.4	41.2	65.6	51.8	49.7	53.9	44.7

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	49.5	36.3	62.7	60.1	57.0	63.2	61.7
SEX	Men	30.5	14.9	46.1	61.0 *	55.9	66.1	55.9
	Women	68.7	54.9	82.4	59.1	55.7	62.6	67.6
RACE/ETHNICITY	Non-Hisp. White	46.2	31.5	60.8	57.6	54.6	60.7	63.7
	Non-Hisp. Black				71.9	61.7	82.0	
	Hispanic				60.7	45.7	75.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.9	9.9	39.9	57.3 *	52.4	62.2	58.5 *
	Non-Hisp. White Women	68.5	53.1	83.9	57.9	54.2	61.7	69.9
	Non-Hisp. Black Men				72.8	57.5	88.2	
	Non-Hisp. Black Women				70.4	59.7	81.1	
	Hispanic Men				60.7	39.7	81.8	
	Hispanic Women				60.5	44.7	76.4	
AGE GROUP	18-44				63.3	57.8	68.9	72.0
	45-64	51.6	37.4	65.9	58.8	54.7	62.9	52.7
	65 & Older	35.8	17.3	54.3	53.1	47.6	58.6	53.3
EDUCATION LEVEL	<High School				61.2	53.6	68.7	61.3
	H.S. / GED	54.0	34.4	73.6	61.0	56.2	65.9	57.6
	>High School	57.0	36.7	77.2	59.1	54.5	63.8	68.7
ANNUAL INCOME	<\$25,000	66.4	50.2	82.6	63.7	59.0	68.3	60.2
	\$25,000-\$49,999	43.2	20.7	65.7	55.8	48.7	62.9	71.9
	\$50,000 or More				57.0	51.0	62.9	
MARITAL STATUS	Married/Couple	47.9	29.5	66.3	61.1	57.0	65.2	73.4
	Not Married/Couple	51.4	31.7	71.0	59.1	54.3	63.9	49.9

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Introduction

The Florida Department of Health is pleased to release the 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey of Florida adults is the only source of state-specific, population-based estimates of the prevalence of various health and health risk behaviors. The purpose of this survey of Florida residents aged 18 and older is to gather information regarding personal health behaviors, selected medical conditions, and the prevalence of preventive health care practices among Florida adults.

The 2010 BRFSS is the third time the county-level survey has been conducted. It was previously conducted in 2002 and 2007. The 2010 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 35,000 interviews were completed statewide in the 2010 calendar year, with a target sample size of 500 completed surveys in each county.

Levy County has 40,715 adults in the county, and had 611 adults respond to the 2010 county-level BRFSS survey.

The 2010 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2007 county-level survey are included for comparison purposes. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

The prevalence rates in this report are adjusted, or "weighted" to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county as well as age and sex based on 2010 population estimates. Forty-four records were further adjusted during the weighting process.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Clinical Breast Exam	A medical exam where a doctor, nurse, or other health professional feels the breasts for lumps.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Behavior Groups	Those who have had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
HIV	Human immunodeficiency virus (HIV) is a retrovirus that causes acquired immunodeficiency syndrome (AIDS), a condition in humans in which the immune system begins to fail, leading to life-threatening opportunistic infections.
Hysterectomy	An operation to remove the uterus (womb) in women.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Mammogram	An x-ray of each breast to look for breast cancer.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Myocardial Infarction	Commonly known as a heart attack, is the interruption of blood supply to a part of the heart, causing heart cells to die.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Retinopathy	A complication of diabetes that results from damage to the blood vessels of the light-sensitive tissue at the back of the eye (retina).
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Tobacco Cessation Services	Medical and/or psychobehavioral treatment that seeks to reduce or eliminate the use of tobacco products.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

AOCBC-11. Reduce hip fractures among older adults

AOCBC-9. Increase the proportion of adults with chronic joint symptoms who have seen a health care provider for their symptoms

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-3. Reduce stroke deaths

HDS-13. Increase the proportion of adults with elevated LDL cholesterol who have been advised by a health care provider regarding cholesterol-lowering management including lifestyle changes and, if indicated, medication

HDS-12. Increase the proportion of adults with hypertension whose blood pressure is under control

HDS-11. Increase the proportion of adults with hypertension who are taking the prescribed medications to lower their blood pressure

HDS-4. Increase the proportion of adults who have had their blood pressure measured within the preceding two years and can state whether their blood pressure was normal or high

HDS-2. Reduce coronary heart disease deaths

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-5. Reduce the proportion of persons in the population with hypertension

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Diabetes

- D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education
- V-5.2. Reduce visual impairment due to diabetic retinopathy
- D-1. Reduce the annual number of new cases of diagnosed diabetes in the population
- D-5. Improve glycemic control among the population with diagnosed diabetes
- D-8. Increase the proportion of persons with diagnosed diabetes who have at least an annual dental examination
- D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination
- D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination
- D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year
- D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

Disability

- DH-17. Increase the proportion of adults with disabilities who report sufficient social and emotional support

Exercise

- PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity
- PA-2. Increase the proportion of adults who meet current Federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Family Planning

- FP-1. Increase the proportion of pregnancies that are intended

Healthcare Access

- AHS-1. Increase the proportion of persons with health insurance
- AHS-3. Increase the proportion of persons with a usual primary care provider
- AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

HIV/AIDS

- HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Immunization

IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-1. Reduce, eliminate, or maintain elimination of cases of vaccine-preventable diseases

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

OA-11. Reduce the rate of emergency department visits due to falls among older adults

Oral Health

OH-4. Reduce the proportion of adults who have ever had a permanent tooth extracted because of dental caries or periodontal disease

OH-7. Increase the proportion of children, adolescents, and adults who used the oral health care system in the past year

Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Sleep

SH-4. Increase the proportion of adults who get sufficient sleep

Substance Abuse

SA-19. Reduce the past-year nonmedical use of prescription drugs

Tobacco Use & Exposure

TU-6. Increase smoking cessation during pregnancy

TU-1. Reduce tobacco use by adults

TU-4. Increase smoking cessation attempts by adult smokers

TU-5. Increase recent smoking cessation success by adult smokers

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Bo (Bonnie) Yu, M.A.S., M.A
Kimberly Cohen, JD, MSW
Cizao Ren, M.D., M.S., PhD.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org